



Crossword puzzle



CLUES 1 plausible argument using false or invalid reference 2 a set which contains only elements which are shared by two different sets 3 the longest side of a right triangle 4 a natural number greater than one which has only trivial factors 5 a number expressed using a system of counting based on the number two 6 a property of an operation which says that the result is independent from the order of operands 7 raised to the power of two 8 a ratio of sine to cosine 9 a set which contains all elements present in two different sets 10 a logical operator which produces true result if and only if at least one operator is true 11 part of a fraction which must not be equal to zero 12 a number expressed using a system of counting based on the number ten 13 a number which is whole and can be negative or positive or zero 14 a number which we substitute in an expression and we get zero 15 a logical operator which produces true result if and only if both operands are true 16 a result which we get by division of two numbers 17 operation which is denoted by the mid-line dot 18 a side of a right triangle which is adjacent to the right angle 19 raised to the power of three 20 a group of elements

Crossword puzzle



CLUES 1 plausible argument using false or invalid reference 2 a set which contains only elements which are shared by two different sets 3 the longest side of a right triangle 4 a natural number greater than one which has only trivial factors 5 a number expressed using a system of counting based on the number two 6 a property of an operation which says that the result is independent from the order of operands 7 raised to the power of two 8 a ratio of sine to cosine 9 a set which contains all elements present in two different sets 10 a logical operator which produces true result if and only if at least one operator is true 11 part of a fraction which must not be equal to zero 12 a number expressed using a system of counting based on the number ten 13 a number which is whole and can be negative or positive or zero 14 a number which we substitute in an expression and we get zero 15 a logical operator which produces true result if and only if both operands are true 16 a result which we get by division of two numbers 17 operation which is denoted by the mid-line dot 18 a side of a right triangle which is adjacent to the right angle 19 raised to the power of three 20 a group of elements

Crossword puzzle

