

RecType	ExcelTime	Comment	CO2r	CO2a	CO2d	H2Or	H2Oa	H2Od
M	44991.39613		401.6	388.8	-12.8	7.6	12.84	5.24
M	44991.39626		401.5	388.6	-12.9	7.6	12.87	5.27
M	44991.3964		401.6	388.5	-13.1	7.6	12.9	5.3
M	44991.39786		401.8	388.9	-12.9	7.6	13.7	6.1
M	44991.39799		401.9	389.2	-12.7	7.7	13.78	6.08
M	44991.39813		401.7	389.1	-12.6	7.7	13.76	6.06
M	44991.39955		401.5	391.1	-10.4	7.7	13.72	6.02
M	44991.39968		401.4	391.2	-10.2	7.7	13.67	5.97
M	44991.3998		401.5	391.2	-10.3	7.7	13.61	5.91
M	44991.40124		401.4	392.2	-9.2	7.7	13.39	5.69
M	44991.40137		401.1	391.9	-9.2	7.6	13.25	5.65
M	44991.40149		401	391.9	-9.1	7.6	13.22	5.62
M	44991.40292		401	393.7	-7.3	7.7	13.34	5.64
M	44991.40306		401.2	393.8	-7.4	7.7	13.28	5.58
M	44991.40318		401	393.5	-7.5	7.7	13.23	5.53
M	44991.40563		401.8	401.5	-0.3	7.6	12.75	5.15
M	44991.40575		402.3	401.9	-0.4	7.6	12.08	4.48
M	44991.40589		402.2	402.2	0	7.7	11.94	4.24
M	44991.40729		402	403.9	1.9	7.7	11.75	4.05
M	44991.40743		401.8	403.4	1.6	7.6	11.63	4.03
M	44991.40756		401.4	403.3	1.9	7.6	11.61	4.01
M	44991.40898		401.9	405.7	3.8	7.7	11.28	3.58
M	44991.40911		401.9	405.7	3.8	7.7	11.25	3.55
M	44991.40925		401.6	405.4	3.8	7.7	11.23	3.53
M	44991.41065		401.8	406.6	4.8	7.7	11.1	3.4
M	44991.41079		401.8	406.9	5.1	7.7	11.09	3.39
M	44991.41091		402.1	406.9	4.8	7.7	11.09	3.39

PARi	PARe	Red	Green	Blue	White	Tamb	Tcuv	Tleaf	Aleaf	Flow
2000	376	38	37	25	0	27	20.6	27	2.5	300
2000	376	38	37	25	0	27	20.7	27	2.5	300
2000	376	38	37	25	0	27.1	20.7	27	2.5	300
1500	376	38	37	25	0	27.2	23.8	27.7	2.5	300
1500	376	38	37	25	0	27.2	23.8	27.7	2.5	299
1500	376	38	37	25	0	27.2	23.7	27.6	2.5	300
1000	376	38	37	25	0	27.3	25.3	27.6	2.5	300
1000	376	38	37	25	0	27.3	25.3	27.5	2.5	300
1000	376	38	37	25	0	27.3	25.2	27.6	2.5	299
800	376	38	37	25	0	27.3	25.6	27.4	2.5	300
800	376	38	37	25	0	27.3	25.6	27.5	2.5	300
800	376	38	37	25	0	27.3	25.6	27.5	2.5	299
499	376	38	37	25	0	27.3	26.5	27.4	2.5	300
500	376	38	37	25	0	27.3	26.5	27.3	2.5	300
501	376	38	37	25	0	27.3	26.4	27.3	2.5	300
200	375	38	37	25	0	27.2	26.4	27.2	2.5	300
200	375	38	37	25	0	27.2	26.4	27.2	2.5	299
200	376	38	37	25	0	27.2	26.4	27.2	2.5	300
100	375	38	37	25	0	27.2	26.8	27.2	2.5	299
100	375	38	37	25	0	27.2	26.7	27.2	2.5	300
101	376	38	37	25	0	27.2	26.7	27.2	2.5	299
51	375	38	37	25	0	27.2	26.7	27.3	2.5	300
51	375	38	37	25	0	27.2	26.7	27.3	2.5	300
51	375	38	37	25	0	27.2	26.7	27.3	2.5	300
0	375	38	37	25	0	27.2	26.6	27.2	2.5	300
0	374	38	37	25	0	27.2	26.6	27.2	2.5	299
0	375	38	37	25	0	27.2	26.6	27.2	2.5	299

Patm	RH	Ci	gs	VPD	A	E	WUE	rb	StomataR	Tsensor	Tcontrol
978	52.92	301	218	2.28	9.5	4.84	1.96	0.4		50 IR	LA
978	52.72	300	219	2.28	9.6	4.87	1.97	0.4		50 IR	LA
978	52.84	299	221	2.28	9.8	4.89	2	0.4		50 IR	LA
978	46.47	311	251	2.34	9.3	5.64	1.65	0.4		50 IR	LA
978	46.74	312	250	2.34	9.1	5.61	1.62	0.4		50 IR	LA
978	46.95	313	250	2.32	9	5.6	1.61	0.4		50 IR	LA
978	42.54	327	250	2.32	7.1	5.57	1.27	0.4		50 IR	LA
978	42.39	329	248	2.3	6.9	5.52	1.25	0.4		50 IR	LA
978	42.45	327	243	2.33	7.1	5.44	1.31	0.4		50 IR	LA
978	40.79	332	234	2.31	6.2	5.26	1.18	0.4		50 IR	LA
978	40.36	331	230	2.35	6.2	5.22	1.19	0.4		50 IR	LA
978	40.27	332	228	2.35	6	5.18	1.16	0.4		50 IR	LA
978	38.53	346	233	2.32	4.5	5.21	0.86	0.4		50 IR	LA
978	38.36	345	231	2.3	4.6	5.16	0.89	0.4		50 IR	LA
978	38.44	344	227	2.31	4.6	5.11	0.9	0.4		50 IR	LA
978	37.04	399	209	2.33	-1.6	4.76	-0.34	0.4		50 IR	LA
978	35.1	398	174	2.4	-1.2	4.12	-0.29	0.4		50 IR	LA
978	34.69	402	163	2.41	-1.5	3.91	-0.38	0.4		50 IR	LA
978	33.34	422	154	2.43	-3.2	3.72	-0.86	0.4		50 IR	LA
978	33.2	419	153	2.44	-2.9	3.72	-0.78	0.4		50 IR	LA
978	33.14	421	151	2.45	-3.1	3.69	-0.84	0.4		50 IR	LA
978	32.2	447	132	2.5	-4.7	3.3	-1.42	0.4		50 IR	LA
978	32.11	448	130	2.5	-4.7	3.28	-1.43	0.4		50 IR	LA
978	32.05	448	129	2.51	-4.7	3.25	-1.45	0.4		50 IR	LA
978	31.87	462	125	2.5	-5.6	3.14	-1.78	0.4		50 IR	LA
978	31.84	466	124	2.5	-5.8	3.12	-1.86	0.4		50 IR	LA
978	31.84	462	124	2.5	-5.5	3.12	-1.76	0.4		50 IR	LA

