

SPECTRA Rainbow Thermo; Serial number: 334014; Firmware: V1.50; XREAD PLUS Version: V 4.00
Date: 1/12/08
Time: 16:02

User comment:

Measurement mode: Absorbance
Measurement filter: 450 nm
Reference filter: 560 nm

Dual wave data (difference)

<>	1	2	3	4	5	6	7	8	9
A	1.9870	1.7230	0.0160	0.0150	0.0160	1.7380	1.7660	0.8610	0.0120
B	1.2430	1.2440	2.0120	1.9700	2.0200	1.9640	0.0120	0.0120	0.0120
C	0.7410	0.7190	2.3780	2.0690	0.0150	0.0120	0.0120	1.9220	1.8120
D	0.4110	0.4060	0.0160	1.9820	2.0100	0.7910	0.0120	0.0100	0.0130
E	0.2270	0.2250	0.0160	0.0140	0.0170	1.3020	1.2690	1.0860	0.0130
F	0.1220	0.1180	1.9070	1.9430	1.2250	1.8670	0.0120	0.0100	0.0110
G	0.0700	0.0670	2.1160	1.8820	0.0160	0.0150	0.0120	1.7460	1.9260
H	0.0200	0.0170	0.0160	2.0050	1.9960	2.2770	0.0140	0.0110	0.0120

10	11	12
0.0140	0.0160	0.0130
0.0130	2.0500	2.0110
1.9720	0.0130	0.0130
2.1260	2.1070	2.1790
0.0130	0.0130	0.0130
0.0130	1.8530	1.9250
2.1250	0.0130	0.0130
2.0170	1.9260	2.0440

SPECTRA Rainbow Thermo; Serial number: 334014; Firmware: V1.50; XREAD PLUS Version: V 4.0
 Date: 1/12/08
 Time: 16:12

User comment:
 Measurement mode: Absorbance
 Measurement filter: 450 nm
 Reference filter: 560 nm

Dual wave data (difference)

<>	1	2	3	4	5	6	7	8	9
A	2.0750	2.0530	0.0260	0.0310	0.0310	1.7190	1.8080	1.8310	0.0300
B	1.3320	1.3290	2.2900	2.3720	1.6230	2.3280	0.0280	0.0280	0.0280
C	0.7450	0.7050	2.4360	2.2360	0.0290	0.0270	0.0280	2.5340	2.5180
D	0.4050	0.3630	0.0250	2.3060	2.3810	2.6870	0.0270	0.0290	0.0280
E	0.2210	0.1970	0.0280	0.0260	0.0260	1.9660	2.1720	1.2530	0.0290
F	0.1160	0.1040	2.1750	2.2190	2.2530	2.3160	0.0290	0.0290	0.0290
G	0.0710	0.0630	2.4490	2.1660	0.0270	0.0270	0.0280	2.5810	2.3990
H	0.0290	0.0240	0.0250	2.3600	2.2620	1.0720	0.0280	0.0300	0.0280

kal.	kal.	1A	2	3	5	6	7	9
kal.	kal.	13	14	15	16	17	18	19
kal.	kal.	23	24	25	26	27	29	30
kal.	kal.	35	37	38	39	41	42	43
kal.	kal.	1B	2	3	5	6	7	9
kal.	kal.	13	14	15	16	17	18	19
kal.	kal.	23	24	25	26	27	29	30
kal.	kal.	35	37	38	39	41	42	43

10	11	12
0.0290	0.0290	0.0300
0.0280	2.6170	2.6800
2.8400	0.0070	0.0280
2.6010	2.6030	2.6660
0.0440	0.0270	0.0280
0.0280	2.4850	2.6240
2.5960	0.0270	0.0300
2.8470	2.7980	2.7980

10	11	12
20	21	22
31	33	34
45	46	47
10	11	12
20	21	22
31	33	34
45	46	47