

8. Molecular Biotechnology in Agriculture

Outline

- Definition of green biotechnology
- Genetic engineering of plants
- Genetic engineering of animals
- Biopharming

Green (agricultural) biotechnology

- green biotechnology applied to **agricultural processes**
- environmentally-friendly solutions as alternative to traditional agriculture, horticulture, and animal breeding processes
- modification of **plants and animals** increasing value in agriculture
 - **traditional** agriculture – selective crossbreeding and hybridization
 - **modern** molecular biotechnology – **transgenesis** (rDNA)
- transgenic organism** - altered by addition of exogenous DNA
- transgene** – DNA that is introduced


Genetic engineering of plants

- > 150 different plant species in 50 countries worldwide
- **DNA sequence** of *A. thaliana* (2000), rice (2005), cotton (2006), corn (2009), potato (2011), tomato (2012) ...
- transgenic plants engineered to
 - **overcome biotic and abiotic stress**
 - pesticides (herbicides)
 - pests and diseases (insects, viruses, bacteria, fungi)
 - environmental stress (salt, cold and drought)
 - **improved crop quality**
 - improved nutritional quality
 - enhance taste, appearance and fragrance
 - increase shelf-life
 - **biopharming**
 - plants as bioreactors for production of useful compounds (e.g., therapeutics, vaccines, antibodies)
 - **phytoremediation**


Genetic engineering of plants

□ plant transgenesis procedure

1. **construction** of vector/plasmid (restriction digests, ligation)
2. **propagation** in *E. coli*
3. **transformation**
4. **culture and selection**




□ totipotency - entire plant generated from a single, non-reproductive cell



Methods of plant transformation

□ DIRECT METHODS

- **protoplast polyethyleneglycol (PEG) method**
 - first technique for plant transgenesis
 - PEG induces reversible permeabilization of the plasma membrane
- **protoplast electroporation**
 - intensive electrical field leads to pores on plasma membrane
- **silicon carbide fibers**
 - fibers punch holes through plant cells during vortexing
- **protoplast microinjection**



Methods of plant transformation

□ DIRECT METHODS

▪ **particle bombardment**

- most common technique for direct transformation
- „particle gun“ or „gene gun“
- DNA precipitated onto tungsten or gold particles
- particles shot into the plant tissue/cells




Methods of plant transformation

□ INDIRECT METHODS (VECTORED)

▪ **Agrobacterium-mediated transformation**

- *A. tumefaciens* plant pathogenic bacteria causes Crown gall (tumors)
- **tumor inducing (TI) plasmid**
- **T-DNA** transferred and integrated into plant cell



Markers and selection

- transformation frequency is low (max 3% of all cells)



- without **selective advantage** transformed cells overgrown by non-transformed

□ **selection markers**

- antibiotics resistance (Kanamycin, Geneticin)
- herbicides resistance (Phosphinothricin)

□ **reporter genes**

- **GUS** (β -glucuronidase)
- **GFP** (green fluorescent protein)
- **LUC** (Luciferase)





Application of transgenic plants

□ pest and disease resistance

- **toxin gene** from *Bacillus thuringiensis*
 - **Bt-corn** resistant to european corn borer
 - **Bt-cotton** resistant to cotton bollworm
 - **Bt-peanut** resistant to cornstalk borer




- **Papaya ringspot virus resistance**
inserting gene from pathogen into crop affords the crop plant resistance



Application of transgenic plants


□ herbicide resistance

- herbicide target modification
- herbicide target overproduction
- herbicide detoxification (enzymatic)



EXAMPLES:

- **sulfonylurea resistance**
blocking the enzyme for synthesis Val, Leu, isoLeu mutated gene transferred from resistant tabaco
- **bromoxynil resistance**
transgene encoding enzyme bromoxynil nitrilase
- **glyphosate resistance**
bacterial transgene protein inactivating herbicide



Application of transgenic plants

□ improved crop quality

- **higher nutrition value**
 - **golden rice** (beta - carotene genes)
 - 120 million children suffers from vitamin A deficiency
 - healthy vision and prevents night blindness
 - **black tomato** (anthocyanin antioxidant gene)
 - prevent heart disease, diabetes and cancer
- **improve shelf life**
 - delayed fruit ripening (FlavrSavr tomatoe)
antisense gene blocking pectinase
- **improved appearance**
 - delphinidin gene from pansy cloned to rose



□ biopharming

Genetic engineering of animals

□ selective breeding

- time **consuming** and **costly**
- **limited** number of properties available
- **difficult** to introduce new genetic traits to established line

□ transgenic animals


- fast generation lines carrying **desired properties**
 - increased growth
 - improved disease resistance
 - increased muscle mass
 - improved nutritional quality
 - increased wool quality
- **model animals** for human disease research
- **biopharming** - production of useful molecules
- **biosensors** for environmental pollution



Methods to produce GE animals

□ direct microinjection (pronucleus method)



- injection of desired DNA to male pronucleus
- most popular, commercial available
- success range from 10 to 30%
- transfer of large genes possible, no theoretical limit for gene construct size
- random insertion of the transgen



Methods to produce GE animals

□ retrovirus mediated gene transfer



- retroviruses used as vectors (gene therapy)
- virus gene is replaced by transgene
- replication defective virus infect host cells (e.g., ES cells, embryo cells)
- efficient mechanism of transgen integration
- transfer of genes < 8 kb possible
- random insertion of the transgen



Methods to produce GE animals

□ embryonic stem cell method

- transfection of gene construct into *in vitro* culture of embryonic stem (ES) cells
- ES recombinant cells incorporated into embryo at blastocyst stage
- targeted **insertion** or **knockout** of gene(s) prior to microinjection
- ES cell lines not available in farm animals
- has revolutionized genetics, development, immunology and cancer research in mice



Application of transgenic animals

□ disease-resistant livestock

- ***in vivo* immunization**: overexpress genes encoding monoclonal antibodies
- eliminate production of host cell components that interact with infectious agent

□ improving milk quality

- **increase casein** contents let to increase cheese production
- **decrease lactose** content by overexpress lactase
- abolish lactoglobulin expression (for milk allergic consumer)

□ improving animal production traits

- **transgenic fish**: enhanced growth 3-5 times (growth hormone)
- **transgenic pig**: production of omega-3-fatty acids (roundworm gene)
- **transgenic poultry**: lower cholesterol and fat in eggs

□ biopharming

□ xenotransplantation

- production of donor complementary organs, tissues and cells

Biopharming

- use of plants or animals for the production of useful molecules

□ industrial products

- proteins (enzymes)
- fats, oils and waxes

□ pharmaceuticals

- recombinant human proteins
- therapeutic proteins and pharmaceuticals
- vaccines and antibodies

Biopharming

INDUSTRIAL PRODUCTS FROM PLANTS

- ❑ cheap and easy to produce
- ❑ free of animal viruses
- ❑ risk of food supply contamination
- ❑ environmental contamination

EXAMPLES (transgenic corn, Sigma):

- **avidin**
 - medical diagnostics
- **β-glycuronidase**
 - visual marker in research labs
- **trypsin**
 - traditionally isolated from bovine pancreas
 - first large scale transgenic plant product
 - worldwide market = US\$120 million



Biopharming

EDIBLE VACCINES FROM PLANTS

- ❑ no purification required
- ❑ no hazards associated with injections
- ❑ may be grown locally, where needed most
- ❑ no transportation costs
- ❑ no need for refrigeration or special storage

EXAMPLES:

- HIV-suppressing protein in spinach
- rabies virus G protein in tomato
- human vaccine for hepatitis B in potato



Biopharming

PLANT-MADE ANTIBODIES

- ❑ **plantibodies** - monoclonal antibodies produced in plants
- ❑ free from potential contamination of mammalian viruses
- ❑ plants used include tobacco, corn, potatoes, soya and rice

EXAMPLES: cancer, herpes simplex virus, respiratory syncytial virus

PLANT-MADE PHARMACEUTICALS

- ❑ therapeutic proteins and intermediates

EXAMPLES: proteins to treat CF, HIV, hypertension, hepatitis B

Biopharming

PRODUCTION OF PHARMACEUTICALS IN MILK

- ❑ easy to purify - few other proteins in milk
- ❑ no harm for transgenic animal, no change to physiology
- ❑ dairy cattle produce 10,000 liters of milk/year (35 g protein/liter)
- ❑ only few transgenic cows can meet worldwide demand
- ❑ risk of food supply contamination

EXAMPLES:

- COW: human serum albumin, human lactoferrin
- SHEEP: Alpha-1-antitrypsin
- GOAT: human antithrombin III (FDA approved), tissue plasminogen activator, malaria antigen, BioSteel from spider silk (Nexia Biotech)

