

	čas (min)	R-enantiomer (mM)	S-enantiomer (mM)
A	0	2.0	2.0
	5	1.1	2.0
	10	1.0	1.9
	15	0.9	2.1
	20	0.7	1.9
	25	0.6	2.0
	30	0.6	2.1
B	0	2.2	2.2
	5	1.5	1.5
	10	1.1	1.1
	15	0.5	0.6
	20	0.0	0.0
	25	0.0	0.0
	30	0.0	0.0

	čas (min)	R-enantiomer (mM)	S-enantiomer (mM)
A	0	1.7	1.7
	5	1.5	1.8
	10	1.6	2.1
	15	1.2	1.9
	20	1.1	2.2
	25	0.7	1.8
	30	0.5	1.8
B	0	2.3	2.1
	5	1.9	2.0
	10	1.7	1.8
	15	1.3	1.5
	20	0.9	1.0
	25	0.6	0.7
	30	0.2	0.5

	čas (min)	R-enantiomer (mM)	S-enantiomer (mM)
A	0	2.4	2.4
	5	2.0	2.3
	10	1.2	2.3
	15	0.6	1.9
	20	0.4	1.9
	25	0.1	2.0
	30	0.0	1.7
B	0	2.5	2.5
	5	1.1	1.1
	10	0.4	0.5
	15	0.2	0.3
	20	0.0	0.0
	25	0.0	0.0
	30	0.0	0.0

	čas (min)	R-enantiomer (mM)	S-enantiomer (mM)
A	0	2.4	2.3
	5	2.1	2.3
	10	1.8	2.3
	15	1.6	2.4
	20	1.4	2.3
	25	1.0	2.2
	30	0.8	2.1
B	0	2.4	2.4
	5	2.0	2.2
	10	1.8	2.2
	15	1.4	2.0
	20	0.8	1.9
	25	0.4	1.6
	30	0.4	1.3