



International Cartographic Association

www.icaci.org



Brno, 17.4.2007 – Hřebíček, Horová
Seminář

Aktuální trendy kartografie a geoinformatiky

Milan KONECNY

President; International Cartographic Association (ICA)

Vice-President; International Society for Digital Earth (ISDE)

Head; Laboratory on Geoinformatics and Cartography,

Institute of Geography, Faculty of Science, Masaryk University, Kotlarska 2, 611 37 BRNO, Czech republic


konecny@geogr.muni.cz






Prehistoric Map,
Pavlov Hills, South
Moravia, 24 000 B.C.






3-D Image of Pudong Area, Shanghai




Elevation Map of Buildings Produced from 3-D Imager

Digital Surface Model (DSM)




Digital Terrain Model (DTM)



INTERMAP
www.intermaptechnologies.com

Elevation
-2400
-2300
-2200
-2100
-2000
-1900
-1800
-1700
Meters

0 0.5 1
Kilometers



Obr. 1. Schéma jednocestné informační koncepce mapy
(sestaveno podle: KOLÁČNÝ, A., 1967)



Obr. 2. Postavení kartografie v systému věd.

**If somebody will tell You that
cartography does not exist do not
believe to him or to her.**

**Also high positioned people,
sometimes with professors titles are
saying we are BEYOND cartography,
but I am certain that cartography just
now can fill up its historical role.**

CONTENT

- 1. World Global Challenges: Sustainable Development Approach**
- 2. Global/Regional/Local Geospatial Projects**
- 3. Cartography and Geoinformatics in SDI World**
- 4. Cartographic Unique Approches**
- 5. Contemporary Cartography**
- 6. Early Warning and Disaster Management Challenges**
- 7. Cartographical responses**

1. World Global Challenges: Sustainable Development Approach



„Information Society” is the term that is used to capture the increasing contemporary influence of information and communication technologies (ICTs).

Knowledge-based society enhances content of the processes based on data, information and knowledge.

1972 - Stockholm, the urgent need to respond to the problem of environmental deterioration ,

1992 – Rio de Janeiro, the protection of environment, social and economic development are fundamental to sustainable development; Agenda 21, **Global Mapping**

2002 – Johannesburg, World Summit on Sustainable Development (WSSD)

2003 – Geneva, WS on Information Society



WSSD, Johannesburg 2002

PLAN OF IMPLEMENTATION

Good governance within:

- each country
- and
- at the international level

is essential for sustainable development.

Paragraph 47 of Part V.
Sustainable development in a globalizing world says:

Globalization offers opportunities and challenges for sustainable development.

New opportunities: to trade, investment and capital flows and advances technologies, incl. IT for growth of the World economy, development and improvement of the living standards, BUT...

A very important part the role of research and science are **Means of implementation** (part X) - some of the paragraphs:

109. Improve policy and decision-making at all levels through, inter alia, improved collaboration between natural and social scientists, and between scientists and policy makers, including through urgent actions at all levels to:

- (a) Increase the use of scientific knowledge and technology and increase the beneficial use of local and indigenous knowledge ..
- (b) Make greater use of integrated scientific assessments, risk assessments and interdisciplinary and intersectoral approaches;
- (c) Continue to support and collaborate with international scientific assessments supporting decision-making

Means of implementation

par. 132 (designed by ISCGM-Bali)

Promote the development and wider use
of earth observation technologies, incl. satellite
remote sensing (RS), global mapping and GIS,
to collect quality data on environmental impacts,
land use and land-use changes, incl., Through
urgent actions at all levels to:

Cont.

(a) strengthen cooperation and coordination among global observing systems and research programmes for integrated global observations, taking into account the need for building capacity and sharing of data from ground based observations, satellite RS and other sources among all countries;

Cont. 2

- (b) Develop information systems that make the sharing of valuable data possible, incl. the active exchange of Earth observation data;
- (c) Encourage initiatives and partnerships for global mapping.

Information Society

Sustainable Information Society

The linkage between sustainability
and information society development
is still poorly understood.

Sustainable Development:

a set of the equal important aspects:

- economic,
- ecological,
- technological,
- social,
- cultural,
- ethical.

2. Global/Regional/Local Geospatial Projects

GLOBAL SPATIAL DATA PROJECTS

Global Mapping



Global Spatial Data Infrastructure (GSDI)

Digital Earth



U. N. Geographic Data Base

GI for Sustainable Development (GISD)
(OGC)

GNSS (EOS, GEOS, GEOSS), FAO..




0



REGIÓN ANDINA

- 1 Nudo de los Pastos
- 2 Fosa del Patia
- 3 Cordillera occidental
- 4 Altiplano de Popayán
- 5 Valle del Cauca
- 6 Cañón del Cauca
- 7 Macizo Colombiano
- 8 Cordillera Central Medidional
- 9 Macizo Volcánico
- 10 Montaña antioqueña
- 11 Alto Magdalena
- 12 Magdalena medio
- 13 Vertiente magdalenense de la cordillera Oriental
- 14 Altiplano cundiboyacense
- 15 Montaña santandereana
- 16 Fosa del Suárez y Chicamocha
- 17 Macizo Santurbán
- 18 Catatumbo
- 19 Los Motilones
- 20 Vertiente Oriental Andina

REGIÓN CARIBE



Regiones geográficas


- Desértico
- Arido
- Semiárido
- Semihúmedo
- Húmedo
- Superhúmedo

Colombia


Zonificación climática
Según el sistema de clasificación LANG

Relieve


Understanding Digital Earth




Cloud




El Nino



Sea water temperature



Vegetation



Earth Surface



Earthquake




Volcano



Plate Boundary

Understanding Digital Earth



(White paper by NASA Digital Earth office, 2000)

The Digital Earth: Understanding our planet in the 21st Century by Al Gore

- Nová vlna **technologických inovací** nám dovoluje sběr, ukládání, zpracování a zobrazování nepředstavitelného množství informací o naší planetě a široké rozmanitosti přírodních a kulturních jevů. Většina těchto informací je "georeferenčních", to znamená, že jsou vztažena k určitému specifickému místu na zemském povrchu.
- Obtížnou součástí využití těchto předností je **záplava geoprostorových informací** – problémem je převedení surových dat do pochopitelných informací.
- **Digital Earth:** vícenásobná zobrazení, třídimenzionální reprezentace planety, při němž využíváme velké množství georeferenčních dat.

Digital Earth - nezbytné technologie

- Počítačové vědy resp. Informatika (Computer Science)
- Obrovské ukládací kapacity pro data (Mass Storage)
- Družicové snímky (Satellite Imagery)
- Širokopásmové sítě (Broadband Networks)
- Interoperabilita (Interoperability)
- Metadata -Realizovat úplný potenciál Digitální Země vyžaduje technologický pokrok v dalších oblastech, zejména automatizované interpretaci snímků, propojování dat z rozmanitých zdrojů, a *inteligentní agenty, kteří mohou nalézti a propojit informaci na WEBu o jakémkoliv místě na zeměkouli.* Už v současnosti je k dispozici dostatečné množství informací, aby proces mohl být úspěšně rozvíjen.

Digital Earth - potenciální aplikace

- **Vedení virtuální diplomacie** (mírové rozhovory v Bosně, simulovaný let nad plánovanou hranicí, stanovení koridoru)
- **Boj s kriminalitou** (pomocí GIS v městě Salinas)
- **Ochrana zachování biodiversity:** (Camp Pendleton, California, předpověď růstu populace z 1.1 milion v r. 1990 na 1.6 milion v r. 2010. V regionu 200 ohrožených, vzácných rostlin a živočichů. Na základě informací o terénu, půdních poměrech, ročních srážkách, vegetaci, využití půdy a vlastnických vztahů vědci modelovali možné dopady na biodiversitu v regionu)

Předpovědi klimatických změn: (odlesňování Amazonských pralesů na základě družicových dat)

Růst zemědělské produktivity: (družicové snímky a GPS pro včasné detekci nemocí a škůdců a nasazení protiopatření; “farming by the inch.”


3. Cartography and geoinformatics in SDI World

GSDI Cookbook:

“The term “Spatial Data Infrastructure” (SDI) is often used to denote the relevant base collection of technologies, policies and institutional arrangements that facilitate the availability of and access to spatial data.

The SDI provides a basis for spatial data discovery, evaluation, and application for users and providers within all levels of government, the commercial sector, the non-profit sector, academia and by citizens in general....

Spatial Data Infrastructures



*The word **infrastructure** is used to promote the concept of a **reliable**, supporting environment, analogous to a road or telecommunications network, that, in this case, facilitates the **access** to geographically-related information using a minimum set of standard practices, protocols, and specifications....*

An SDI must be more than a single data set or database; an SDI hosts geographic data and attributes, sufficient documentation (metadata), a means to discover, visualize, and evaluate the data (catalogues and Web mapping), and some methods to provide access to the geographic data.

Beyond this are additional services or software to support applications of the data. To make an SDI functional, it must also include the organisational agreements needed to coordinate and administer it on a local, regional, national, and or transnational scale...

Although the core SDI concept includes within its scope neither base data collection activities or myriad applications built upon it, the infrastructure provides the ideal environment to connect applications to data – influencing both data collection and applications construction through minimal appropriate standards and policies....


The creation of specific organisations or programs for developing or overseeing the development of SDI, particularly by government at various scales can be seen as the logical extension of the long practice of co-ordinating the building of other infrastructures necessary for ongoing development, such as transportation or telecommunication networks.”


Globální a evropské přístupy

- Koordinovaný sběr a přístup ke geografickým datům v USA
 - Výnos prezidenta USA Clintonova z 11. dubna 1994, s názvem "Koordinovaný sběr a přístup ke geografickým datům; Národní prostorová datová infrastruktura."
 - "geografická informace je kritická pro ekonomický rozvoj, zdokonaluje náš přístup k přírodním zdrojům a ochraně životního prostředí".
 - moderní technologie dovoluje zdokonalovat sběr, distribuci a využití geografických nebo geoprostorových dat a mapování.


Globální a evropské přístupy

- geoprostorová data znamenají informaci, která určuje geografickou polohu a charakteristiky přírodních nebo konstruovaných (antropogenních) objektů a hranic na zemském povrchu. Tyto informace mohou být mimo jiné odvozeny z materiálů dálkového průzkumu Země, mapováním a zeměměřičskými technologiemi, nebo jsou to statistická data.







Multipurpose GIS



Framework Approach




Geographic Entities



Encoding Method

- River and Lake (chains and areas)
- Road (chains)
- Parcel (areas)
- Geodetic Control Station (points)



NSDI

- Tři aspekty struktura NSDI:
 - data
 - procedury
 - technologie
- pro budování a využití dat, vztahy mezi institucemi a praktiky v oblasti byznysu.
- Sedm typů geografických dat:
 - geodetický podklad,
 - ortofotosnímky,
 - výšky,
 - transport,
 - hydrografie,
 - administrativní jednotky,
 - informace o katastru.

Cíle a úkoly NSDI strategie:


- **Vize: aktuální a přesná geoprostorová data budou k dispozici lokálně, v rámci státu a globálně pro ekonomický růst, kvalitu prostředí a jeho stabilitu a sociální pokrok.**
 - Zvýšit povědomí a chápání vize, koncepcí a zisků na základě existence NSDI pomocí edukace a jejího osvojování.
 - Rozvinutí obecných přístupů pro nalézání, přístup a využití geoprostorových dat, které by odrážely rozmanité potřeby společnosti.
 - Využívat společensky založených přístupů k rozvoji a udržování společných souborů geoprostorových dat pro jasné přijímání řešení.
 - Vytvářet vztahy mezi organizacemi v zájmu podpory nepřetržitého rozvoje NSDI.

Santiago Borrero (PAIGH SG): importance of *non-technical variables* in SDI building in Developing Nations.

“Culturally speaking, particularly, there is a problem of attitude and a history of isolation, ill-defined ideas, language barriers, and financial challenges. In every country SDI will reflect local social and economic conditions, cultural aspects and elements related to national identity“.

GMES and INSPIRE

Global Monitoring for Environment and Security





INSPIRE

Infrastructure for Spatial Information in Europe

The INSPIRE concept:

Availability

Existence dat


Accessibility

Dostupnost

Legislation rules. Pravidla přístupu.

Infrastructure for Spatial Information in Europe

Different Policies and standards



Technical Support to GI policy development



Europe is moving 3cm/year

GI Institutional framework
GI technical standards

Standards implementation

Different sea level in Europe

GIS for Natura 2000

Spatial Data Infrastructure


Fundamental GI data sets
Spatial Information Services




Catchments

Technical Support To data set creation


Meteo data



Needs to create european spatial data sets



Land Cover



eEurope : eGovernement on line

Towards an Infrastructure for Spatial Information

From discovery

to Full Interoperability

Standardisation

- Metadata
- Discovery Service
- Data Policies
- Licensing Framework
- Coordinating structures
- ...

Harmonisation


- Geodetic Framework
- Seamless data
- Quality insurance
- Certification
- Updating
- Data model
- ...

Integration

- Catalog Services
- View Service
- Query Service
- Object Access Service
- Generalisation Services
- Geo-Processing services
- ...

Current status

Architecture model



After the Digital Earth Reference Model

GALILEO

NAVSTAR

GLONASS



“i2010 – A European Information Society for growth and employment”

COM(2005) 229 final

**COMMUNICATION FROM THE COMMISSION
TO THE COUNCIL, THE
EUROPEAN PARLIAMENT, THE EUROPEAN
ECONOMIC AND SOCIAL
COMMITTEE AND THE COMMITTEE OF THE
REGIONS**

Brussels, 31.05.2005

(Text with EEA relevance)

Changing models of geographic information



Paper map



Digital data file



Spatial database

OS MasterMap:

a definitive digital map of Great Britain, providing detailed geographic information for a wide range of business and government purposes.

OS MasterMap underpins a huge range of commercial services used by millions of people every day.

4. Cartographic Unique Approches

Where SDIs end, cartography begins?

Geographer Ptolemy first developed the idea of atlases: how to subdivide the world into 26 parts, how to portray the world in its entity and in parts. We are still using his ideas of subdividing the world, in parts from north to south and from west to east.

Ortelius Atlas

Mercator Atlas



Speculum dedit Ortelius mortalib. orbem,
Orbi speculum Gallicus Ortelium. P. 15

We are refining these ideas;


In another geodata revolution, in the 19th century, we used national atlases, Finland was first one;

The next geodata revolution at the end of the 20th century led us to digital atlases.

But still we keep these cartographic ideas of making sense of the world.

Examples of the atlas concept – atlases as ways of storage of geospatial information we have learned to deal with – are for instance *emergency-atlases*.


Here in the first place atlases allow us access to the area involved, the atlas opens the door to that area, and allows also people faraway to understand its problems.



5. Současný stav kartografie

Kartografie pod vlivem ICT vstoupila do nového, revolučního období svého vývoje.

Moderní přístup chápe mapování jako schopnost vytvořit **znalostní rámec určitého prostředí v prostoru**.



Krychle využití map ukazující čtyři formy vizualizace pro výzkum, analýzu a prezentaci. (A.M. MacEachren)

V ČEM JE DNEŠNÍ KARTOGRAFIE JINÁ?

Je schopná vytvářet vhodné mapy podle *specifických a individuálních požadavků*.

Namísto pouhého *využívání map* vytvořených někým v předstihu, dovolují nové vědecké technologie *jednotlivcům*

využívat kartografii interaktivně, podle základních individuálních uživatelských požadavků, pro studium a prezentaci prostorových informací.

Nejdynamičtější proudy v kartografii:

1. Kartografická vizualizace (ICA komise pro vizualizaci a virtuální prostředí).
2. Ubiquitous mapování (všude, v každé situaci)
3. Internetové mapy
4. Využití map
5. Sensorová kartografie

Media Flexible

Spatial
Representation

Multi-D


- (1) Topographic Map
- (2) Car Navigation System
- (3) GISystem
- (4) Maps in the Future

Standard

Spatial
Articulation

Individual

Added Value



Ubiquitous mapping


Mobile Internet / TeleCartography
Map based LBS
Navigation systems

Working fields:

Mobile
Adaptable
SENSOR Cartography

Google Earth


Easy navigation



Various quality of images




Inaccuracy in local names



Adds by Google.

Hurricane tracking



Educational Uses with Google Earth

 Smithsonian Institution
Global Volcanism Program

Merapi

Central Java (Indonesia)



Volcano types:
Stratovolcano
Lava domes


Summit Elev: 2968 m
Latitude: 7.542°S
Longitude: 110.442°E

Merapi, one of Indonesia's most active volcanoes, lies in one of the world's most densely populated areas and dominates the landscape immediately north of the major city of Yogyakarta. Merapi is the youngest and southernmost of a volcanic chain extending NNW to Ungaran volcano. Growth of Old Merapi volcano beginning during the Pleistocene ended with major edifice collapse perhaps about 2000 years ago, leaving a large arcuate scarp cutting the eroded older Batulawang volcano. Subsequently growth of the steep-sided Young Merapi edifice, its upper part unvegetated due to frequent eruptive activity, began SW of the earlier collapse scarp. Pyroclastic flows and lahars accompanying growth and collapse of the steep-sided active summit lava dome have devastated cultivated lands on the volcano's western-to-southern flanks and caused many fatalities during historical time. The volcano is the



© 2005 Google

TriDef Visualizer - Dynamic Stereoscopic Viewing in Google Earth (showing San Francisco 3D buildings)



6. Early Warning and Disaster Management Challenges

Zkušenosti získané z řešení krizových situací.

*The World Conference on Disaster Reduction,
Kobe from 18-22 January 2005*

Hyogo Deklarace:

Je nezbytné vytvořit kulturu prevence před katastrofami a snížení jejich důsledků, ale také s nimi spojených *překatastrofických strategií* (včasné varování), jež musí být funkční na všech úrovních od individuální po mezinárodní. Lidská společnost se musí naučit žít s rizikem katastrof přírodního (i jiného) původu.

Byly definovány klíčové aktivity pro realizaci a naplnění úkolů pro snížení rizik na národních a lokálních úrovních, mj.:

vytvořit, periodicky aktualizovat a dávat k dispozici široké veřejnosti **mapy rizik** a k nim vztažené nezbytné informace pro rozhodovatele, širokou veřejnost a společenství ohrožená, a to ve vhodné formě.





EWC III
Third International Conference
on Early Warning

From concept to action

27 – 29 March 2006, Bonn, Germany



Bill CLINTON, EW III Conference, Bonn,
March 27 urges:

„Risk Reduction Become a Global Priority“

„Hazards are not disasters by definition. Hazards only become disasters when lives and livelihoods are swept away. Making communities safer – by better managing the risks of natural hazards – must become a global priority“.

Clinton continues-1:


We need implementation of well known but under-applied measures to reduce risk.

E.g. encouraging the practice of *Hazard Mapping* to identify areas of extreme vulnerability, better enforcement of uniform building codes to prompt safer construction, the expansion of access to insurance to help survivors recover and education to increase awareness.

Atlasová koncepce – atlasy jako způsob ukládání geoprostorové informace; musíme se učit s nimi pracovat – například atlasy pro situace ohrožení (*emergency-atlases*).

V prvé řadě nám umožňují *přístup* do zájmové oblasti, atlas otevřírá dveře a poskytuje komplexní informace a umožňuje jeho uživatelům chápát nastolené problémy.

7. Cartographical responses



A B C D E F

1

2

3

4

1

2

3

4

5

6

7

8

S

A B C D E F

Unique contribution of cartography is allowing people to visualize the geospatial context.

As a member of Geospatial Community we would like to further develop this unique contribution and adapt it to ICT (ambient) technologies.

Výzkumný záměr

• Výzkumní záměr

Pro podporu včasného a dobrého rozhodování v mimořádných/krizových situacích je potřeba **aktuálních informací**, jejich přehledné členění a rychlý a snadný **přístup** k nim.

Většina těchto informací je územně vázána.

Významnou roli pro orientaci uživatele hraje **kartografická vizualizace**.

Vizualizace není izolovanou složkou procesu přenosu informací, ale je závislá na:

- stavu zdrojových databází,
- modelech pro podporu rozhodování a chování vlastního uživatele.


Dosavadní řešení krizového managementu používají obecné statické kartografické vizualizace vycházející z *předzpracovaných modelů krizových situací*.

Projekt je zaměřen na výzkum dynamických vizualizací *nad modely generovanými v reálném čase*.


Dynamická kartografická geovizualizace

je variabilní vizualizace geografických dat kartografickými prostředky, která se adaptuje na měřítko, rozsah a kontext vizualizovaných dat.

Kontextem se rozumí kombinace zobrazovaných dat, hardwarové prostředí a požadavky na situační pozadí a prostředí uživatele.



Architecture of EMIS




Možnosti dynamické kartografické vizualizace


Současný krizový management:

- Analogové mapy nebo statické digitální zdroje.
- Nefunguje kartografická podpora krizového managementu v reálném čase.
- Nedostatečná srozumitelnost kartografických podkladů v určitých situacích ohrožení.
- Mapy jsou potřebné pro uživatele (ne uživatel pro mapy)=personalizace kartografického výstupu.


MOBILE AND ADAPTIVE CARTOGRAPHY




1: no adaptation: full dataset




2: adapted for G1: those in charge of human evacuation



3: adapted for G2: those looking to protect biological sites



4: adapted for G3: those looking to recover some of the spilled oil




5: adapted for G4: those in charge of repairing the leak to the oil pipeline

- Key**
- " communities
 - { oil manifolds
 - % oil wells
 - gas pipeline
 - oil pipeline
 - roads
 - rivers
 - major towns
 - inland habitat
 - <all other values>
 - NAME, CODE
 - Fresh Water Swamp, 3
 - Mangrove Forest, 4
 - Rained Deltaic Forest, 6
 - Urban Areas, 9
 - Water Bodies, 7


Společné datové zdroje

- Interoperabilita datových zdrojů na různých úrovních KM – společný protokol, existence metadat, thesaury, gazetteery (INSPIRE)
- Pružná a transparentní legislativa
- Jednotné informační centrum (dotazový makléř).




Přizpůsobivost kartografické reprezentace

- 1. Uživatelské zázemí – různá edukační vyspělost a zvyky při využívání map.**
- 2. Tematická významnost – různé charakteristiky v mapovém obsahu a jejich různý význam v měnících se situacích ohrožení.**
- 3. Nové jevy – nové charakteristiky odrážející stav ohrožení musí být nepřetržitě vkládány do map.**
- 4. Interakce nástrojů a prostředí – jsou využívány rozmanité elektronické vizualizační nástroje jež jsou také v interakci s prostředím, jehož stav ovlivňuje viditelnost a množství využívané informace.**



TOP INFORMATION


TIME AND AREA
→ OF SPREADING
OF AN EVENT



TOP INFORMATION

FORESTS

TO THE TOP



- forest
- meadow
- garden
- field
- water
- building
- road
- path
- tram
- contour line
- *
- port
- connected vegetation
- connected build-up area
- fire spread - time 0:00
- fire spread - time 1:00
- fire spread - time 2:00
- access path
- electric line
- safety zone
- wind direction
- event
- hydrant
- electricity distribution point

Adaptivní soubor symbolů

**Shora zmíněné parametry + nový faktor STRES.
Percepce je v situacích ohrožení různá.**



Satelitní
přístroje



Letecké
přístroje

Monitorování
průmyslových
procesů



Monitorování
životního
prostředí

Monitorování
dopravy




Měřicí
čidlo

Zdravotní
stav



Datové
záznamy
senzorů



Webcam


UAH/ESSL/VAST SPACE TIME TOOLKIT



File View About

Data Tree Display Tree

- NOAA 6
- TRMM
- TMI
- Platform
- Bell Helicopter
- SOS Plume Data
- ER2
- AMPR data
 - Nadir Track
 - Nadir Point
 - Position Track**
 - Position Point
 - Platform Axes
 - Sensor Axes
 - Footprint
 - Look Rays**
 - GeoReferenced Data**
- GRUMMAN
- Hendersonville Wind Profiler
- Youth Wind Profiler
- Dickson Wind Profiler
- KLTX WSR88 Doppler



Points Time Settings

Display Lines

AMPR Sensor-Look Rays

Line Width 1.0

Line Color

New Color

Current Time 26-Aug-98 3:03:01 PM

Time Step 000 0000 00:02:00

DDD YYYY HH:MM:SS

Time Step 000 0000 00:02:00

Reset

OK

SCENARIO:


Adaptable cartographic
visualization of emergency
substances transport

Scenario Objectives

Administration bodies need to monitor movement of vehicles transporting emergency substances and fast, competent intervention in the case of crash or emergency of inhabitants, critical infrastructure, and environment initiated by transported emergency substitutes.

Chemical industry in Jihomoravský kraj

OBCE S CHEMICKÝM PRŮMYSLEM




CRASHES at JmK

SILNIČNÍ HAVÁRIE S ÚNIKEM NEBEZPEČNÝCH LÁTEK NA ÚZEMÍ JMK (MIMO BRNO) (OBDOBÍ 1.1.1997 - 31.12.2005)

POČET SILNIČNÍCH HAVÁRIÍ S ÚNIKEM NL
(ÚDAJE ZA OBCE)


- obce s únikem NL
- 1 --- 33 počet nehod s únikem NL v obci
- Tišnov silnice
- třída silnice
- dálnice+rychl. komun.
- silnice I.třídy
- silnice II.třídy
- silnice III.třídy+místní komun.



Targets of Pilot experiment

- Test of the functions of ICTs proposed as a components of GEOKRIMA system
- Test of various categories of GPS receivers
- Coordination with Department of crises management and defence of JmK and others departments of JmK úřadu (GIS,...)
- Test of performance team members and ability of coordination of project activities

Adaptable Geovizualization



Proposal of Basic Functionality

1) Normal traffic

1a) Monitoring of the substantials movement (general view)

- Present location of vehicles
- Route identification
- Identification of cargo (symbol)
- Potencial risks of transported ES

Proposal of Basic Functionality - 2

1b) Information about surroundings of moving vehicle (possibly of all transport route)

- geographical characteristics of surroundings
- critical transport infrastructure

Infrastructure

Settlements and big concentration of people

Limitations (opening hours, traffic)

Social structure (schools, hospitals, petrol stations)

- Presence of other vehicles transporting emergency substances.

Proposal of Basic Functionality - 3

2) In the case of vehicle crash – context visualization


Starting point are prepared scenarios of solutions – interview with other participants

- Overview of the roles in the crash solutions
- Overview of cartographic groundworks of information necessary for management of certain actions - scenarios, portrayal of the context according to needs of decision makers, users profiles.


Basic Data

- geodetical reference system – WGS84
- Cartographic projection – UTM
- topographic groundworks – DTM, RETM
- special levels - shp
 - HSZ, PČR, ZZS acts areas
 - critical locations on the routes
 - ecological levels
 - chemical manufactures
 - other critical transport infrastructure


Standard situation – monitoring of vehicle with emergency substitute movement



„CRASH“




Used procedures



Visualization by symbols

- ADR symbols
- Original form, structure and colours
- Polyfunctional composed symbols



Context portrayal

Three map fields

- **Basic overview – administration units and area of active map field**
- **Overview about vehicles – vehicle movements, risk measure**
- **Vehicle surroundings – vehicle and objects in danger**



A1 – Base Topo

Inicial context of map field,

Context divided into:

1. Topographic content (obligatory and elective), which visualized as shadow fundament.
2. Thematics, including sensitive critical infrastructure, moving cargo (according to ADR) and measure of transport risks.
Thematic elements in colour tones for better visual user perception.

P
of
d



B Crash MONITORING

Includes obligatory and elective topographic content in shadow tones. Thematics is represented by location crashed vehicle by colour symbol according to ADR.

- B1 Water - risk of soak emergency substitute. Colour symbols added by specifics theatics in relation to the risk factor.
- B2 Air – risk of air pollution
- B3 Fire - risk of fire
- B4 Blast - risk of explosion

Cartodient Title - Mozilla Firefox

Soubor Otevřít Zobrazit Nový Záložka Zobrazit Nový záložka Nové okno

Mozilla Firefox Přidat záložku

Nový - Mozilla Firefox - http://128.216.200.134/cartodient/water.php?center_x=30000¢er_y=438368.515534926&zoom_x=5460528.94151458

Print Znovu

Cartodient Title Cartodient Title Cartodient Title

Cartodient Title

refresh next_session

Current scale: 1:20000

Navigation Themes

Scale []

3D recentering Layer to center on

Priority Comma separated id's

Mapsize: 850x400



Raw image

výplň: barva 245 / 130 / 190
obrys: barva 200 / 20 / 135, síla 3b

výplň: barva 245 / 130 / 190
obrys: barva 200 / 20 / 135, síla 3b



Příklady nasazení



Ilustrační foto – mini AVAX





minirAVAX

• Monitoring

• Scanning


• Application

• Retranslation




EMOFF

SmartTerminal



MOBILE CARTOGRAPHY DEVICES





Rozšířená realita

Mapping opportunities

Nature, January 2004

Scientists who can combine geographic information systems with satellite data are in demand in a variety of disciplines.

Vr. 2004, the US Department of Labor identifikoval **geotechnologie** jako jednu ze tří nejvíce důležitých a rozvíjejících se (nových) oblastí, spolu s nanotechnologiemi a biotechnologiemi.

Požadavky na geoprostorové dovednosti rostou celosvětově, ale současně odráží specifiku regionů, historii mapování a politickou agendu.

The “Millennial Students” now moving into the Workplace

- Based on the research of Neil Howe and William Strauss.
- Newest books –*Millennials Rising – the Next Great Generation* and *Millennials Go to College: Strategies for a New Generation on Campus*
- *“The Millennials say they want to use technology. They want to use the web as a means to access information and one another. They want to work on solving problems that matter and they want to do this in collaborative teams.”*

Požadavky na budoucí geoprostorové služby? *Musí být...*

- rychlé
- anonymní
- odbornostně věrohodné
- doručované právě včas “Just-in-Time”
- snadné pro jejich sdílení s přáteli a kolegy.



XXIII International Cartographic Conference

4-10 August Moscow 2007, Russia

Cartography for everyone and for you

KIITOS

Xie, Xie

THANK YOU

VERY

MUCH !!!!

Kammsa Hamida

SHUKRAN

Aligator

SPASIBO

DĚKUJI (in Czech)