

Contents

1 Plate tectonics, earthquakes and volcanoes	8	4 Glaciation	102
The history of the Earth	8	Ice ages	104
<i>Places 1 The Earth: a simplified history</i>	9	<i>Places 14 Antarctica and Greenland: previous climatic change</i>	104
Earthquakes	9	Glaciers and ice masses	106
<i>Places 2 South-west China: an earthquake</i>	11	Transportation by ice	109
Plate tectonics	12	Glacial erosion	109
<i>Places 3 Iceland: a constructive plate margin</i>	16	<i>Framework 5 Mean, median and mode</i>	112
<i>Places 4 Indian Ocean: the 2004 tsunami</i>	18	<i>Places 15 Snowdonia: glacial landforms</i>	115
<i>Places 5 The Himalayas: a collision plate margin</i>	20	Glacial deposition	116
<i>Places 6 The San Andreas Fault: a conservative plate margin</i>	21	Glacifluvial landforms	119
<i>Framework 1 Using the Internet for studying geography</i>	22	<i>Places 16 Arran: glacial landforms</i>	120
Volcanology	24	Other effects of glaciation	122
<i>Places 7 Solfatara, Italy: an area of declining volcanic activity</i>	26	<i>Places 17 The Vale of Pickering, North Yorkshire: a glacial lake</i>	123
<i>Framework 2 Natural hazards</i>	31	<i>Case Study 4 Avalanches and the effects of melting ice</i>	124
<i>Case Study 1 Volcanic eruptions – Mount Pinatubo</i>	33		
2 Weathering and slopes	40	5 Periglaciation	130
Weathering	40	Periglacial processes and landforms	132
<i>Framework 3 A systems approach</i>	45	<i>Places 18 Alaska: periglacial river regimes</i>	136
Mass movement and resultant landforms	46	<i>Case Study 5 The melting permafrost</i>	137
<i>Places 8 South-east Brazil: landslides</i>	49		
Development of slopes	50	6 Coasts	140
<i>Case Study 2 Slope failure and mass movement</i>	52	Waves	140
		Beaches	143
		Tides	146
		<i>Places 19 The North Sea and the Bay of Bengal: storm surges</i>	148
3 Drainage basins and rivers	58	Processes of coastal erosion	149
<i>Places 9 River Don, Yorkshire and River Torridge, Devon: river discharge</i>	64	<i>Places 20 Holderness: coastal processes</i>	150
Morphometry of drainage basins	65	Erosion landforms	151
<i>Framework 4 Quantitative techniques and statistical methods of data interpretation</i>	67	Transportation of beach material	153
River form and velocity	68	Coastal deposition	154
Transportation	71	<i>Places 21 Eastern and southern USA: barrier islands</i>	156
Erosion	72	<i>Framework 6 Sampling</i>	159
Deposition	73	Changes in sea-level	162
<i>Places 10 Afon Glaslyn, North Wales: river processes</i>	73	<i>Places 22 Devon and Norway: a ria and a fiord</i>	164
Fluvial landforms	75	<i>Places 23 Arran: raised beaches</i>	166
<i>Places 11 Iguaçú Falls, Brazil: a waterfall</i>	76	Rock structure	167
<i>Places 12 Boscastle, Cornwall: a flash flood</i>	80	<i>Framework 7 Classification</i>	167
Base level and the graded river	81	Future sea-level rise and its effects	168
<i>Places 13 River Greta, Yorkshire Dales National Park: a rejuvenated river</i>	82	<i>Case Study 6 Coastal management in the UK</i>	170
Drainage patterns	84		
<i>Case Study 3 The need for river management</i>	87	7 Deserts	178
<i>Focusing on maps for Geography</i>	98	What is a desert?	178
		Location and causes of deserts	179
		<i>Places 24 The Atacama Desert: climate</i>	180

Desert landscapes: what does a desert look like?	180	Processes of soil formation	271
Arid processes and landforms	181	Zonal, azonal and intrazonal soils	273
<i>Places 25 Wadis: flash floods</i>	188	<i>Places 34 Arran: a soil catena</i>	276
Climatic change	190	<i>Framework 9 Geographic Information Systems (GIS)</i>	277
<i>Case Study 7 Desertification: fact or fiction?</i>	191	<i>Case Study 10 Soil erosion and soil management</i>	279
8 Rock types and landforms	194	11 Biogeography	286
Lithology and geomorphology	194	Seres and climax vegetation	286
Limestone	196	<i>Places 35 Krakatoa: a lithosere</i>	289
<i>Places 26 Li Valley, south China: karst scenery</i>	198	<i>Places 36 Arran: secondary plant succession</i>	293
Chalk	199	Ecology and ecosystems	295
Sandstone	201	The ecosystem	295
Granite	201	<i>Framework 10 Scientific enquiry: hypothesis</i>	299
Basalt	203	<i>Places 37 Haller Park, Mombasa, Kenya: creating an ecosystem</i>	302
<i>Case Study 8 Quarrying in northern India</i>	203	Biomes	304
9 Weather and climate	206	<i>Case Study 11 The forests of south-west Australia</i>	307
Structure and composition of the atmosphere	206	<i>Issues Analysis Management of the Serengeti</i>	311
Energy in the atmosphere	207	12 World climate, soils and vegetation	314
<i>Places 27 The atmosphere: ozone</i>	209	Classification of climates	314
Global factors affecting insolation	210	1 Tropical rainforests	316
Atmospheric moisture	213	2 Tropical grasslands	319
<i>Places 28 An alpine valley: aspect</i>	213	3 Hot deserts	321
Air stability and instability	216	4 Mediterranean (warm temperate, western margins)	323
Precipitation	219	5 Temperate grasslands	325
Atmospheric motion	224	6 Temperate deciduous forests	328
Planetary scale: atmospheric circulation	226	7 Coniferous forests	330
Macro-scale: synoptic systems	229	8 The tundra	332
<i>Places 29 Storms in southern England</i>	232	<i>Case Study 12 The management of grasslands</i>	335
<i>Places 30 Hong Kong: typhoon warning, 1 May 1999</i>	237	13 Population	140
<i>Places 31 The West Indies and Myanmar: tropical storms</i>	238	Distribution and density	344
<i>Places 32 Delhi: the monsoon climate</i>	240	<i>Framework 11 Scale and generalisation</i>	347
Meso-scale: local winds	240	<i>Places 38 Brazil: population densities at the national level</i>	347
Microclimates	242	Population changes in time	349
Weather maps and forecasting in Britain	244	Population structure	352
<i>Framework 8 Measures of dispersion</i>	246	<i>Framework 12 Models</i>	352
Climatic change	248	Trends in population growth	355
<i>Case Study 9 Short-term and long-term climatic changes</i>	250	<i>Places 39 Singapore: family planning</i>	358
10 Soils	260	<i>Places 40 Japan: an ageing population</i>	360
Soil formation	260	Migration: change in space and time	361
The soil profile	262	<i>Places 41 China: rural-urban migration</i>	363
The soil system	263	<i>Places 42 Tunisia: migration patterns</i>	366
Soil properties	263	<i>Places 43 The world: refugees</i>	368
<i>Places 33 The soil pit: soil study in the field</i>	270		

Places 44 UK: Polish migrant workers	369
Places 45 South Africa: a multicultural society	372
Places 46 The USA and Brazil: multicultural societies	374
Places 47 Singapore: racial and religious harmony	375
Optimum, over- and underpopulation	376
Places 48 Bangladesh and Canada: overpopulation and underpopulation	377
Theories relating to world population and food supply	378
Links between population growth, use of resources and economic development	379
Case Study 13 Population in China	380
Issues Analysis Population policies – the pros and cons of trying to limit population growth	386

14 Settlement 388

Origins of settlement	388
Functions of settlements	392
Differences between urban and rural settlement	393
Rural settlement	394
Places 49 Carlisle: site, morphology and functions	396
Places 50 Bickinton, Devon: a village	399
Places 51 Britain: evolution of settlement	400
Measuring settlement patterns	402
Case Study 14 Settlement change	412

15 Urbanisation 418

Urban growth – trends and distribution	418
Models of urban structure	420
Places 52 Chicago: a concentric urban structure	421
Places 53 Tokyo: a multiple-nuclei urban structure	424
Functional zones within a city	426
Framework 13 Stereotypes	427
Places 54 The CBD	430
Places 55 Gateshead: the MetroCentre	433
Framework 14 Values and attitudes	437
Places 56 London: regeneration and the 2012 Olympics	440
Cities in developing countries	442
Places 57 Kolkata and Rio de Janeiro: shanty settlements	443
Places 58 Nairobi, Kenya: functional zones	444
Places 59 Cairo, Egypt: problems resulting from rapid urban growth	447
Framework 15 How reliable are statistics?	448
Places 60 Singapore: a housing success story	450
Case Study 15 Living in developed cities	452
Issues Analysis The Westfield Centre, Shepherd's Bush	458

16 Farming and food supply 462

Environmental factors affecting farming	462
Places 61 Northern Kenya: precipitation and water supply	465
Places 62 The former Soviet Union: physical controls on farming	466
Cultural (human) factors affecting farming	466
Places 63 China: land tenure	468
Economic factors affecting farming	469
Places 64 China: farming	470
Von Thünen's model of rural land use	471
The farming system	476
World distribution of farming types	478
Places 65 Northern Kenya: nomadic herders	479
Places 66 Amazon Basin: shifting cultivation	480
Places 67 The Ganges valley: intensive subsistence agriculture	481
Places 68 Malaysia: tropical commercial (plantation) agriculture	483
Places 69 The Pampas, South America: extensive commercial pastoralism	484
Places 70 The Canadian Prairies: extensive commercial arable farming	486
Places 71 The western Netherlands: intensive commercial farming	487
Places 72 The Peloponnese, Greece: Mediterranean farming	489
Places 73 The Nile valley: irrigation	490
Farming types and economic development	492
Farming and the environment	494
Framework 16 Sustainable development	499
Food supplies	500
Places 74 Niger: famine	502
Places 75 Sub-Saharan Africa: food shortages	503
Case Study 16 Farming	506

17 Rural land use 516

The urban–rural continuum	516
Forestry	518
Places 76 Ethiopia, Amazonia and Malaysia: forestry in developing countries	520
Places 77 South-east Asia: forest fires	521
Mining and quarrying	522
Places 78 North Wales: slate quarrying	523
Places 79 Malaysia: tin mining	523
Framework 17 Standard error calculations	524
The need for rural management	525

<i>Places 80 Mafia Island, Tanzania: rural management</i>	526
<i>Case Study 17 Rural conflicts in south-western USA</i>	527

18 Energy resources 532

What are resources?	532
World energy producers and consumers	533
Recent global trends	535
Sources of energy	536
<i>Places 81 California and the UK: wind farms</i>	540
Energy conservation through greater efficiency	544
<i>Places 82 China: changes in energy production and consumption</i>	544
Development and energy consumption	546
<i>Case Study 18 Appropriate technology: micro-hydro in Nepal</i>	547

19 Manufacturing industries 552

Traditional locations of industry	553
Changing approaches to industrial geography	557
Theories of industrial location	557
Production process technologies	561
Industrial location: changing patterns	562
<i>Places 83 Sweden: wood pulp and paper</i>	562
<i>Places 84 UK: iron and steel</i>	563
<i>Places 85 Japan: car assembly</i>	565
<i>Places 86 The M4 and M11 corridors: high-tech industries</i>	566
<i>Places 87 South Wales: industrial growth, decline and regeneration</i>	570
Industry in economically less developed countries	573
<i>Places 88 Pune, India: a hub for transnationals</i>	574
<i>Places 89 Nairobi, Kenya: jua kali workshops</i>	575
<i>Places 90 Kenya: Practical Action projects</i>	577
Newly industrialised countries (NICs)	578
<i>Places 91 Malaysia: a newly industrialised country</i>	578
<i>Case Study 19 Special Economic Zones and open coastal cities in China</i>	580

20 Tourism 586

Leisure, recreation and tourism	586
The growth in tourism	587
Global tourism	588
UK tourism	589

Tourism and the environment	591
<i>Places 92 The Peak District: a National Park</i>	592
The tourist resort/area life-cycle model	594
<i>Places 93 The Spanish 'costas': the life-cycle of a tourist area</i>	594
<i>Places 94 The Cairngorms: a mountainous area under threat</i>	595
Other types of tourism	596
<i>Places 95 Xcaret, Mexico: ecotourism</i>	598
<i>Framework 18 Personal investigative study</i>	599
<i>Case Study 20 Tourism in Goa, India</i>	600

21 Development and globalisation 604

The concept of economic development	604
Criteria for measuring the 'development gap'	606
<i>Places 96 Kenya: women and development</i>	608
Living in extreme poverty	609
<i>Places 97 Malawi and Ethiopia: WaterAid</i>	611
<i>Framework 19 Correlation and development: scattergraphs, Spearman's rank correlation, and chi-squared</i>	612
Stages in economic growth	615
<i>Places 98 China: core-periphery</i>	618
Health and development	619
<i>Places 99 Hong Kong: the epidemiological transition</i>	621
<i>Places 100 Sub-Saharan Africa: HIV/AIDS</i>	623
International trade	624
<i>Places 101 South Korea: Samsung – a TNC</i>	630
<i>Places 102 Ghana: Fairtrade</i>	631
Overseas aid and development	632
<i>Places 103 Sri Lanka: aid after the 2004 tsunami</i>	633
World transport	643
<i>Places 104 Singapore: an ocean port</i>	636
<i>Places 105 London Heathrow and Dubai: 'hub' international airports</i>	637
<i>Places 106 Hong Kong: an integrated traffic system</i>	640
Information and communications technology (ICT)	642
The global value chain	643
<i>Places 107 India: call centres</i>	643
<i>Case Study 21 China and India: globalisation in the textile and fashion industry</i>	644

Index

Places – Aberfan

Geographical terms – abrasion

People's names – Burgess, E.W.

Key reference – 100

- A**
Aberfan 54–5, 523
ablation zone 106, 120
abrasion 72, 110–11, 113, 149, 151–2, 184
absorption 207–8, 213, 242
accessibility matrix 615
accumulation zone 106, 120
acidity 269
acid rain 43, 56, 207, 222, 243, 269, 536
acid soil 261–2, 269, 271–2, 275–6, 331
acid volcanoes 17, 24–5
active layer 47, 131, 133, 135, 137–8
adiabatic lapse rate 216–17
administration principle 409
adret slopes 212–13, 464
adsorption 265, 268–9
advection fog 178–81, 215, 217, 222, 234, 322–3, 454
afforestation 63, 67, 281, 283, 309, 518–20
age–gender pyramids 353–4, 360, 370, 383
ageing population 354, 359–60, 383, 648
agglomeration economies 560–3, 565–8
agriculture (see farming)
aid 501, 503, 547, 576, 611, 629, 632–3
AIDS/HIV 346, 349, 360, 483, 503, 520, 622–3
air
 conditional instability 217
 instability 217, 220, 226–7, 229, 231, 316
 stability 216–17, 222, 226–9
air masses 219, 221, 229–33, 239
air transport 456, 634–5, 637–8, 640–1
Alaska 136
albedo 126, 207–9, 212, 242–3
Aldeburgh 190–1
alkaline soils 261, 269, 274, 328
alluvial fans 188–90
Alps 8, 125, 213, 241, 463
altitude 206–7, 210, 213, 261, 276, 289, 305, 346, 348, 463–4
Amazon/Amazonia 316–18, 347–8, 394, 427, 477, 480, 520
anabatic winds 240
anaerobic soils 272, 275
Andes 17, 19, 463
Antarctica 104, 126, 209
antecedent drainage 85
anticyclones 216–17, 221–2, 228, 234, 240
apartheid 369, 372–3
appropriate technology 449, 499, 505, 547–9, 576–7, 611
aquifer 195, 200
arable 466, 470, 476, 478, 481–2, 485–6, 492, 495, 498, 508
arches 152
arctic air 221, 229–30
arctic climate 315, 332–3
arctic sea-ice 127
arêtes 112–13, 115
Argentina 354, 405, 484–5
aridity index 178–9, 321
Arran 29–30, 116, 120–1, 166, 276, 288–9, 293, 305
ash/cinder cones 16, 25, 33, 149
aspect 105, 110–11, 210, 212–13, 261, 289, 305, 391, 464
assisted areas 556, 571–2
asthenosphere 10, 13–14, 21
asylum seekers 367
Atacama 180, 222, 250, 321–2
atmosphere
 composition 207–9, 243, 249, 254–5
 energy/heat budget 207–10, 220, 226, 235, 249
 moisture 213–15, 219–22
 motion/winds 224–41
 pressure and circulation 206–7, 224–8
 structure 206–7
 temperature 206–7, 210–13, 254–5
attrition 73, 149
Australia 307–10, 485
autotrophs 288, 296
avalanches 31–2, 52, 106, 124–5
azonal soils 273, 314
B
backwash 141–2, 144–6, 153
bacteria 261, 266, 268, 288–9, 292, 300–1, 317
Bagnold, R.A. 184
bahadas 188–9
balance of payments/trade 502, 624
Bangalore 643, 646
Bangladesh 63, 148, 238, 359, 377, 481, 647
bankfull discharge 61, 71, 76, 88
baobab trees 320
barchans 184–6
Barke, M. and O'Hare, G. 616–17
barrier islands/beaches 155–6, 168
bars 155
basal slippage 107–8
basalt 13, 24, 76, 194–5, 203
baseflow 58–9, 61, 188
base level 81, 123, 163, 200
basic volcanoes 24–5
batholiths 17, 19, 28–9, 201
bays 143, 148, 151, 155
beaches 60–1, 143–6, 149–51, 153–7, 171–3, 594
bedding planes 28–30, 40, 63, 194–5, 198, 201
bedload 71, 73–4
behavioural factors 475–6, 557
Benidorm 594
Bentley, M. 138
Bergeron-Findeison 219
bergschrunds 109–10
berms 143–5
best-fit line 66, 546, 612
bid-rent theory 425–6, 471–3
bifurcation ratio 66
binary distribution 405
binomial data 524–5
biofuels/bioenergy 543
biomass 293, 297, 300–1, 543
biomes 295, 304–6, 314–41
biota 260–3, 268–9, 327–9
birth control 357–8, 379, 381–3
birth rate 191, 349–55, 357–8, 371, 377, 379–83, 387, 418, 613
Blaenau Ffestiniog 523
block disintegration 40
blockfields 40, 132–4, 139
blocking anticyclones 228, 234
blow holes 152
bluff line 76–7, 79, 82
boreal forest (see coniferous forests)
Boscastle (Cornwall) 80
Botswana 359, 623
boulder clay 116
bournes 199–200
braided channels 77, 119–20, 132, 135–6, 139, 188
Brazil 49, 76, 347–8, 374, 405, 427, 442–3, 449, 480, 520, 543, 627
breaking point (Reilly) 410–11
break of bulk ports 570
breakpoint bars 143–4
bridging points 391–2
brown earths 315, 329–30
brownfield sites 441, 556
brush/bush fires 31–2, 293, 453
building materials 321, 338, 389–90, 443, 449, 577, 593
Burgess, E.W. 420–1, 424–5, 437
Burkina Faso 280, 282
business parks 429, 435–6, 567
bustees 442–3
buttes 189
C
Cairngorms 595
Cairo 447–8
calcification 271, 273
calcimorphic 274
calderas 25
Calder, N. 8–9
California 20–21, 452–7, 496, 540–1
call centres 643
Cambourne (Cams) 412–13
Canada 377, 463–4, 477, 486
canal transport 635
canyons 95, 186–7, 527–30
capacity (river) 72, 118
capillary action 41, 59, 182, 261, 273, 275, 281, 321, 323, 327–8
capillary water 267
capital (money) 469–70, 477, 555–6
car assembly 565, 579
carbon credits/trading 536, 638–9
carbon cycle 297–8
carbon dioxide 43–4, 103–4, 138, 192, 207, 243, 249, 254–5, 268, 295, 520, 537
carbonation 43, 56, 194, 196–8, 274
Carboniferous limestone 8, 21, 43, 63, 75, 194–9, 203–4, 274, 592–3
Carboniferous period 8, 196, 201
Caribbean 238, 510–11, 598
Carlisle 396
carnivores 296–7, 320, 327
carrying capacity 191–2, 280, 297, 336–7, 378
Carson, M.A. and Kirkby, M.J. 46
cartogram 639
cash tenancy 467
catena 261, 276, 464
cation exchange 268–9
caves/caverns 152, 166, 196–8
census data 371–2, 448, 454
Central America 53, 238, 510–11
central business district (CBD) 420–6, 428–33, 435, 442, 444, 455
central business height index (CBHI) 430–1
central business intensity index (CBII) 430–1
central place theory 402, 406–10
centrally planned economies 466, 468, 475, 492
centrifugal movement 421, 436

- cereal farming 341, 466, 472–6, 478, 481–2, 484–6, 492, 499, 501, 508, 629
- chalk 8, 63, 132, 135, 150, 194–6, 199–200, 274, 389–90, 397, 459
- channel flow 58–9, 68
- chaparral 293, 324, 454
- check dams 283, 505
- chelates/cheluviation 43, 271, 332
- chemical weathering 29, 40, 42–4, 56, 181–3, 194, 196, 202, 260, 263, 269, 271, 274, 317, 321, 323
- chernozems 267, 315, 327, 339–40, 486
- chestnut soils 315, 328, 339–40
- Chicago 420–1**
- child labour 575
- China 11, 20, 192, 198, 280, 283, 359, 363, 380–3, 386, 414–15, 419, 456, 468, 470, 485, 502, 505, 544–5, 580–2, 618, 625–7, 637, 639, 644–7**
- chinook 241, 326, 464, 486
- chi-squared 614–15
- Christaller, W. 406–10, 557, 634, 641**
- cirque glaciers 106, 117
- cirques 41–2, 106, 109–12, 115
- cirrus 218–19, 232
- cities
- in developed countries 418–26, 428–41, 452–7
 - in developing countries 418–19, 442–51
 - million population 418–19
- city breaks 596
- classifications 24–8, 46–8, 106, 116, 132, 164, 167, 185, 225, 306, 315, 361, 378, 392, 492, 532, 587
- clay–humus complex 266, 268–9
- cliffs 143, 149–52, 166–7, 170–3, 196, 198
- climate
- arctic 130–1, 315, 332–3
 - British Isles 228–34, 244–5, 255
 - classification 315
 - cold 315, 330
 - cool temperate
 - continental 315, 325–6, 339
 - cool temperate western margin 315, 328
 - desert 178–80, 315, 321–2
 - equatorial 315–16
 - Mediterranean 307, 315, 323–4
 - monsoon 239–40, 315, 325
 - tropical continental 311, 315, 319, 335–8
 - tropical eastern margin 90, 315, 318
 - urban 212, 242–3
 - warm temperate
 - eastern margin 315, 325
- climatic change 34, 102–4, 123, 130–1, 137, 169, 181, 189–91, 200, 246–55, 294
- climatic climax (vegetation) 286–92, 320, 324, 326, 328, 335
- clints and grykes 43, 196, 198
- Cloke, P. 393, 398, 517**
- clouds 212, 218–20, 232, 236
- Club of Rome 379
- clustered settlement 397, 402–4
- coal 8, 248, 522, 532–7, 539, 544–5, 563–4, 570–1
- coasts
- classification 164, 167
 - concordant and discordant 167
 - deposition 154–5, 158, 163, 170–1, 173
 - erosion 149–52, 163, 170–3
 - floods 31–2, 148, 169–170, 172–5, 236, 238, 377
 - land use 170
 - management 150, 170–5, 594, 598
 - transportation 150, 153–4, 171
- Coe, N., Kelly, P. and Jeung, H. 561, 582**
- cold climates 315, 330
- cold fronts 229–33
- cold glaciers 107–8
- collision plates 14–15, 19–20, 199
- collision raindrops 219
- Colorado River 186–7, 527–30**
- commercial farming 337, 477–8, 482–8, 492, 508–11
- common agricultural policy (CAP) 487, 493
- communes 467–8, 580
- communities (plant) 286–8, 290–3
- commuter villages 375, 398–9
- commuting 375, 425, 457
- comparison goods 432–3
- competence (rivers/glaciers) 72, 118
- composite cones 25
- compression flow 107–10, 113
- concentric urban model 420–1
- condensation 215–17, 219–22, 231, 235
- condensation nuclei 215, 219, 243
- conditional instability 217
- confidence levels 159, 524–5
- coniferous forests 293, 300–1, 306, 315, 330–1, 518–19
- consequent rivers 84–6
- conservation 591–3, 595, 598
- conservative plate margins 15, 20–1
- constructive plate margins 14–17, 203
- constructive waves 144–6, 153, 155, 168
- containerisation 636, 640–1
- continental crust 10, 14, 16–20
- continental drift 12
- contour farming 281
- convection currents 14, 16
- convectonal rainfall 58, 210, 215, 220, 226, 316, 319, 330, 340, 480
- convenience goods 432–3
- convergence 219, 226, 316
- cool temperate
 - continental climate 315, 326–7, 339
- coral 196, 302, 511, 526, 598
- core
- and frame 430
 - and periphery model 569, 617–18
 - of Earth 10, 14
 - core stones 202
- Coriolis force 146, 179–80, 224–6, 231, 235, 239
- Cornwall 80, 522**
- corrasion 72, 149, 197
- correlation 64–7, 299, 404, 492, 546, 612–15
- corries (see cirques)
- corrosion 73, 149, 197
- Costa del Sol 594**
- cotton belt 463, 467
- counterurbanisation 365, 419
- crag and tail 114
- crisp 46–7, 107–8, 263
- Cretaceous period 8, 21, 196, 201
- crevasses 109, 126–7
- Crewe, L. 561, 568**
- critical isodapane 560
- cruises 597, 600
- crumb structure 265–6, 268, 327
- crust 9–10, 13–14
- cuestas 199
- cumulative causation 569
- cumulo-nimbus 218–20, 226, 232, 236, 292
- cumulus 218–19, 232, 236
- cwms (see cirques)
- cycle of poverty 438, 609
- cyclones 235–8
- detritivores 268, 296
- development gap 502, 605–8, 624–5
- development models 615–18
- Devon 399**
- Devonian period 8, 201
- dew 215, 221, 234, 316
- dew point 215–17, 219, 221, 231
- diet 377, 480, 500, 503
- diminishing returns, law of 462, 465, 607
- discharge 61, 64, 135–6
- disease 610, 619–23
- dispersed settlements 394, 397, 399, 402
- dissolved load 71–4
- distance decay 361, 410
- Doha (trade talks) 628–9**
- doldrums 226, 316
- dolines 197–8
- dome volcanoes 25
- dominant species 286–7, 318, 328–30
- Don River 64**
- dormitory towns/villages 375, 392, 398
- drainage
- antecedent 85
 - dendritic 84
 - parallel 84
 - radial 84, 190
 - rectangular/trellis 84
 - superimposed 85, 200
- drainage basins 58–67, 93–7
- drainage density 63, 67, 195, 201
- drainage diversion 122–3
- drift 116
- drought 31–2, 190–2, 267, 340–1, 346, 453, 490, 502–3, 528
- drumlins 118–21
- dry adiabatic lapse rate (DALR) 216–17, 234, 241
- dry farming 282
- dry-point sites 390
- dry valleys 132, 135, 197–200
- Dubai 638**
- duricrust 182, 187
- dust storms 182–3, 280, 283
- dykes 28–30
- dynamic equilibrium 48, 81, 143, 157, 276
- E**
- early civilisations 388–9, 397, 400
- earthflows 47
- earthquakes 9–11, 13, 15–20, 31–2, 36, 52, 452
- East Anglia 172–5**
- Ebbw Vale 564, 570–2**
- ecological footprint 376, 379, 509, 536
- ecology 295
- economically active population 354

- economic development 604-8
- economic growth 615-18
- 'economic man' 471, 475, 561
- economic migrants 362, 367, 369-70, 354
- economic rent 471-3
- ecosystems 156, 169, 295-8, 300-6, 315-42, 339-42, 526, 595-8
- ecotourism 591, 597-8
- eco-towns 400
- edge cities 455
- edge-of-city council estates 429, 436, 441
- edge-of-city regional shopping centres 423, 428, 433-4, 458-9
- Egypt 168, 447-8, 490-1**
- El Niño 93, 96, 249-53, 452-3, 521
- elongation ratio 118, 120
- eluviation 261-2, 271
- emergent coasts 165-6, 288
- emerging countries 578, 604, 625, 627, 644-7
- emigration 361, 369
- employment structures 552, 616-17
- enclosures 397, 494
- energy
- atmospheric 207-10, 220, 226, 235, 249
 - biomass/biofuel/bioenergy 293, 297, 300-1, 543
 - coal 522, 532-7, 539, 544-5
 - conservation 544
 - distribution and reserves 533-4
 - ecosystems 295-8
 - environment 536-45
 - fuelwood 543, 549, 577
 - geothermal 533, 542
 - hydro-electricity 533, 535, 539, 544-5, 547
 - hydrogen 543
 - micro-hydro 547-9
 - non-renewable 532, 536-9, 544-5
 - nuclear 532-3, 535, 538-9, 544-5
 - oil and natural gas 532-5, 537-9, 544-5
 - renewable 532-3, 535, 539-43, 545, 547-9
 - resources 532-3
 - rivers 68-71, 73, 75-8, 82, 188
 - solar 207-8, 249, 295, 533, 541
 - tidal 147, 542
 - UK consumption 535
 - waves 140-6, 149-51, 154, 168, 171, 173, 541
 - wind 533, 540-1
 - world consumption 533
- Enterprise Zones (EZs) 434, 439, 571
- entrenched meanders 83
- entrepreneurs 553, 557
- Environment Agency (EA) 64, 94-5, 97, 172, 174
- environmental lapse rate (ELR) 206, 216-17
- environmentally sensitive areas (ESAs) 496-7, 593
- Environmental Stewardship Scheme 496-7
- ephemeral plants 304, 322
- ephemeral rivers 187-8
- epicentres 9
- epidemiological transition 619-21
- epiphytes 317, 329
- equatorial climate 223, 315-16
- erg 180, 184-6
- erosion
- coastal 149-52, 163, 170-3
 - deserts 183-4
 - glacial 109-11, 113-15
 - rivers 72-6, 78-9, 81-2
 - soil 183, 191, 261, 266, 279-81, 283
 - surfaces 165
 - wind 183-4, 191, 279, 320, 495
- erratics 117, 119-20
- escarpments 196, 199-201, 390
- eskers 116, 119-20
- estuaries 73-4, 123, 147, 163-4
- ethical consumerism 631
- Ethiopia 520, 611**
- ethnic groups 371-5, 454
- European Union (EU) 469, 475, 487, 493, 496, 500, 506-10, 556, 624-8, 639, 646-7
- eustatic (glacio-eustatic) change 81, 123, 162-3, 165, 200, 248
- eutrophication 281, 309, 494, 509
- Evans, D. 118, 123**
- evaporation 58-9, 62, 188, 214-15
- evapotranspiration 58-9, 93, 178, 263, 269, 315-16, 331, 464, 520
- Ewing, M. 13**
- exfoliation 41, 181, 202
- exponential rate 378-9
- extending flow 107-10, 113
- extensive farming 469, 472, 475, 477-8, 480, 484-6, 489, 492
- external migration 361, 367-70
- extreme poverty 503, 609, 628
- extrusive volcanic rock 24
- F**
- Fair trade 511, 626, 630-1
- family planning 357-8, 379, 381-3, 386-7
- famine 32, 502-3
- farming
- arable 466, 472-6, 478, 481-2, 485-6, 492, 495, 498, 508
 - commercial 477-8, 482-8, 492, 508-11
 - environment 491, 493-8
 - extensive 469, 472, 475, 477-8, 480, 484-6, 489, 492
 - extensive cereals 466, 478, 485-6, 492, 499, 508, 629
 - extensive commercial pastoral 475, 478, 484-5, 492
 - health check 493
 - hunters and gatherers 478, 492
 - intensive 468-70, 472, 475, 477-8, 481-2, 487-8, 492
 - intensive mixed commercial 475, 478, 487-9, 492
 - intensive subsistence 468, 470, 478, 481-2, 489, 492
 - irrigation 478, 490-2, 496, 505
 - Mediterranean 475, 478, 488-9, 492
 - nomadic herding 336, 465, 478-9, 492
 - organic 282, 497-8, 508-9
 - pastoral 336-8, 341, 470, 476, 478-9, 484-5, 492, 506-9
 - plantations (tropical commercial) 467, 478, 482-3, 492, 510-11
 - sedentary 477, 492
 - shifting 477-8, 480, 492
 - slash and burn 480
 - subsistence 468, 470, 477-82, 492
 - systems 476
 - world location 478
- farm size 467-8
- fashion industry 644-7
- faults 15-16, 20-1, 152, 165
- favelas 49, 427, 442-3, 449
- feldspar 43, 56, 194-5, 201-2, 260
- felsenmeer 40, 134
- fermentation layer 262
- ferrallitic soils 315, 317-18, 325
- Ferrel cell 226-7, 328
- ferruginous soils 315, 321, 336
- fertiliser 261, 268, 281-2, 491, 494, 498, 504-5, 508-10
- fertility rates (TFR) 355, 357-8, 360, 377-83, 387, 620
- fetch 140, 144-5, 148-9, 153-4, 171
- fiards (fjards) 164
- field capacity 60, 267
- financial institutions 435
- finite resources 522, 532
- fiords (fjords) 113, 123, 164-5, 168, 597
- fires 31-2, 279, 293, 311, 320, 324, 326, 335, 453, 521
- firn 105, 110-11
- fissure eruptions 25, 203
- flexible production/specialization 561, 565-6
- flood hydrographs 61-3, 95-6, 188
- floodplains 71, 76-7, 82-3, 90-2, 388, 390
- floods
- coastal 31-2, 148, 169-70, 172-5, 236, 238, 377
 - deserts 187-8
 - flash 49, 62-3, 80, 187-8, 465
 - rivers 31-2, 61-4, 72, 76-80, 87-93, 377, 453, 490-1
- flow movements 47, 49, 52-5, 453
- fog
- advection 180-1, 215, 217, 222, 234, 322-3, 453
 - radiation 215, 217, 221, 234, 243
- föhn 125, 241
- fold mountains 11, 15, 17-19, 249
- food chains 296-7, 303, 322
- food supplies/shortages 378-9, 390, 487, 493, 498, 500-3, 628-9
- food web 297
- footloose industry 436, 553, 562, 566
- Ford, H./Fordism 557, 561-2**
- Ford, N. 355, 379**
- forestry 307-10, 518-21
- forests
- coniferous 293, 300-1, 306, 315, 330-1, 518-19
 - deciduous 59, 62, 287, 293, 306, 315, 328-9, 518-19
 - fires 521
 - micro-climate 243
 - rainforest 62, 301, 306, 315-18, 347, 519-20
- fossil fuels 532-8, 544-5
- fragmentation of holdings 467
- free ports 348, 636-7
- freeze-thaw 40, 110-11, 132, 134-5, 181, 196, 202
- freezing nuclei 219
- fronts
- cold 229-33
 - occluded 231, 233
 - polar 226-30, 328
 - warm 229-32
- frost 215, 217, 221, 234, 241
- frost-free days 463
- frost heave 46, 132-3, 138
- frost hollows 241, 463
- frost shattering 40, 110-11, 119, 132, 135, 181, 196, 202
- fuelwood 543, 549, 577
- fumaroles 26
- functions
- developed cities 426, 428-9
 - developing cities 442, 444-5
 - settlement 392, 396, 406-10
- fungi 261, 266, 268, 317
- fynbus 324
- G**
- G8 countries 627, 629
- Ganges Valley 477, 481-2**
- garrigue 274, 293, 324-5
- geographical inertia 554, 563, 571
- Geographic Information Systems (GIS) 23, 277-8
- geological timescale 9-10, 201
- geostrophic wind 225
- geothermal energy 533, 542
- gentrification 436
- Gereffi, G. 643**
- Gersmehl, P.F. 300**
- geysers 26, 527
- Ghana 617, 631**
- Gilbert, A. 604**
- glaciation/glaciers
- budgets 106
 - debris 104, 109-11, 113-14, 117-18
 - deposition 116-21
 - diversion of drainage 122-3
 - erosion 109-11, 113-15
 - lakes 111, 113, 115, 119-23
 - movement 107-9
 - periods (glacials) 102
 - transportation 109, 116-17
 - troughs 41-2, 113-15, 121
 - types 106-8, 169
- glacialfluvial material 116, 119-21
- Glaslyn River 73-4, 115**
- Glen Canyon 527, 529-30**
- gleying 42, 263, 271-2, 275, 332, 334
- global warming 34, 123, 126-7, 131, 137-8, 148, 168, 174, 191, 249, 254-5, 465, 520, 528-9, 536, 538, 595, 635, 638

- globalisation 501, 552, 554, 605, 609, 616, 628–30, 633–4, 638–9, 642–7
- GM foods 498
- Gondwanaland 12**
- Goudie, A. 41, 144, 178, 183, 191, 200**
- government policies
- farming 468–9, 475, 483, 493–4, 496–7
 - industry 436, 439–40, 556, 569, 571–2, 574, 578–9
 - inner cities 436, 439–40
- graded profiles 81–2
- Grand Canyon 95, 186–7, 527–9**
- granite 29, 40–1, 43, 150, 181, 194–5, 201–3, 248, 260
- granular disintegration 41, 181, 202
- grassland
- temperate/prairie 300–1, 306, 315, 326–7, 339–42
 - tropical/savanna 103, 293, 301, 306, 315, 319–20, 335–8
- gravitational water 267
- gravity models 402, 410–11
- Greece 489**
- green belt 398, 400
- greenfield sites 400, 436, 441
- greenhouse effect/gases 103, 162, 169, 207, 249, 254–5, 536, 538, 543–4, 635, 638
- Greenland 104**
- Green Revolution 482, 501, 504–5
- Griggs, D.T. 41, 181**
- gross domestic product (GDP) 492, 546, 588, 604, 606–7, 613–14, 632
- gross national product (GNP) 377, 492, 604, 606
- gross raw materials 554, 558–9, 562
- ground contraction 132–3
- groundwater 58–9, 61, 132–4, 188, 190
- growing season 463, 486
- growth poles 569, 616–18
- groynes 153, 171–2
- Guatemala 53**
- guest (migrant) workers 361, 367, 369–70, 373
- gullying 279–81, 283, 318
- H**
- habitats 295
- Hadley cell 179, 226, 319, 322
- hail 220–1, 326
- halomorphic 275
- halophytes 158, 213, 275, 291, 322
- haloseres 287, 291
- hamada 180
- hanging valleys 114–15, 121
- hard (iron) pan 272, 332
- haulage costs 634–5
- hazards 11, 16, 18, 30–6, 49, 52–3, 80, 87–92, 124–7, 148, 169, 188, 233, 236–8, 377, 452–4
- head 47, 135, 139
- headlands 142–3, 149, 151–2
- health 209, 222, 350–1, 357, 377, 438, 446–7, 500–2, 608–11, 619–23
- heat budget/transfer 209–11, 220, 226, 229
- Heathrow Airport 637–8**
- heat islands 212, 242
- hedgerows 494–6
- Heimaey 16, 25**
- herbivores 296–7, 320
- heritage sites 596, 598
- Hess, H. 13**
- hierarchies 65, 225, 393, 406
- high-class/high-income housing 420–3, 425–6, 428, 442–5, 450
- high pressure 179–8, 223–30, 234, 239–40, 319, 322–3
- high-tech industry 436, 552, 566–7, 572, 578–81, 630, 637, 643
- Himalayas 8, 20, 85, 239**
- HIV/AIDS 346, 349, 360, 483, 503, 520 and 622–3
- Hjulström graph 72
- Holderness 150**
- holiday homes 398
- Holocene period 8, 102, 294
- honeypots 527, 591
- Hong Kong 55, 237, 581, 616, 621, 640–1**
- horizons 262–3, 266, 272–4, 318, 321, 323, 325, 327, 329, 332, 334
- horns
- desert 184–5
 - glacial 112–13, 115
- horticulture 473–4, 487–8
- Horton, R.E. 65–6**
- hot plumes/spots 14, 18–19
- Hoyt, H. 422, 424**
- Human Development Index (HDI) 502, 604–7
- human resources 532
- humic acid 43, 196, 317
- humidity 214–15, 242–3, 316, 319
- humification 271
- humus 157, 260–2, 266–8, 271, 300, 317–18, 321, 323, 325, 327, 329, 332, 340
- hunters and gatherers/collectors 388, 478, 492
- hurricanes 31–2, 53, 156, 210, 235–8, 510
- hybrids 504–5
- hydration 42, 56, 181–2, 194
- hydraulic action 73, 149, 152
- hydraulic radius 69–70, 76
- hydro-electricity 528, 533, 535, 539–40, 544–5, 547
- hydrograph 61–4, 188
- hydrological cycle 162, 214
- hydrolysis 42–3, 56, 194, 202, 323
- hydromagmatic 28
- hydromorphic soil 275
- hydroseres 287, 292
- hygroscopic nuclei 215, 221, 249
- hygroscopic water 267
- hypothesis testing 145, 299, 430–1, 492
- I**
- ice
- damming lakes 122–3
 - formation 105
- ice ages 8, 102–4
- ice caps 106, 163
- ice crystals 105, 107, 132, 215, 218–20
- Iceland 16, 25, 149**
- ice lens 132, 137
- ice sheets 103–4, 106, 122–3, 126–7, 163, 256
- ice shelves 106, 126
- ice wedges 132–3, 137, 139
- ICT 642–3
- igneous rocks 24, 28–30, 40, 181, 194, 201–3
- Iguaçu Falls 76**
- illegal immigrants 362, 367, 454
- illuviation 261–2, 271
- immigration 349–50, 361–2, 367, 454
- impermeable rock 63, 67, 131, 187, 195, 197–8, 201
- incised meanders 82–3
- independent variable 612
- index of rurality 393, 517
- India 20, 203–4, 239–40, 352, 354, 359, 387, 443, 448, 481–2, 504–5, 522, 574, 600–1, 627, 643–6**
- Indonesia 18–19, 521**
- industrial estates 436, 556, 571
- industrial linkages 560, 568–9
- industrial location factors 436, 553–67, 573–4
- industrial regions 569–72
- industrial theory 557–62, 568–9
- infant mortality 354, 359, 377, 380, 438, 446, 608–9
- infiltration 58–9, 62, 187, 195
- infiltration capacity 59, 195, 280
- informal sector 456, 573–5
- ingrown meanders 83
- inheritance laws 467
- inland waterways 635
- inner-city areas 364–5, 426, 428–9, 432, 436–40
- inselbergs 189, 202
- insolation 206–13, 255, 316, 321
- insolation weathering 41, 181
- instability 217, 220, 226–7, 229, 231
- intensive farming 468–70, 472, 475, 477–8, 481–2, 487–9, 492
- interaction model 410–11
- interception 58–9, 62, 187
- interdependence 624–8
- interglacials 102, 111
- interlocking spurs 62
- internal flow 107–8
- internal migration 361–7
- internally displaced persons 367
- international trade 605, 624–31, 635–7, 646–7
- internet/email 22–3, 553, 555, 589, 634, 642
- interquartile range 246–7
- intertropical convergence zone (ITCZ) 219, 223, 226–7, 235, 239, 250–1, 316, 319, 323, 335
- intrazonal soils 274–5, 314
- intrusive rock 17, 24, 28–30, 201, 203
- iron and steel 563–4, 570–2
- iron pan 272, 332
- irrigation 93–7, 191, 281, 283, 361, 478, 490–2, 496, 505, 530
- island arcs 17–19
- isodapanes 559–60
- isolated settlements 394, 399
- isostatic (glacio-isostatic) change 81–2, 123, 162–3, 248
- isotims 559–60
- isotope analysis 104, 190, 248
- Italy 26, 54, 359, 405**
- J**
- Japan 359–60, 405, 424, 565, 625–8**
- 'J' curve 378
- jet streams 210, 226–8, 233, 239, 323
- joints 29–30, 40, 63, 110–11, 134, 149, 152, 194–8, 202–3
- jua kali* 575–7
- Jurassic period 8, 196, 201
- just-in-time/-in-case 561
- K**
- kames 116, 119–20
- kaolin/kaolinite 43, 56, 202–3
- karst 195–8
- katabatic winds 241
- Kenya 252, 302–3, 335–8, 354, 359, 444–5, 449, 465, 479, 492, 575–7, 608, 627**
- kettleholes 119–20
- King, K. 51, 187**
- knickpoints 76
- Kolkata 442–3**
- Köppen, W. 314**
- Krakatoa 18, 27–8, 249, 289**
- k-values 408–9
- L**
- labour 469, 477, 510, 555, 557, 560–1, 565, 567, 574–8
- lag time 61–2, 188, 200
- lahars 24, 31–2, 34, 53
- lakes
- glacial 111, 113, 115, 119–23, 137
 - hydroseres 287, 292
 - ice-dammed 122–3
 - microclimates 243
 - oxbow 79
 - playa 188–9
- laminar flow 68
- land and sea breezes 234, 240, 316
- land reform 504
- landslides 48–9, 53, 55, 236, 452
- land tenure 397, 466–8
- land use, rural 393, 471–5, 516–17
- land values theory 425–6
- La Niña 250, 253, 452–3
- lapse rates 206, 216–17, 234, 241
- latent heat 210, 216, 220, 231, 233, 235, 239, 241
- laterite 321, 336
- latifundia 466, 488
- Laurasia 12, 17**
- lava 16, 24–5, 28, 203
- leaching 261–3, 265, 267, 271–2, 279, 300, 317–18, 321, 325, 327–9, 332
- leaf litter 262, 266, 293, 300–1, 316–19, 323, 325, 329, 332, 334, 340
- least cost location (LCL) 557–60, 570
- leisure 586–8
- levées 77, 87–92
- lichens 43, 288–9, 333–4
- life expectancy 353–4, 359–60, 377, 383, 438, 446, 501, 607–9, 620–3
- limestone pavements 43, 196, 198
- limits of production 462–3
- linear settlements 395, 398

- linkages 560, 568–9
Linton, D.L. 202
 literacy 607–8
 lithology 50, 194–5
 lithoseres 287–9
 lithosphere 10, 14, 21
Li Valley 198
 load (river) 68, 71–4,
 76–7, 136, 188
 loam 264–6
 location
 industrial 436, 553–7,
 562–7
 triangle 558–9
 locational rent 471–3
 loess 103, 132, 136, 280,
 283, 327
 logarithmic scale 10,
 65–6, 269, 404–5, 546,
 614–15
 logging 307–9, 519–21
London 348, 364–5, 392,
 437–40, 458–9, 596,
 637–8
 long profiles 70, 74, 81–2
 longshore bars 143–4,
 146, 155
 longshore drift 142,
 153–4, 172–3
 Lorenz curves 349
Los Angeles 452–5
 low-class/low-income
 housing 420–3, 425–6,
 428, 436, 442–6, 450
 low pressure 224–33,
 235–7, 239–40, 319,
 328
Lusaka 449
- M**
M4/M11 corridor 552,
 566–7
 Maasai 311–12, 336–8,
 449, 577
 magma 16–17, 24, 28, 201
Malawi 359, 611
Malaysia 482–3, 520–1,
 523, 543, 578–9, 626
 malnutrition 500
Malthus, T. 378–9, 501
 mangroves 156, 169, 317,
 526
 Manning's equation 70
Mann, P. 422–4
 mantle 9–10, 13
 maquis 293, 324
 margins
 of production/
 cultivation 462–3,
 471–3
 plate 14–21, 33
 marine parks/reserves
 526, 598
 marketing principle 409
 markets 469, 471–4,
 553–5, 557–60, 562
 marram grass 157, 281,
 290
 mass movement 46–9,
 52–5, 124, 149–50,
 173, 261
 mass tourism 590, 598
 material index (MI) 554,
 558, 561
- McCarty, H.H. and
 Lindberg, L.B.** 462–3
 mean, arithmetic 112
 meanders 78–9, 90
 measures of dispersion
 246–7
 mechanical weathering
 40–2, 44, 134, 181–2,
 202, 260, 262, 334
 median 112
 Mediterranean
 climate 307, 315,
 323–4
 farming 475, 478,
 488–9, 492
 soils 315, 325, 488
 vegetation 293, 304,
 307, 315, 324–5
 medium-class/medium-
 income housing 420–3,
 425–6, 428, 436, 442,
 444–6, 449–50
 meltwater 105–8, 111,
 113, 119–21, 131,
 135–6
 mesas 189
 mesosphere and
 mesopause 206–7
 metamorphic aureole 29
 metamorphic rock 28–9,
 40
 methane 207, 254, 543
 housing 420–3, 425–6,
 428, 436, 442–6, 450
MetroCentre 433–4
Mexico 598
 mica 43, 194–5, 201–2, 260
 microclimates 242–3
 micro-hydro 547–9
 mid-ocean ridges 13,
 15–16, 19, 24
 migrant workers 361–2,
 367, 369–70, 373, 644
 migration
 balance 361
 developed countries
 362–5, 455–6
 developing countries
 366–8, 418, 617–18
 external 361, 367–70
 internal 361–7
 laws and models 361–2
 political resettling 367,
 373
 rural–urban 361–3,
 366, 415, 581,
 617–18, 644
 types 361
 voluntary and forced
 361–2
 within UK 363–5
 within urban areas
 364–5
- Milankovitch, M.** 102,
 104–5, 249
 Millennium Development
 Goals (MDG) 368, 500,
 577, 609–10, 619, 622,
 628
Miller, A.A. 315
 million cities 418–19
 Millstone Grit 201, 592
 minerals (soil) 260,
 262–3, 268, 317–18
 minimum sample size 159
 mining 307, 522–3, 537,
 570–1
- misfit streams 86
Mississippi River 77–8,
 87–90
 mobile phones 553, 555,
 642
 mode 112
 models 110, 119, 143,
 209–10, 220, 226,
 230–2, 236, 261–2,
 287–8, 290–2, 300,
 317, 352, 367, 402–11,
 420–4, 442, 471–4,
 516, 557–61, 594,
 615–18, 620–1
 Mohorovičić ('Moho')
 discontinuity 9–10,
 18–19
 moisture (soil) 58–60,
 157, 267, 276, 316,
 322, 336
 monsoon 198, 228,
 239–40, 249, 315, 325,
 470, 481, 521
 mor 262, 272, 332, 334
 moraines 108, 111,
 116–21
 morphology (settlement)
 394–6
 morphometry (stream)
 65–6
Mottershead, D. 194
 mountain and valley
 winds 234, 240–1
 mountain building
 19–20, 163
 mountain tourism 586,
 595
 mountain vegetation 305,
 463
Mozambique 90–1
 mudflows/slides 24, 34,
 47, 49, 53–5, 293, 452
 mud volcanoes 26
 mull 262, 274, 327, 329
 multicultural societies
 371–5, 437, 445, 455
 multinationals (see
 transnationals)
 multiple-nuclei theory
 423–4
 multiplier effect 568–9,
 616
Myanmar 238
Myrdal, G. 569, 617
- N**
Nairobi 444–5, 575–7
 National Parks 203, 309,
 338, 527–30, 591–3,
 595, 597
 natural hazards 11, 16,
 18, 30–6, 49, 52–3, 64,
 80, 87–92, 124–7, 148,
 169, 233, 236–8, 377,
 452–4
 natural increase 349–53,
 355, 377, 380, 418
 natural resources 346,
 532
 nearest neighbour
 analysis 402–4
 neoclassical location
 theory 557
Nepal 547–9
Netherlands 477, 487–8
- net primary production
 (NPP) 306, 316, 319,
 322, 324, 326, 328,
 330, 333
 net profit curve 472–3
Nevado del Ruiz 53
 névé 105, 110
 New Deal for
 Communities (NDC)
 439
 newly industrialised
 countries (NICs)
 578–9, 604, 617, 620–
 1, 625–7, 630, 640–1
Newson, M. 59, 62–3
Newton, I. 410
 new towns 398, 447, 450,
 579
Niger 502
Nigeria 192, 627
Nile River/Valley 168,
 344, 490–1
 nitrogen cycle 297–8
 nitrogen in air 207, 222
 nivation 110–11, 132,
 135, 139
 nodes/nodal points 390,
 397
 nomadic herding 336,
 465, 478–9, 492
 non-renewable resources/
 energy 522, 532,
 536–9, 544–5
Norfolk 172–4
 normal curve of
 distribution 112, 159
North Sea 147–8, 150,
 537–8
Northumberland 508–9
Norway 164
 nuclear energy 532–3,
 535, 538–9, 544–5
 nucleated settlements
 401–2
 nutrients
 cycle/recycling 261,
 263, 281, 297–8,
 316–18, 327, 330,
 340, 480, 497
 soil 260–3, 265, 268–9,
 271, 281
Nye, J.F. 167
- o
 oak 287–92
 oasis 390, 397
 obsequent streams 84,
 199
 occluded fronts 231, 233
 ocean crust 10, 14, 16
 ocean currents 130–1,
 179, 210–12, 220,
 249–53, 318, 321, 323,
 328
 ocean transport 127, 456,
 597, 635–7, 640–1
 offices 425–6, 429–30,
 435
 offshore bars 155
 oil and natural gas 532–5,
 537–9, 544–5, 637
 omnivores 296–7
Omran, A.R. 620–1
 OPEC 624, 626–7
 open cities 580
- open-field system 397,
 401, 467
 optima and limits model
 462–3
 optimum population
 376, 381
 organic farming 282,
 497–8, 508–9
 organic matter 260–8,
 271–2, 279, 282, 318,
 321, 323, 327–9, 334
 organisms (biota) 260–3,
 268–9
 orogeny 19, 163
 orographic rainfall 215,
 220, 239
 orthogonals 142–3
 outwash plains 116, 119
 overcultivation 191, 280,
 341
 overgrazing 191, 280,
 282, 335, 342, 479
 overland flow 58–9, 62,
 187
 overpopulation 376–7,
 502
 overspill settlement 398
 oxbow lakes 79
 oxidation 42, 56, 201,
 271
 oxygen 40, 42, 104, 207,
 295, 317–18, 520
 ozone 34, 206–7, 209,
 249
- P**
Pacific Ocean 18–19
 palaeomagnetism 13
Pampas 484–5
Pangaea 12, 20, 102
 parallel drainage 84
 parallel slope retreat 51,
 187
 parent material 260–3,
 269, 271, 274, 279,
 325, 330, 334
 parent population 159,
 524–5
 particle size 70–4, 79,
 143–6, 154, 182–3,
 264–5
 pastoral farming 336–8,
 341, 470, 476, 478–9,
 484–5, 492, 506–9
 patterned ground 132–3
Peak District 592–3
 peak flow 61, 63–4, 91,
 135–6, 188
 peak land-value
 intersection (PLVI)
 425–6, 430–1
 peat 261–2, 275–6
 pebble orientation
 116–17, 120
 pediments 187–90
 pedis 265–6, 279–80
Peltier 44
Penck, W. 51
 percolation 58–9, 143,
 145–6
 periferia 442, 446, 449
 periglacial 47, 111,
 130–8, 197, 200, 202
 permafrost 130–1, 134–8,
 197, 332–4

- permeable/permeability 63, 67, 195–6, 198
 Permian period 8, 201
 personal investigation study 599
Peru 52, 252
 pesticide 281, 495, 505, 508, 526
Pethick, J. 144, 149–50
 pH 157, 200, 222, 269, 271–2, 274, 276
Phillips, D. 619–20
 photosynthesis 207, 288, 295–6, 304–5, 317, 324, 330–1, 334
 physical resources 532
 physical weathering 40–2, 44, 134, 181–2, 202, 260, 263, 334
 piedmont glaciers 106
Pinatubo, Mt 33–5, 249
 pingos 132–4, 137
 pioneer communities/colonisers 286, 288, 290–3, 333
 pipelines 634–5
 plagioclimax community 286–7
 planned settlements 395, 398, 450–1
 plantation farming 467, 478, 482–3, 492, 510–11
 plates and plate tectonics 12–21, 33, 103, 163, 181, 199, 203, 249
 playas 188–9
 Pleistocene period 8, 47, 102, 122
 plucking (ice) 110–11, 114
 pluvials 187, 190–1, 248
 podsolisation 271–2, 332
 podsoles 272, 315, 331–2
 point bars 79
Poland 369–70
 polar air 221, 229–31, 234
 polar cell 226–8, 328
 polar front 226–30, 328
 polar glaciers 107–8
 political resettling 367, 373
 poljes 197
 pollen analysis 190, 248, 294
 pollution
 air 209, 243, 249, 254, 438, 446, 536, 544, 635, 638
 water 309, 438, 443, 446, 494, 496, 537
 ponds and wetlands 287, 292, 494–6
 pools and riffles 78
 population
 ageing 354, 359–60, 363, 383, 620–1
 changes in UK 351, 353–4, 363–5
 checks 378
 densely populated areas 345–8
 density 344–8, 377, 380
 distribution 344, 380
 family planning 357–8, 379, 381–3
 food supply 378–9, 487, 493, 500–3
 growth rates 349–51, 355–8, 380–3
 optimum 376
 over-65s 353–4, 359–60, 381, 383
 parent 159, 524–5
 plant 295
 pyramids 353–4, 360, 370, 383
 sample 159
 sparsely populated areas 345–8
 structure 352–4, 360, 370, 383
 total fertility rate (TFR) 355, 357–8, 360, 377–83
 under-15s 353–4, 357–8, 377, 381–2
 pore water 50, 63, 187, 195, 200, 262, 265, 267
 porosity 59, 63, 135, 146, 195, 199–200, 265–7
 ports 391, 635–7, 640–1
 post-Fordism 557, 561
 post-industrial economies 552
 potential
 evapotranspiration 58, 60, 178
 potholes 72, 196, 198
 poverty, cycle of 377, 438
 Practical Action 283, 338, 449, 505, 546–9, 576–7, 608, 632
Prairies 325–8, 339–42, 394, 463–4, 486
 prairie soils 315, 328, 339–40, 486
 precipitation
 distribution/pattern 223–4, 304, 464–6
 effectiveness 62, 223–4, 304, 322, 341
 formation 219
 types 58, 62, 219–22
 variability/reliability 178, 186, 191, 223–4, 256, 304, 341, 464–6, 501
 pressure
 atmospheric 179, 206–7, 224–8
 melting point 107–11
 pressure gradient 224, 231, 233–4
 pressure release 41–2, 110–11, 181, 201–2
 prevailing winds 153–5, 157, 179–80, 184, 211, 222, 422
 primacy/primacy city 405, 617
 primary manufacturing 553, 562
 primary sector 552–3, 616
 primary succession 287–92, 328
 priseres 286
 probability levels 159
 psammoseres 287, 290
 pulp and paper 562
 pure raw materials 554, 558–9
 pyramidal peaks 112–13, 115
 pyroclastic material 24, 28, 34
 pyrophytes/pyrophytic plants 293, 320, 324
- Q**
 quantitative techniques 65, 67
 quarrying 199–200, 203–4, 302, 307, 522–3, 592–3
 quartiles 246–7
 quartz 43, 194–5, 201–2, 260, 263
 Quaternary period 8, 102, 130, 162, 181, 190, 249
 quaternary sector/industry 552, 562, 566–7
 quotas/tariffs 487, 493, 507, 510, 626, 628, 645–7
- R**
 radial drainage 84, 190
 radiation 103, 181, 206–10, 212, 215, 221, 234
 radiation fogs 215, 217, 221, 234
 radio-carbon dating 190, 248
 rail transport 456, 634–5, 640–1
 rainfall (see precipitation)
 rainforests 301, 306, 315–18, 347, 519–21
 rainsplash 46, 187, 279, 281
 raised beaches 123, 151, 166, 287, 394–5
 ranching 337, 342, 475, 478, 484–5, 492
 random sampling 160–1
 random settlement 402–3
 range 246–7, 407
 rank-size rule 402, 404–5
 rapid transit systems 456, 579, 640–1
Ravenstein, E.G. 361–2
 raw materials 532, 553–4, 557–64, 570
 recreation 94, 97, 527–30, 585–7, 591
 rectangular drainage 84
 reduction 42, 271
 reflection 207–8, 242
 refraction 142–3, 154
 refugees 362, 367–8
 reg 180, 183–4
 regional shopping centres 429, 432–4, 458–9
 regolith 46, 182, 260, 262
 regular settlements 402–4
Reilly, W.J. 410–11
 rejuvenation 81–3, 123, 136, 183
 relative humidity 179, 214–15, 219, 242–3
 relief rainfall 220, 239
 religious centres 596
 Rendille 465, 479
 rendzina 199, 274, 325, 488
 renewable resources 532–3, 535, 539–43, 545, 547–9
 replacement rate 358
 reserves 522, 532
 residential zones 420–3, 425–6, 428, 436–9, 441–6, 456
 resources 346, 391, 522, 532–3
 responsibility system 468, 470, 580
 resurgence 197–9
 retailing 407, 410–11, 425–6, 428, 430, 432–4, 458–9, 497, 582
 rias 123, 164, 168
 ribbon lakes 113, 115, 119
 rice 470, 481–2, 504
 Richter scale 10, 19, 52, 269, 452
 ridges and runnels 143–4, 146
 rift valleys 17, 24, 335–7
 rime 222
Rio de Janeiro 49, 348, 443, 446
 river capture 85–6
 rivers
 channel shape 69, 71
 deposition 71–4, 76–9, 81
 discharge 61, 64
 erosion 72–6, 78–9, 81–2
 floods 31–2, 61–4, 72, 76–7, 79–80, 87–93, 238, 377, 453, 490–1
 hydrographs 61–4, 95, 188
 in deserts 186–8
 management 87–8, 91, 94–7
 order (stream) 65–7, 136
 patterns 84–6
 regimes 64, 135–6, 491
 transportation 68, 70–4
 river terraces 82–3, 390, 392, 395
 river transport 605–7
Rn values 402–4
 road transport 456, 579, 634–5, 640–1
Roberts, B. 391, 395
 roches moutonnées 114–15
 rock drumlins 114
 rock falls 48, 52
 rock lip 110–11, 115
 rock steps 109, 113
 rock type 63, 67, 76–7, 149, 167, 194–203
 Rossby waves 227–8
Rostow, W.C. 615–16
 rotational movement 48, 110–11
 roughness (channel) 70–1, 188
 runoff 58–64, 136, 149, 187, 200, 261, 279
 rural depopulation 361–3, 366, 507
 rural land use 393, 471–5, 516–17, 526, 592
 rural management 525–6
 rural settlement 393–5, 397–401, 593
 rural–urban continuum 393, 516–17
 rural–urban migration 361–3, 366, 415, 507, 581, 617–18, 644
- S**
Sahel 190–2, 279–80, 282, 321, 464, 495, 503
Salicornia 158, 291
 salinisation 97, 273, 275, 281, 309, 323, 491, 496
 saltation 71, 157, 182–3
 salt crystallisation 40–1, 149, 181–2, 491
 salt lakes/flats 188
 saltmarsh 154, 156, 158, 163, 169, 174–5, 273, 287, 291
 salt pans 158, 291
 sampling 159–62, 244, 299, 524–5
 minimum sample size 525
 random 160–1
 standard error 524–5
 stratified 160–1
 systematic 160–2
San Andreas Fault 20–1, 452
 sand dunes
 coasts 154, 156–8, 173, 175, 273, 287, 290
 deserts 180, 184–6, 190, 192
 sandstone 8, 20, 63, 194–5, 201, 248
San Francisco 21
São Paulo 348, 427, 449
 satellite images 89, 190, 192, 234, 236, 244–5, 490, 521
 saturated adiabatic lapse rate (SALR) 216–17, 241
 savanna (tropical)
 grasslands 103, 293, 301, 306, 311–12, 315, 319–20, 335–8
 scale and generalisations 347
 scarp and vale 84, 199, 390, 401
 scattergraphs 64, 299, 404–6, 546, 612
 scattering 207–8
Schumacher, E. 576
 science parks 429, 435–6, 567, 581
 sclerophyllous scrub 324
Scotland 595

- screens 40-1, 48, 132, 134, 189, 196, 198
'S' curve 378
sea-floor spreading 13, 16
sea-ice 127
sea-level changes 123, 126-7, 155, 162-9, 200, 248, 255, 452
secondary land values peak 425-6
secondary manufacturing 553, 562-5
secondary sector 552, 616-17
secondary succession 287, 293, 318
second homes 398
sector model 422
sedentary farming 388, 477, 492
sediment cells 174-5
seif dunes 184-6
seismic waves 9, 36
self-help housing 445, 448-9
Seoul 457
Serengeti 311-12
seres 286-92
services 393, 398-9, 406-8, 446, 552-3, 586, 616-17
set-aside land 487, 493, 496, 507
settlements
early 388-9, 397, 400-1
functions 392, 396, 406-10
morphology 394-6
rural 393-5, 397-401
shanty 49, 373, 418, 427, 442-6, 448-9
site and situation 389-92, 396
spring-line 84, 199-200, 389-90, 401
types 393
Severn River 92-3
shakeholes 197, 199
Shanghai/Pudong 456, 580-1
share cropping 467
sheet floods 187, 189
sheeting 41
Sheffield 422
Shenzhen 580-2
shield volcanoes 25, 203
shifting cultivation 477-8, 480, 492
shopping 407, 425-6, 428, 430, 432-4, 458-9
Sichuan 11, 20
Sierra Leone 627
sills 28-30
Singapore 358, 375, 450-1, 521, 621, 626, 636-7
sinuosity 78-9
site 389-92, 396, 433
site and service schemes 445, 448-9
Sites of Special Scientific Interest (SSSIs) 509, 593, 595
situation 389-92, 396
skewed distribution 112
slash and burn cultivation 480
sleet 221
slopes
catena 261, 276, 464
decline 51
development 46, 50-1
elements 51
failure 46, 50, 52-5
parallel retreat 51
replacement 51
smog 209, 215, 222, 243, 453, 521
snow 62, 64, 105-6, 111, 135, 219, 221, 234, 328, 333, 464, 595
Snowdonia 73-4, 115
social inequality 437-8, 440-1, 455-7
soils
acidity 269
brown earths 315, 329-30, 340
catenas 261, 276, 464
chernozems 267, 315, 327, 339-40, 486
chestnut 315, 328, 339-40
conservation/management 281-3, 341-2
creep 46-7, 149, 263
desert 315, 323
erosion 184, 191-2, 261, 266, 279-81, 283
ferralitic 315, 317-18, 325
ferruginous 315, 321, 336
formation 260-2, 271-3
horizons 262-3, 266, 272-4, 318, 321, 323, 325, 327, 329, 332, 334
lateritic 321, 336
Mediterranean 315, 325, 488
moisture deficiency/surplus 58-60, 157, 267, 271, 316, 322, 336
nutrient cycle 261, 263, 281, 297-8, 316-18, 327, 330, 340, 480
pH 157, 269, 271-2, 274, 276
pit 270
podsoils 272, 315, 331-2
prairie 315, 328, 339-40, 486
profile 262-3, 318, 321, 323, 325, 327, 329, 331-2, 334
properties 263-9
structure 265-6, 280, 282
system 263, 276
temperature 131, 269
texture 264-5, 282
tundra 315, 334
solar constant 207-8, 249
solar power/energy 207-8, 249, 263, 295, 533, 541
solar radiation 103, 206-10, 212, 215, 221, 234
solfatara 26
solifluction 47, 110-11, 132, 135, 138-9, 200, 202
solution 43-4, 71, 73-4, 149, 195-6, 198
South Africa 372-3
South Korea 457, 541, 630
space-shrinking technologies 555, 589, 642-3
Spain 594
Spanish plume 220, 234
Spartina 158, 291
Spearman's rank 299, 613-14
Special Economic Zones (SEZs) 580-2, 618
specific heat capacity 210-11
spheres of influence 406, 408-9
spits 154-5, 158, 171
spring lines 84, 199-200, 389-90, 401
Sri Lanka 18-19, 633, 647
stability 216-17, 222, 226-9, 319
stacks 152
stalactites and stalagmites 197-8
standard deviation 159, 246-7
standard error 524-5
star dunes 185-6
statistics, reliability 448
stem flow 58-9
stereotypes 427
stone circles/polygons 132-3, 139
stone lines 282-3, 505
storm beaches 143-5
storm hydrographs 61-4, 95-6, 188
storm surges 63, 147-8, 236, 238
Strahler, A.N. 65
stratified sampling 160-1
stratopause and stratosphere 206-7, 209
stratus 218-19, 222, 232
stream order 65-7
striations 114-15
strip farming 281-2
subduction zones 15, 17-19, 33
sublimation 215, 221
submergent coasts 163-5
sub-Saharan Africa 498, 500-3, 607-9, 622-3, 632
subsequent rivers 84-6, 199
subsidies 487, 493, 507, 627-8
subsistence farming 337, 468, 470, 477-82, 492
suburbanised villages 375, 398-9
suburbia/suburbs 364-5, 426, 428-9
succession (plant) 286-93
sulphur dioxide 207, 222, 243
Sunderland 422-3
sunlight 242, 295, 317
superimposed drainage 85, 200
surface creep 182-3
surface runoff 58-64, 136, 149, 187, 200, 261, 279
surface storage 58-9
surges
ice 107-8
storm 63, 147-8, 236, 238
suspended load 71-4, 182-3, 188
sustainable development 497, 499, 520, 547-9, 576-7, 592, 595
swallow holes 196, 198
swash 141-2, 144-6, 153
Sweden 352, 354, 562
swell 140-1
synoptic charts 237, 244-5
systematic sampling 160-2
systems 45-6, 58-9, 81, 106, 209, 214, 262-3, 276-8, 296, 298, 317, 349, 476
T
taiga (see coniferous forests)
take-off (Rostow) 615-16
talik 131, 134
talus 40-1, 48, 132, 134
Tanzania 311-12, 526
temperate forests 287, 293, 306, 328-9
temperate glaciers 107-8
temperate grasslands 300-1, 306, 315, 326-7, 339-42
temperature
atmospheric 206-7, 210-13, 254-6, 261, 304, 463
soil 131, 269
temperature anomalies 211-12, 234
temperature inversions 217, 221-2, 234, 454
terminal costs 634-5
terraces 82-3, 281-2
terraces 47
terra rossa 274, 325, 348
Tertiary period 8, 21, 171
tertiary sector 552, 586, 616-17
Tethys Sea 12, 20, 85
textile industry 644-7
thalwegs 70
theme parks 596
thermal expansion 41, 168
thermokarst 137-8
thermosphere 206-7
Thornthwaite, C.W. 178-9, 315, 321
Three Gorges Dam 545, 618
threshold 407, 432
throughfall 58-9
throughflow 58-9, 61, 63, 136, 149, 200, 261, 263
thunderstorms 217, 219-20, 226, 316, 326
tidal power 147, 542
tides 63, 143, 145-8, 157-8, 163-4, 291-2
'tiger economies' 578, 640
till 116, 119-21, 149-50, 263
Tokyo 424
tomboles 155
topography (relief) 260-1, 276, 305
Torridge, River 64
tors 29, 135, 139, 202-3, 238
total fertility rates (TFR) see fertility rates
tourism
and environment 527-30, 590-8
classification 587
coastal/resorts/life-cycle 594, 600-1
global 588-9
growth 587-9
management 311-12, 527-30, 592-3
mass 589-90, 594
positive/negative effects 590
UK 589
traction 71, 188
trade
balance/surplus/deficit 624, 629
international 578, 605, 624-31, 635-7, 644
trade winds 179, 226, 319, 321, 323
trading blocs 625
traffic principle 409
transects 131, 157, 166, 276, 288, 290-2, 305, 320, 333, 489, 516
transform faults 16, 20
translocation 271
transnational firms (TNCs) 337, 498, 501, 510-11, 553, 572-4, 578-9, 581-2, 589, 617, 624-5, 630
transpiration 58-9, 267, 279
transport
air 456, 634-5, 637-8, 640-1
canal 635
costs 554, 557-62, 634-5
developing countries 446
environment 635
hubs 637-8
integrated systems 639-41

- ocean 127, 456, 597, 635-7, 640-1
 pipelines 634-5
 rail 456, 634-5, 640-1
 rapid transit 456, 579, 640-1
 road 579, 634-5, 640-1
 types 634-5
 transportation
 glaciers/ice 109, 116-17
 rivers 68, 70-4
 waves 150, 153-4, 171
 wind 136, 182-3, 280
 travel account surplus 588
 trellis drainage 84
 trenches, deep-sea 17-18, 180
Trewartha, G.T. 314
 tricellular model 226-7
 trophic levels/pyramids 296-7
 tropical air 229-31, 234, 239
 tropical continental climate 315, 319, 335-8
 tropical cyclones 31-2, 53, 90, 147-8, 156, 235-8, 510
 tropical eastern margins 90, 315, 318
 tropical grasslands 293, 301, 306, 311-12, 315, 319-20, 335-8
 tropical rainforests 301, 306, 315-18, 347, 520-1
 tropopause and troposphere 225-7, 232
 truncated spurs 113, 115
 tsunamis 18-19, 31-2, 140, 166, 452, 633
 tundra
 climate 102-3, 130-1, 315, 332-3
 soils 315, 334
 vegetation 138, 294, 304, 306, 315, 333-4, 595
Tunisia 366
 turbulent flow 68, 70-2, 75, 197
 twilight/transition zone 420
 typhoons 31-2, 34, 235-8
- U**
 ubac slopes 212-13, 464
 ubiquitous raw materials 557-9
Ullman and Harris 423-4, 435
 ultra-violet radiation 206, 209
 underpopulation 376-7
United Arab Emirates (UAE) 627
 United Nations Organisations
 FAO 500, 629, 632
 UN 355-60, 367-8, 418, 495, 519, 544, 573, 596, 606, 609-10, 628-9, 632, 646
 WHO 501, 619, 622, 632
 WTO 493, 626-8
 upgraded housing schemes 436, 440, 445, 448-51
 upwelling water 179-80, 250-1, 253
 urban areas
 climate 212, 242-3
 depopulation 365, 419
 development
 corporations (UDCs) 439-40
 problems 437-8, 441, 446-7, 455-6
 regeneration
 companies (URCs) 439
 rural continuum 393, 516-17
 sprawl 398, 400
 structure 420-4, 442, 444-5
 urbanisation 63, 212, 363, 418-19
Uruguay 475, 484-5
USA 20-1, 60, 87-90, 156, 282, 339-42, 374, 405, 420-1, 452-5, 463, 467, 485, 496, 498, 527-30, 540, 625-8, 639
USSR (former) 466-7, 485
- V**
Vaiont Dam 54
 valley-in-valley 82-3
- valleys
 dry 132, 135, 197-200
 glacial 42, 106, 111, 113-15, 120-1
 hanging 114-15, 121
 river 75-9
 value added chains 564, 631, 643-5
 values and attitudes 437
 varves 119
 vegetation
 classification 306, 315
 coniferous forest/taiga 293, 300-1, 306, 315, 330-1, 518
 deciduous forest 59, 62, 287, 293, 306, 315, 328-9, 518
 desert 306, 315, 322
 interception 58-9, 62, 187
 Mediterranean 293, 304, 307, 315, 324-5
 post-Holocene 294
 rainforest/selvas 301, 306, 315-18, 347, 520-1
 seres 286-92
 storage 59
 temperate grassland/prairie 300-1, 306, 315, 326-7, 339-40
 tropical grassland/savanna 103, 293, 301, 306, 311-12, 315, 319-20, 335-8
 tundra 294, 306, 315, 333-4, 595
 world location 305, 315
 velocity
 glaciers 107-9, 111
 rivers 61, 68-73, 75
 ventifacts 184, 323
 vertices 615-17
 volcanoes
 classifications 24-6, 28
 distribution 11, 13, 15
 eruptions 13, 16-17, 31-6, 53, 249
 formation 16-17, 24-5
von Thünen, H. 471-5, 557, 634
- W**
 wadis 187-90, 248
Wales 55, 73-4, 115, 522-3, 563-4, 570-2
- Walker cell 250
 Walmart 582
 warm fronts 229-32
 warm sector 231-2
 warm temperate eastern margins 315, 325
 water
 retention capacity 267
 soil storage 58-60
 surplus/deficit 60
 WaterAid 611
 water balance 60, 178, 316, 322, 336
 waterfalls 75-6, 81-2, 114-15
 watershed recession 86
 watersheds 58, 62
 water supply 93-7, 199-200, 222, 281, 338, 346, 388-90, 392, 397, 446-7, 449, 464-5, 479, 490-1, 528-9, 593, 609-11
 water table 58-9, 195, 199-200, 272, 275, 281, 321, 323, 327, 390, 496
 water vapour 206-7, 213-15, 221, 231, 254
 wavecut abrasion
 platforms 151-2, 166
 wavecut notches 151-2, 166
 waves
 atmospheric 207-8
 energy 140-6, 149-51, 154, 169, 171, 173, 541
 formation 18, 140-2, 144, 169
 pounding 149, 152
 refraction 142-3, 154
 Rossby 227-8
 types (coastal) 144-5
 weathering
 chemical 26, 40, 42-4, 56, 181-3, 194, 196, 202, 260, 263, 269, 271, 274, 317, 321, 323
 mechanical/physical 40-2, 44, 134, 181-2, 202, 260, 263, 334
 weather maps/stations 237, 245
Weber, A. 554, 557-62, 564-6, 568, 634
- Wegener, A.** 12
 Welsh Development Agency (WDA) 572
Westfield Centre 458-9
West Indies 256
 wetlands 131, 156, 494-6
 wet-point settlements 390
 wetted perimeter 69-71, 75-6
 wildlife 340-1, 527, 596-8
 wilting point 267
 wind
 deposition 136, 157, 184-6
 energy 533, 540-1
 erosion 183-4, 191, 279, 320, 495
 macro-scale 225, 229-40
 meso-scale 225, 240-1, 323-4, 464
 micro-scale 225, 242-3
 transportation 132, 136, 182-3, 280
 women and development 357, 555, 608, 645
 Woodland Management Scheme 493, 496
- X**
Xcaret 598
 xerophytic plants 304, 319, 322, 324, 328
- Y**
Yangtze River 544-5, 580, 618
 yardangs 184
Yellowstone National Park 527
Yorkshire 64, 82, 123, 150, 422
- Z**
Zambia 359
 zeugens 184
Zimbabwe 359
 zonal soils 273, 314
 zones of assimilation/discard 430