

|6.6.6  
model01\_3.tab

	1							
T(K)								
	210							
	210							
	0							
	16							
T(K)	P(bar)	T(°C)	Bio	Mus	Pl	Kfs	And	
833.0	5000	560	36.4	14.5	7.1	0.0	0.0	
834.1	5000	561	36.4	14.5	7.1	0.0	0.0	
835.1	5000	562	36.4	14.5	7.1	0.0	0.0	
836.2	5000	563	36.4	14.5	7.1	0.0	0.0	
837.2	5000	564	36.4	14.5	7.1	0.0	0.0	
838.3	5000	565	36.4	14.5	7.1	0.0	0.0	
839.3	5000	566	36.5	14.4	7.1	0.0	0.0	
840.4	5000	567	36.5	14.4	7.1	0.0	0.0	
841.4	5000	568	36.5	14.4	7.1	0.0	0.0	
842.5	5000	569	36.5	14.4	7.1	0.0	0.0	
843.6	5000	571	36.5	14.4	7.1	0.0	0.0	
844.6	5000	572	36.5	14.4	7.1	0.0	0.0	
845.7	5000	573	36.5	14.4	7.1	0.0	0.0	
846.7	5000	574	36.5	14.3	7.1	0.0	0.0	
847.8	5000	575	36.6	14.3	7.1	0.0	0.0	
848.8	5000	576	36.6	14.3	7.1	0.0	0.0	
849.9	5000	577	36.4	14.2	7.0	0.0	0.0	
850.9	5000	578	36.4	14.2	7.0	0.0	0.0	
852.0	5000	579	36.4	14.2	7.0	0.0	0.0	
853.1	5000	580	36.4	14.2	7.0	0.0	0.0	
854.1	5000	581	36.4	14.2	7.0	0.0	0.0	
855.2	5000	582	36.4	14.2	7.0	0.0	0.0	
856.2	5000	583	36.4	14.2	7.0	0.0	0.0	
857.3	5000	584	36.5	14.2	7.0	0.0	0.0	
858.3	5000	585	36.5	14.1	7.0	0.0	0.0	
859.4	5000	586	36.5	14.2	7.0	0.0	0.0	
860.4	5000	587	36.5	14.2	7.0	0.0	0.0	
861.5	5000	588	36.5	14.1	7.0	0.0	0.0	
862.5	5000	590	36.5	14.1	7.0	0.0	0.0	
863.6	5000	591	36.5	14.1	7.0	0.0	0.0	
864.7	5000	592	36.5	14.1	7.0	0.0	0.0	
865.7	5000	593	36.5	14.1	7.0	0.0	0.0	
866.8	5000	594	36.5	14.1	7.0	0.0	0.0	
867.8	5000	595	36.5	14.1	7.0	0.0	0.0	
868.9	5000	596	36.6	14.1	7.0	0.0	0.0	
869.9	5000	597	36.5	14.1	7.0	0.0	0.0	
871.0	5000	598	36.5	14.1	7.0	0.0	0.0	
872.0	5000	599	36.6	14.0	7.0	0.0	0.0	
873.1	5000	600	36.6	14.1	7.0	0.0	0.0	
874.2	5000	601	36.6	14.0	7.0	0.0	0.0	
875.2	5000	602	36.6	14.0	7.0	0.0	0.0	

876.3	5000	603	36.6	14.0	7.0	0.0	0.0
877.3	5000	604	36.6	14.0	7.0	0.0	0.0
878.4	5000	605	36.6	14.0	7.0	0.0	0.0
879.4	5000	606	36.6	14.0	7.0	0.0	0.0
880.5	5000	607	36.6	14.0	7.0	0.0	0.0
881.5	5000	609	36.6	14.0	7.0	0.0	0.0
882.6	5000	610	36.6	14.0	7.0	0.0	0.0
883.7	5000	611	36.6	14.0	7.0	0.0	0.0
884.7	5000	612	36.6	14.0	7.0	0.0	0.0
885.8	5000	613	36.6	14.0	7.0	0.0	0.0
886.8	5000	614	36.6	14.0	7.0	0.0	0.0
887.9	5000	615	36.6	14.0	7.0	0.0	0.0
888.9	5000	616	36.6	13.9	7.0	0.0	0.0
890.0	5000	617	36.6	13.9	7.0	0.0	0.0
891.0	5000	618	36.7	13.9	7.0	0.0	0.0
892.1	5000	619	36.7	13.9	7.0	0.0	0.0
893.2	5000	620	36.7	13.9	7.0	0.0	0.0
894.2	5000	621	36.7	13.9	7.0	0.0	0.0
895.3	5000	622	36.7	13.9	7.0	0.0	0.0
896.3	5000	623	36.7	13.9	7.0	0.0	0.0
897.4	5000	624	36.7	13.9	7.0	0.0	0.0
898.4	5000	625	36.7	13.9	7.0	0.0	0.0
899.5	5000	626	36.7	13.9	7.0	0.0	0.0
900.5	5000	628	36.7	13.9	7.0	0.0	0.0
901.6	5000	629	36.7	13.9	7.0	0.0	0.0
902.6	5000	630	36.7	13.9	7.0	0.0	0.0
903.7	5000	631	36.7	13.9	7.0	0.0	0.0
904.8	5000	632	36.7	13.8	7.0	0.0	0.0
905.8	5000	633	36.7	13.8	7.0	0.0	0.0
906.9	5000	634	36.7	13.8	7.0	0.0	0.0
907.9	5000	635	36.7	13.8	7.0	0.0	0.0
909.0	5000	636	36.7	13.8	7.0	0.0	0.0
910.0	5000	637	36.7	13.8	7.0	0.0	0.0
911.1	5000	638	36.7	13.8	7.0	0.0	0.0
912.1	5000	639	36.7	13.8	7.0	0.0	0.0
913.2	5000	640	36.8	13.8	7.0	0.0	0.0
914.3	5000	641	36.8	13.8	7.0	0.0	0.0
915.3	5000	642	36.8	13.8	7.0	0.0	0.0
916.4	5000	643	36.8	13.8	7.0	0.0	0.0
917.4	5000	644	36.8	13.8	7.0	0.0	0.0
918.5	5000	645	36.8	13.8	7.0	0.0	0.0
919.5	5000	647	36.8	13.8	7.0	0.0	0.0
920.6	5000	648	36.8	13.8	7.0	0.0	0.0
921.6	5000	649	36.8	13.7	7.0	0.0	0.0
922.7	5000	650	36.8	13.7	7.0	0.0	0.0
923.8	5000	651	36.8	13.7	7.0	0.0	0.0
924.8	5000	652	36.8	13.7	7.0	0.0	0.0
925.9	5000	653	36.8	13.7	7.0	0.0	0.0
926.9	5000	654	36.8	13.7	7.0	0.0	0.0
928.0	5000	655	36.8	13.7	7.0	0.0	0.0

929.0	5000	656	36.8	13.7	7.0	0.0	0.0
930.1	5000	657	36.8	13.7	7.0	0.0	0.0
931.1	5000	658	36.8	13.7	7.0	0.0	0.0
932.2	5000	659	36.8	13.7	7.0	0.0	0.0
933.3	5000	660	36.8	13.7	7.0	0.0	0.0
934.3	5000	661	36.8	13.7	7.0	0.0	0.0
935.4	5000	662	36.8	13.7	7.0	0.0	0.0
936.4	5000	663	36.8	13.7	7.0	0.0	0.0
937.5	5000	664	36.8	13.7	7.0	0.0	0.0
938.5	5000	666	36.9	13.6	7.0	0.0	0.0
939.6	5000	667	36.9	13.6	7.1	0.0	0.0
940.6	5000	668	36.9	13.5	7.1	0.0	0.0
941.7	5000	669	36.9	13.4	7.1	0.0	0.0
942.7	5000	670	36.9	13.3	7.1	0.0	0.0
943.8	5000	671	36.9	13.3	7.2	0.0	0.0
944.9	5000	672	36.9	13.2	7.2	0.0	0.0
945.9	5000	673	36.9	13.1	7.2	0.0	0.0
947.0	5000	674	36.9	13.0	7.3	0.0	0.0
948.0	5000	675	36.9	12.9	7.3	0.0	0.0
949.1	5000	676	36.9	12.8	7.3	0.0	0.0
950.1	5000	677	36.9	12.7	7.3	0.0	0.0
951.2	5000	678	36.9	12.6	7.4	0.0	0.0
952.2	5000	679	36.9	12.4	0.2	7.3	0.0
953.3	5000	680	36.8	7.4	3.6	5.9	0.0
954.4	5000	681	36.8	7.4	3.6	5.9	0.0
955.4	5000	682	36.8	7.4	3.6	5.9	0.0
956.5	5000	683	36.6	1.6	7.1	4.7	0.0
957.5	5000	685	36.6	1.6	7.1	4.7	0.0
958.6	5000	686	36.6	0.0	7.9	4.4	0.0
959.6	5000	687	36.6	0.0	7.8	4.5	0.0
960.7	5000	688	36.6	0.0	7.8	4.5	0.0
961.7	5000	689	36.6	0.0	7.8	4.5	0.0
962.8	5000	690	36.6	0.0	7.8	4.5	0.0
963.9	5000	691	36.6	0.0	7.8	4.5	0.0
964.9	5000	692	36.5	0.0	7.7	4.5	0.0
966.0	5000	693	36.5	0.0	7.7	4.5	0.0
967.0	5000	694	36.5	0.0	7.7	4.5	0.0
968.1	5000	695	36.5	0.0	7.7	4.5	0.0
969.1	5000	696	36.4	0.0	7.8	4.3	0.0
970.2	5000	697	36.4	0.0	7.8	4.3	0.0
971.2	5000	698	36.4	0.0	7.8	4.3	0.0
972.3	5000	699	36.4	0.0	7.8	4.3	0.0
973.4	5000	700	36.4	0.0	7.8	4.3	0.0
974.4	5000	701	36.3	0.0	7.8	4.2	0.0
975.5	5000	702	36.3	0.0	7.8	4.2	0.0
976.5	5000	704	36.3	0.0	7.8	4.2	0.0
977.6	5000	705	36.3	0.0	7.8	4.2	0.0
978.6	5000	706	36.3	0.0	7.8	4.2	0.0
979.7	5000	707	36.3	0.0	7.8	4.1	0.0
980.7	5000	708	36.3	0.0	7.8	4.1	0.0

981.8	5000	709	36.3	0.0	7.8	4.1	0.0
982.8	5000	710	36.3	0.0	7.8	4.1	0.0
983.9	5000	711	36.3	0.0	7.8	4.1	0.0
985.0	5000	712	36.2	0.0	7.7	4.0	0.0
986.0	5000	713	36.2	0.0	7.7	4.0	0.0
987.1	5000	714	36.2	0.0	7.7	4.0	0.0
988.1	5000	715	36.2	0.0	7.7	4.0	0.0
989.2	5000	716	36.2	0.0	7.7	4.0	0.0
990.2	5000	717	36.1	0.0	7.7	4.0	0.0
991.3	5000	718	36.1	0.0	7.7	4.0	0.0
992.3	5000	719	36.1	0.0	7.7	4.0	0.0
993.4	5000	720	36.1	0.0	7.7	4.0	0.0
994.5	5000	721	36.1	0.0	7.7	4.0	0.0
995.5	5000	723	36.1	0.0	7.6	3.9	0.0
996.6	5000	724	36.1	0.0	7.6	3.9	0.0
997.6	5000	725	36.1	0.0	7.6	3.9	0.0
998.7	5000	726	36.1	0.0	7.6	3.9	0.0
999.7	5000	727	36.0	0.0	7.6	3.8	0.0
1000.8	5000	728	36.0	0.0	7.6	3.8	0.0
1001.8	5000	729	36.0	0.0	7.6	3.8	0.0
1002.9	5000	730	36.0	0.0	7.6	3.8	0.0
1004.0	5000	731	36.0	0.0	7.6	3.8	0.0
1005.0	5000	732	35.9	0.0	7.5	3.8	0.0
1006.1	5000	733	35.9	0.0	7.5	3.8	0.0
1007.1	5000	734	35.9	0.0	7.5	3.8	0.0
1008.2	5000	735	35.9	0.0	7.4	3.7	0.0
1009.2	5000	736	35.9	0.0	7.4	3.7	0.0
1010.3	5000	737	35.8	0.0	7.4	3.7	0.0
1011.3	5000	738	35.7	0.0	7.5	3.7	0.0
1012.4	5000	739	34.4	0.0	8.2	3.3	0.0
1013.5	5000	740	34.4	0.0	8.2	3.3	0.0
1014.5	5000	742	33.5	0.0	8.6	3.0	0.0
1015.6	5000	743	32.8	0.0	8.9	2.9	0.0
1016.6	5000	744	31.9	0.0	9.4	2.8	0.0
1017.7	5000	745	27.8	0.0	11.5	2.3	0.0
1018.7	5000	746	27.8	0.0	11.5	2.3	0.0
1019.8	5000	747	27.8	0.0	11.5	2.3	0.0
1020.8	5000	748	18.7	0.0	16.3	1.0	0.0
1021.9	5000	749	13.4	0.0	19.1	0.3	0.0
1023.0	5000	750	16.8	0.0	17.5	0.4	0.0
1024.0	5000	751	16.2	0.0	17.8	0.2	0.0
1025.1	5000	752	11.1	0.0	19.7	0.0	0.0
1026.1	5000	753	11.1	0.0	19.7	0.0	0.0
1027.2	5000	754	10.8	0.0	19.7	0.0	0.0
1028.2	5000	755	10.6	0.0	19.7	0.0	0.0
1029.3	5000	756	10.3	0.0	19.7	0.0	0.0
1030.3	5000	757	10.0	0.0	19.7	0.0	0.0
1031.4	5000	758	9.8	0.0	19.7	0.0	0.0
1032.4	5000	759	9.6	0.0	19.6	0.0	0.0
1033.5	5000	761	9.3	0.0	19.6	0.0	0.0

1034.6	5000	762	9.1	0.0	19.6	0.0	0.0
1035.6	5000	763	8.8	0.0	19.6	0.0	0.0
1036.7	5000	764	8.5	0.0	19.5	0.0	0.0
1037.7	5000	765	8.3	0.0	19.4	0.0	0.0
1038.8	5000	766	8.0	0.0	19.4	0.0	0.0
1039.8	5000	767	7.7	0.0	19.3	0.0	0.0
1040.9	5000	768	7.5	0.0	19.3	0.0	0.0
1041.9	5000	769	7.2	0.0	19.3	0.0	0.0
1043.0	5000	770	7.0	0.0	19.3	0.0	0.0

Q	Ky	Gt	Ab	Sill	Crd	melt	Opx	
38.0	4.0	0.0	0.0	0.0	0.0	0.0	0.0	100
38.0	4.0	0.0	0.0	0.0	0.0	0.0	0.0	
38.0	4.0	0.0	0.0	0.0	0.0	0.0	0.0	90
38.0	4.0	0.0	0.0	0.0	0.0	0.0	0.0	
38.0	4.0	0.0	0.0	0.0	0.0	0.0	0.0	80
38.0	4.0	0.0	0.0	0.0	0.0	0.0	0.0	
38.1	4.0	0.0	0.0	0.0	0.0	0.0	0.0	70
38.1	3.9	0.0	0.0	0.0	0.0	0.0	0.0	
38.1	3.9	0.0	0.0	0.0	0.0	0.0	0.0	60
38.1	3.9	0.0	0.0	0.0	0.0	0.0	0.0	
38.1	3.9	0.0	0.0	0.0	0.0	0.0	0.0	50
38.1	3.9	0.0	0.0	0.0	0.0	0.0	0.0	
38.1	3.9	0.0	0.0	0.0	0.0	0.0	0.0	40
38.2	3.9	0.0	0.0	0.0	0.0	0.0	0.0	
38.2	3.9	0.0	0.0	0.0	0.0	0.0	0.0	30
38.0	0.0	0.0	0.0	0.0	4.3	0.0	0.0	
38.0	0.0	0.0	0.0	0.0	4.3	0.0	0.0	20
38.0	0.0	0.0	0.0	0.0	4.3	0.0	0.0	
38.0	0.0	0.0	0.0	0.0	4.3	0.0	0.0	10
38.0	0.0	0.0	0.0	0.0	4.3	0.0	0.0	
38.0	0.0	0.0	0.0	0.0	4.3	0.0	0.0	C
38.1	0.0	0.0	0.0	0.0	4.3	0.0	0.0	
38.1	0.0	0.0	0.0	0.0	4.3	0.0	0.0	45.
38.1	0.0	0.0	0.0	0.0	4.3	0.0	0.0	
38.1	0.0	0.0	0.0	0.0	4.3	0.0	0.0	40.
38.1	0.0	0.0	0.0	0.0	4.2	0.0	0.0	
38.1	0.0	0.0	0.0	0.0	4.2	0.0	0.0	35.
38.1	0.0	0.0	0.0	0.0	4.2	0.0	0.0	
38.1	0.0	0.0	0.0	0.0	4.2	0.0	0.0	30.
38.1	0.0	0.0	0.0	0.0	4.2	0.0	0.0	
38.1	0.0	0.0	0.0	0.0	4.2	0.0	0.0	
38.1	0.0	0.0	0.0	0.0	4.2	0.0	0.0	
38.1	0.0	0.0	0.0	0.0	4.2	0.0	0.0	
38.2	0.0	0.0	0.0	0.0	4.2	0.0	0.0	



38.5	0.0	0.0	0.0	4.0	0.0	0.0	0.0
38.5	0.0	0.0	0.0	4.0	0.0	0.0	0.0
38.5	0.0	0.0	0.0	4.0	0.0	0.0	0.0
38.5	0.0	0.0	0.0	3.9	0.0	0.0	0.0
38.5	0.0	0.0	0.0	3.9	0.0	0.0	0.0
38.5	0.0	0.0	0.0	3.9	0.0	0.0	0.0
38.5	0.0	0.0	0.0	3.9	0.0	0.0	0.0
38.5	0.0	0.0	0.0	3.9	0.0	0.0	0.0
38.5	0.0	0.0	0.0	3.9	0.0	0.0	0.0
38.5	0.0	0.0	0.0	3.9	0.0	0.0	0.0
38.5	0.0	0.0	0.0	4.0	0.0	0.1	0.0
38.5	0.0	0.0	0.0	4.0	0.0	0.1	0.0
38.5	0.0	0.0	0.0	4.0	0.0	0.2	0.0
38.5	0.0	0.0	0.0	4.0	0.0	0.2	0.0
38.4	0.0	0.0	0.0	4.0	0.0	0.3	0.0
38.4	0.0	0.0	0.0	4.1	0.0	0.3	0.0
38.4	0.0	0.0	0.0	4.1	0.0	0.4	0.0
38.4	0.0	0.0	0.0	4.1	0.0	0.5	0.0
38.4	0.0	0.0	0.0	4.1	0.0	0.5	0.0
38.3	0.0	0.0	0.0	4.1	0.0	0.6	0.0
38.3	0.0	0.0	0.0	4.1	0.0	0.6	0.0
38.2	0.0	0.0	0.0	4.2	0.0	0.8	0.0
36.5	0.0	0.0	0.0	5.8	0.0	4.1	0.0
36.5	0.0	0.0	0.0	5.8	0.0	4.1	0.0
36.5	0.0	0.0	0.0	5.8	0.0	4.1	0.0
34.5	0.0	0.0	0.0	7.6	0.0	8.0	0.0
34.5	0.0	0.0	0.0	7.6	0.0	8.0	0.0
33.9	0.0	0.0	0.0	8.1	0.0	9.1	0.0
33.8	0.0	0.0	0.0	8.1	0.0	9.2	0.0
33.9	0.0	0.0	0.0	8.1	0.0	9.2	0.0
33.8	0.0	0.0	0.0	8.1	0.0	9.2	0.0
33.9	0.0	0.0	0.0	8.1	0.0	9.2	0.0
33.9	0.0	0.0	0.0	8.1	0.0	9.2	0.0
33.7	0.0	0.0	0.0	8.1	0.0	9.4	0.0
33.8	0.0	0.0	0.0	8.1	0.0	9.4	0.0
33.8	0.0	0.0	0.0	8.1	0.0	9.4	0.0
33.8	0.0	0.0	0.0	8.1	0.0	9.4	0.0
33.7	0.0	0.0	0.0	8.2	0.0	9.7	0.0
33.7	0.0	0.0	0.0	8.2	0.0	9.7	0.0
33.7	0.0	0.0	0.0	8.2	0.0	9.7	0.0
33.7	0.0	0.0	0.0	8.2	0.0	9.7	0.0
33.7	0.0	0.0	0.0	8.2	0.0	9.7	0.0
33.5	0.0	0.0	0.0	8.2	0.0	9.9	0.0
33.5	0.0	0.0	0.0	8.2	0.0	9.9	0.0
33.5	0.0	0.0	0.0	8.2	0.0	9.9	0.0
33.5	0.0	0.0	0.0	8.2	0.0	9.9	0.0
33.5	0.0	0.0	0.0	8.2	0.0	9.9	0.0
33.4	0.0	0.0	0.0	8.3	0.0	10.2	0.0
33.4	0.0	0.0	0.0	8.3	0.0	10.2	0.0



33.4	0.0	0.0	0.0	8.3	0.0	10.2	0.0
33.4	0.0	0.0	0.0	8.3	0.0	10.2	0.0
33.4	0.0	0.0	0.0	8.3	0.0	10.2	0.0
33.2	0.0	0.0	0.0	8.3	0.0	10.5	0.0
33.2	0.0	0.0	0.0	8.3	0.0	10.5	0.0
33.2	0.0	0.0	0.0	8.3	0.0	10.5	0.0
33.2	0.0	0.0	0.0	8.3	0.0	10.5	0.0
33.2	0.0	0.0	0.0	8.3	0.0	10.5	0.0
33.1	0.0	0.0	0.0	8.3	0.0	10.8	0.0
33.1	0.0	0.0	0.0	8.3	0.0	10.8	0.0
33.1	0.0	0.0	0.0	8.3	0.0	10.8	0.0
33.1	0.0	0.0	0.0	8.3	0.0	10.8	0.0
33.1	0.0	0.0	0.0	8.3	0.0	10.8	0.0
33.1	0.0	0.0	0.0	8.3	0.0	10.8	0.0
32.9	0.0	0.0	0.0	8.4	0.0	11.1	0.0
32.9	0.0	0.0	0.0	8.4	0.0	11.1	0.0
32.9	0.0	0.0	0.0	8.4	0.0	11.1	0.0
32.9	0.0	0.0	0.0	8.4	0.0	11.1	0.0
32.8	0.0	0.0	0.0	8.4	0.0	11.4	0.0
32.8	0.0	0.0	0.0	8.4	0.0	11.4	0.0
32.8	0.0	0.0	0.0	8.4	0.0	11.4	0.0
32.8	0.0	0.0	0.0	8.4	0.0	11.4	0.0
32.8	0.0	0.0	0.0	8.4	0.0	11.4	0.0
32.6	0.0	0.0	0.0	8.5	0.0	11.7	0.0
32.6	0.0	0.0	0.0	8.5	0.0	11.7	0.0
32.6	0.0	0.0	0.0	8.5	0.0	11.7	0.0
32.5	0.0	0.0	0.0	8.5	0.0	12.0	0.0
32.5	0.0	0.0	0.0	8.5	0.0	12.0	0.0
32.5	0.0	0.0	0.0	8.5	0.0	12.1	0.0
32.4	0.0	0.1	0.0	8.5	0.0	12.2	0.0
31.5	0.0	0.9	0.0	8.4	0.0	13.4	0.0
31.5	0.0	0.9	0.0	8.4	0.0	13.4	0.0
30.9	0.0	1.4	0.0	8.3	0.0	14.2	0.0
30.4	0.0	1.9	0.0	8.3	0.0	14.9	0.0
29.7	0.0	2.2	0.0	7.9	0.9	15.4	0.0
26.6	0.0	3.3	0.0	6.2	5.0	17.4	0.0
26.6	0.0	3.3	0.0	6.2	5.0	17.4	0.0
26.6	0.0	3.3	0.0	6.2	5.0	17.4	0.0
19.8	0.0	5.9	0.0	2.5	14.0	21.9	0.0
15.8	0.0	7.4	0.0	0.4	19.2	24.5	0.0
18.2	0.0	6.4	0.0	1.7	16.0	23.0	0.0
17.8	0.0	6.6	0.0	1.5	16.6	23.3	0.0
14.1	0.0	8.6	0.0	0.0	19.9	26.6	0.0
14.1	0.0	8.6	0.0	0.0	19.9	26.6	0.0
13.8	0.0	8.8	0.0	0.0	19.8	27.1	0.0
13.5	0.0	8.9	0.0	0.0	19.7	27.5	0.0
13.3	0.0	9.1	0.0	0.0	19.7	27.9	0.0
13.1	0.0	9.3	0.0	0.0	19.6	28.3	0.0
12.9	0.0	9.5	0.0	0.0	19.5	28.7	0.0
12.7	0.0	9.6	0.0	0.0	19.4	29.1	0.0
12.4	0.0	9.8	0.0	0.0	19.4	29.5	0.0

12.2	0.0	10.0	0.0	0.0	19.3	29.9	0.0
12.0	0.0	10.1	0.0	0.0	19.2	30.3	0.0
11.7	0.0	10.3	0.0	0.0	19.2	30.9	0.0
11.4	0.0	10.5	0.0	0.0	19.1	31.3	0.0
11.2	0.0	10.7	0.0	0.0	19.0	31.7	0.0
11.0	0.0	10.8	0.0	0.0	18.9	32.2	0.0
10.7	0.0	11.0	0.0	0.0	18.8	32.7	0.0
10.5	0.0	11.2	0.0	0.0	18.7	33.1	0.0
10.3	0.0	11.3	0.0	0.0	18.7	33.4	0.0





































