

20191210tenka fixa

Experiment

Creation Date	12/10/2019 5:31:16 PM	Last Modified Date	12/12/2019 9:36:55 AM
Operator	LMDM	Owner	LMDM
Start Time	12/10/2019 5:32:52 PM	End Time	12/10/2019 6:59:26 PM
Run State	Completed	Software Version	LCS480 1.5.1.62
Macro		Macro Owner	
Macro Status			
Templates	20152511TetK_SGD_SGB_relative quantification Run Protocol	Plate ID	07409374
Test ID		Lot ID	
Color Comp ID			
Run Notes			

Programs

Program Name	stage1						
Cycles	1	Analysis Mode	None				
Target (°C)	Acquisition Mode	Hold (hh:mm:ss)	Ramp Rate (°C/s)	Acquisitions (per °C)	Sec Target (°C)	Step size (°C)	Step Delay (cycles)
50	None	00:02:00	4.40		0	0	0
Program Name	stage2 denaturace						
Cycles	1	Analysis Mode	None				
Target (°C)	Acquisition Mode	Hold (hh:mm:ss)	Ramp Rate (°C/s)	Acquisitions (per °C)	Sec Target (°C)	Step size (°C)	Step Delay (cycles)
95	None	00:05:00	4.40		0	0	0
Program Name	stage3 annealing						
Cycles	45	Analysis Mode	Quantification				
Target (°C)	Acquisition Mode	Hold (hh:mm:ss)	Ramp Rate (°C/s)	Acquisitions (per °C)	Sec Target (°C)	Step size (°C)	Step Delay (cycles)
95	None	00:00:10	4.40		0	0	0
60	None	00:00:30	2.20		0	0	0
72	Single	00:00:20	4.40		0	0	0
Program Name	stage4						
Cycles	1	Analysis Mode	Melting Curves				
Target (°C)	Acquisition Mode	Hold (hh:mm:ss)	Ramp Rate (°C/s)	Acquisitions (per °C)	Sec Target (°C)	Step size (°C)	Step Delay (cycles)
95	None	00:00:05	4.40		0	0	0

Target (°C)	Acquisition Mode	Hold (hh:mm:ss)	Ramp Rate (°C/s)	Acquisitions (per °C)	Sec Target (°C)	Step size (°C)	Step Delay (cycles)
65	None	00:01:00	2.20		0	0	0
97	Continuous		0.11	5	0	0	0

Program Name	cooling						
Cycles	1	Analysis Mode	None				

Target (°C)	Acquisition Mode	Hold (hh:mm:ss)	Ramp Rate (°C/s)	Acquisitions (per °C)	Sec Target (°C)	Step size (°C)	Step Delay (cycles)
40	None	00:00:10	1.50		0	0	0

Samples

Sample Count	96
Subset	All Samples

Pos	Name	ID	Repl. Of	Sample Notes
A1	DNA JB SAU		A1	
A2	DNA JB SAU		A1	
A3	DNA JB SAU		A1	
A4	DNA JB SAU		A4	
A5	DNA JB SAU		A4	
A6	DNA JB SAU		A4	
A7	DNA JB SAU		A7	
A8	DNA JB SAU		A7	
A9	DNA JB SAU		A7	
A10	Sample 10		A10	
A11	Sample 10		A10	
A12	Sample 10		A10	
B1	Sample 13		B1	
B2	Sample 13		B1	
B3	Sample 13		B1	
B4	1		B4	
B5	1		B4	
B6	1		B4	
B7	2		B7	
B8	2		B7	
B9	2		B7	
B10	6		B10	
B11	6		B10	
B12	6		B10	
C1	Sample 25			
C2	TetK		C2	
C3	TetK		C2	
C4	COL		C4	
C5	COL		C4	

Samples

Sample Count	96			
Subset	All Samples			
Pos	Name	ID	Repl. Of	Sample Notes
C6	COL		C4	
C7	USA300		C7	
C8	USA300		C7	
C9	USA300		C7	
C10	H2O		C10	
C11	H2O		C10	
C12	H2O		C10	
D1	TetK		C2	
D2	Sample 38			
D3	Sample 39			
D4	Sample 40			
D5	Sample 41			
D6	Sample 42			
D7	Sample 43			
D8	Sample 44			
D9	Sample 45			
D10	Sample 46			
D11	Sample 47			
D12	Sample 48			
E1	Sample 49			
E2	Sample 50			
E3	Sample 51			
E4	Sample 52			
E5	Sample 53			
E6	Sample 54			
E7	Sample 55			
E8	Sample 56			
E9	Sample 57			
E10	Sample 58			
E11	Sample 59			
E12	Sample 60			
F1	Sample 61			
F2	Sample 62			
F3	Sample 63			
F4	Sample 64			
F5	Sample 65			
F6	Sample 66			
F7	Sample 67			
F8	Sample 68			

Samples

Sample Count	96			
Subset	All Samples			
Pos	Name	ID	Repl. Of	Sample Notes
F9	Sample 69			
F10	Sample 70			
F11	Sample 71			
F12	Sample 72			
G1	Sample 73			
G2	Sample 74			
G3	Sample 75			
G4	Sample 76			
G5	Sample 77			
G6	Sample 78			
G7	Sample 79			
G8	Sample 80			
G9	Sample 81			
G10	Sample 82			
G11	Sample 83			
G12	Sample 84			
H1	Sample 85			
H2	Sample 86			
H3	Sample 87			
H4	Sample 88			
H5	Sample 89			
H6	Sample 90			
H7	Sample 91			
H8	Sample 92			
H9	Sample 93			
H10	Sample 94			
H11	Sample 95			
H12	Sample 96			

Instrument

Name	29712	Serial Number	29712
------	-------	---------------	-------

Revision History

Revision	Date	User	Reason

Abs Quant/2nd Derivative Max for All Samples (Abs Quant/2nd Derivative Max)

Settings

Channel	465-510		
Color Compensation	Off		
Program	stage3 annealing	Units	
Mode	High Confidence		

Subset Name	All Samples
-------------	-------------

Results

Inc	Pos	Name	Type	CP	Concentration	Standard	Status
<input checked="" type="checkbox"/>	A1	DNA JB SAU	Standard	30.82	7.29E-18	6.48E4	
<input checked="" type="checkbox"/>	A2	DNA JB SAU	Standard	31.02	1.32E-80	6.48E4	
<input checked="" type="checkbox"/>	A3	DNA JB SAU	Standard	16.97	INF	6.48E4	
<input checked="" type="checkbox"/>	A4	DNA JB SAU	Standard	30.55	4.88E62	6.48E3	
<input checked="" type="checkbox"/>	A5	DNA JB SAU	Standard	30.66	2.02E29	6.48E3	
<input checked="" type="checkbox"/>	A6	DNA JB SAU	Standard	30.83	4.53E-21	6.48E3	
<input checked="" type="checkbox"/>	A7	DNA JB SAU	Standard	30.69	7.69E20	6.48E2	
<input checked="" type="checkbox"/>	A8	DNA JB SAU	Standard	30.69	1.09E21	6.48E2	
<input checked="" type="checkbox"/>	A9	DNA JB SAU	Standard	31.00	1.06E-74	6.48E2	
<input checked="" type="checkbox"/>	A10	Sample 10	Standard	30.58	1.55E54	6.48E1	
<input checked="" type="checkbox"/>	A11	Sample 10	Standard	30.84	9.44E-24	6.48E1	
<input checked="" type="checkbox"/>	A12	Sample 10	Standard	30.85	4.55E-27	6.48E1	
<input checked="" type="checkbox"/>	B1	Sample 13	Standard	30.75	1.07E4	6.48E0	
<input checked="" type="checkbox"/>	B2	Sample 13	Standard	30.79	7.01E-9	6.48E0	
<input checked="" type="checkbox"/>	B3	Sample 13	Standard	30.56	6.77E59	6.48E0	
<input checked="" type="checkbox"/>	B4	1	Unknown	30.98	2.38E-68		E
<input checked="" type="checkbox"/>	B5	1	Unknown	30.80	3.82E-13		E
<input checked="" type="checkbox"/>	B6	1	Unknown	31.10	2.08E-105		E
<input checked="" type="checkbox"/>	B7	2	Unknown	30.64	6.68E35		E
<input checked="" type="checkbox"/>	B8	2	Unknown	30.99	1.06E-70		E
<input checked="" type="checkbox"/>	B9	2	Unknown	18.14	INF		E
<input checked="" type="checkbox"/>	B10	6	Unknown	30.65	7.15E32		E
<input checked="" type="checkbox"/>	B11	6	Unknown	30.95	3.83E-57		E
<input checked="" type="checkbox"/>	B12	6	Unknown	30.78	3.02E-6		E
<input checked="" type="checkbox"/>	C1	Sample 25	Unknown	31.03	2.12E-82		E
<input checked="" type="checkbox"/>	C2	TetK	Unknown	13.98	INF		E
<input checked="" type="checkbox"/>	C3	TetK	Unknown	13.99	INF		E
<input checked="" type="checkbox"/>	C4	COL	Unknown	30.86	5.25E-32		E
<input checked="" type="checkbox"/>	C5	COL	Unknown	30.99	5.58E-72		E
<input checked="" type="checkbox"/>	C6	COL	Unknown	31.18	8.03E-128		E

E - Extrapolated concentration in standard curve

Results

Inc	Pos	Name	Type	CP	Concentration	Standard	Status
<input checked="" type="checkbox"/>	C7	USA300	Unknown	30.68	9.36E22		E
<input checked="" type="checkbox"/>	C8	USA300	Unknown	30.65	5.89E33		E
<input checked="" type="checkbox"/>	C9	USA300	Unknown	30.79	2.50E-10		E
<input checked="" type="checkbox"/>	C10	H2O	Negative Control	30.90	5.82E-44		
<input checked="" type="checkbox"/>	C11	H2O	Negative Control	30.64	1.01E36		
<input checked="" type="checkbox"/>	C12	H2O	Negative Control	31.28	3.62E-158		
<input checked="" type="checkbox"/>	D1	TetK	Unknown	30.41	3.39E106		E
<input checked="" type="checkbox"/>	D2	Sample 38	Unknown				
<input checked="" type="checkbox"/>	D3	Sample 39	Unknown				
<input checked="" type="checkbox"/>	D4	Sample 40	Unknown				
<input checked="" type="checkbox"/>	D5	Sample 41	Unknown				
<input checked="" type="checkbox"/>	D6	Sample 42	Unknown				
<input checked="" type="checkbox"/>	D7	Sample 43	Unknown				
<input checked="" type="checkbox"/>	D8	Sample 44	Unknown				
<input checked="" type="checkbox"/>	D9	Sample 45	Unknown				
<input checked="" type="checkbox"/>	D10	Sample 46	Unknown				
<input checked="" type="checkbox"/>	D11	Sample 47	Unknown				
<input checked="" type="checkbox"/>	D12	Sample 48	Unknown				
<input checked="" type="checkbox"/>	E1	Sample 49	Unknown				
<input checked="" type="checkbox"/>	E2	Sample 50	Unknown				
<input checked="" type="checkbox"/>	E3	Sample 51	Unknown				
<input checked="" type="checkbox"/>	E4	Sample 52	Unknown				
<input checked="" type="checkbox"/>	E5	Sample 53	Unknown				
<input checked="" type="checkbox"/>	E6	Sample 54	Unknown				
<input checked="" type="checkbox"/>	E7	Sample 55	Unknown				
<input checked="" type="checkbox"/>	E8	Sample 56	Unknown				
<input checked="" type="checkbox"/>	E9	Sample 57	Unknown				
<input checked="" type="checkbox"/>	E10	Sample 58	Unknown				
<input checked="" type="checkbox"/>	E11	Sample 59	Unknown				
<input checked="" type="checkbox"/>	E12	Sample 60	Unknown				
<input checked="" type="checkbox"/>	F1	Sample 61	Unknown				
<input checked="" type="checkbox"/>	F2	Sample 62	Unknown				
<input checked="" type="checkbox"/>	F3	Sample 63	Unknown				
<input checked="" type="checkbox"/>	F4	Sample 64	Unknown				
<input checked="" type="checkbox"/>	F5	Sample 65	Unknown				
<input checked="" type="checkbox"/>	F6	Sample 66	Unknown				
<input checked="" type="checkbox"/>	F7	Sample 67	Unknown				

E - Extrapolated concentration in standard curve

Results

Inc	Pos	Name	Type	CP	Concentration	Standard	Status
<input checked="" type="checkbox"/>	F8	Sample 68	Unknown				
<input checked="" type="checkbox"/>	F9	Sample 69	Unknown				
<input checked="" type="checkbox"/>	F10	Sample 70	Unknown				
<input checked="" type="checkbox"/>	F11	Sample 71	Unknown				
<input checked="" type="checkbox"/>	F12	Sample 72	Unknown				
<input checked="" type="checkbox"/>	G1	Sample 73	Unknown				
<input checked="" type="checkbox"/>	G2	Sample 74	Unknown				
<input checked="" type="checkbox"/>	G3	Sample 75	Unknown				
<input checked="" type="checkbox"/>	G4	Sample 76	Unknown				
<input checked="" type="checkbox"/>	G5	Sample 77	Unknown				
<input checked="" type="checkbox"/>	G6	Sample 78	Unknown				
<input checked="" type="checkbox"/>	G7	Sample 79	Unknown				
<input checked="" type="checkbox"/>	G8	Sample 80	Unknown				
<input checked="" type="checkbox"/>	G9	Sample 81	Unknown				
<input checked="" type="checkbox"/>	G10	Sample 82	Unknown				
<input checked="" type="checkbox"/>	G11	Sample 83	Unknown				
<input checked="" type="checkbox"/>	G12	Sample 84	Unknown				
<input checked="" type="checkbox"/>	H1	Sample 85	Unknown				
<input checked="" type="checkbox"/>	H2	Sample 86	Unknown				
<input checked="" type="checkbox"/>	H3	Sample 87	Unknown				
<input checked="" type="checkbox"/>	H4	Sample 88	Unknown				
<input checked="" type="checkbox"/>	H5	Sample 89	Unknown				
<input checked="" type="checkbox"/>	H6	Sample 90	Unknown				
<input checked="" type="checkbox"/>	H7	Sample 91	Unknown				
<input checked="" type="checkbox"/>	H8	Sample 92	Unknown				
<input checked="" type="checkbox"/>	H9	Sample 93	Unknown				
<input checked="" type="checkbox"/>	H10	Sample 94	Unknown				
<input checked="" type="checkbox"/>	H11	Sample 95	Unknown				
<input checked="" type="checkbox"/>	H12	Sample 96	Unknown				

E - Extrapolated concentration in standard curve


Statistics

Samples	Mean Cp	Std Cp	Mean conc	Std conc
A1, A2, A3	26.27	8.06	INF	NAN
A4, A5, A6	30.68	0.14	1.63E62	2.82E62
A7, A8, A9	30.79	0.18	6.19E20	5.59E20
A10, A11, A12	30.75	0.15	5.18E53	8.97E53
B1, B2, B3	30.70	0.12	2.26E59	3.91E59

Statistics

Samples	Mean Cp	Std Cp	Mean conc	Std conc
B4, B5, B6	30.96	0.15	1.27E-13	2.20E-13
B7, B8, B9	26.59	7.32	INF	NAN
B10, B11, B12	30.79	0.15	2.38E32	4.13E32
C2, C3, D1	19.46	9.48	INF	NAN
C4, C5, C6	31.01	0.16	1.75E-32	3.03E-32
C7, C8, C9	30.71	0.07	1.96E33	3.40E33
C10, C11, C12	30.94	0.32	3.37E35	5.83E35


Amplification Curves



Standard Curve

— Std. curve ◆ Samples

Error: 0.0301
Efficiency: 2.975
9999999999999999
5E303
Slope: -0.00330
YIntercept: 30.76
Link: 0.000



Analysis Notes