Centrum pro výzkum toxických látek v prostředí

BIOMARKERS AND TOXICITY MECHANISMS

08 – Mechanisms

Signalling and regulation

Luděk Bláha, PřF MU, RECETOX
www.recetox.cz

Tento projekt je spolufinancován Evropským sociálním fondem a státním rozpočtem České republiky.

EVROPSKÁ UNIE esf

MINISTERSTVO ŠKOLSTVÍ, MLÁDEŽE A TĚLOVÝCHOVY

OP Vzdělávání pro konkurenceschopnost

UNIVERSITAS MASARYKIANA BRUNENSIS

INVESTICE DO ROZVOJE VZDĚLÁVÁNÍ

Cell communication & regulation: a target for toxicants

… especially sensitively regulated processes are highly susceptible to toxicants

→ toxicity to REGULATIONS & SIGNALLING

Hierarchy in signalling

- **systems**: neuronal ←→ endocrine

- **cell-to-cell**
  hormonal & neuronal signal transmission
  contact channels

- **intracellular** signal transduction

INTER-cellular signals

Overview

Centrum pro výzkum
toxických látek
v prostředí

Cell to cell communication & regulation: a target for toxicants



Cell to cell communication (1)



Cell to cell communication (2)



Cell to cell communication (3)





Centrum pro výzkum toxických látek v prostředí

INTER-cellular signals

Hormones



Endocrine system:

1. Pineal gland, 2. Pituitary gland, 3. Thyroid gland, 4. Thymus, 5. Adrenal gland, 6. Pancreas, 7. Ovary, 8.Testis



Example: feedback loop

FUNCTIONS OF HORMONES

* stimulation or inhibition of growth
* mood swings
* induction or suppression of apoptosis
  (programmed cell death)
* activation or inhibition of the immune system
* regulation of metabolism
* preparation for fighting, fleeing, mating …
* preparation for a new phase of life
  (puberty, caring for offspring, and menopause)
* control of the reproductive cycle
  …. etc.

Chemicals interfering with various hormonal functions
→ **diverse impacts (effects)**

FATE OF HORMONES: target for toxicants

Toxic compounds can affect “hormone signalling” at various levels (**highligted**):

1. **Biosynthesis** of a particular hormone in a particular tissue

2. Storage and **secretion** of the hormone

3. **Transport** of the hormone to the target cell(s)

4. **Recognition of the hormone** by an associated cell membrane or intracellular receptor protein.

5. Relay and **amplification of the received hormonal signal** via a signal transduction process -> cellular response.

6. The reaction of the target cells is recognized by the original hormone-producing cells (**negative feedback loop**)

7. **Degradation and metabolism** of the hormone

More details will be discussed in the lectures dedicated to nuclear receptors

Toxicity to hormone regulation = ENDOCRINE DISRUPTION

ED & EDCs (endocrine disrupting compounds)
= major problem in environmental toxicology

Effects at **all levels of hormonal action** have been demonstrated
→ *synthesis, transport, site of action ….*

- **Multiple effects** due to ED (! Not only „xenoestrogenicity“ & feminization)
→ *immunotoxicity, developmental toxicity*

(ED - WILL ALSO BE DISCUSSED FURTHER)

Example of ED - Intersex roach testis
containing both oocytes and spermatozoa,
caused by exposure to environmental oestrogens



Centrum pro výzkum
toxických látek
v prostředí

Types of hormones in vertebrates

Amine-derived hormones

structure: derivatives of the amino acids tyrosine and tryptophan.
Examples - catecholamines and thyroxine.

(small molecules - similar to organic toxicants → TOXIC EFFECTS)

Adrenalin



Thyroxin





Centrum pro výzkum toxických látek v prostředí

Types of hormones in vertebrates

Peptide hormones

structure: chains of amino acids.

- small peptides: TRH and vasopressin;
- large proteins: insulin, growth hormone, luteinizing hormone, follicle-stimulating hormone and thyroid-stimulating hormone etc.

Large molecules;
receptors on surfaces of the cells
*(Interactions with toxic chemicals **less likely**)*

Example - insulin



Centrum pro výzkum toxických látek v prostředí

Types of hormones (signal molecules) in vertebrates

Lipid derived "hormones" (1) - from linoleic acid, arachidonic acid **- prostaglandins**





v prostředí

Types of hormones in vertebrates

Lipid derived hormones 2 - steroid hormones

* Small molecules - similar to organic toxicants:

→ several compounds **interfere with steroid hormones → toxicity !!!**

Derived
from cholesterol

Examples:
testosterone,
cortisol,
estradiol …



Centrum pro výzkum
toxických látek
v prostředí

INTRACELLULAR signals



Centrum pro výzkum toxických látek v prostředí

Intracellular signal transduction: target of toxicants

- **Regulation of cell life = control of major cell functions**
  - metabolism
  - proliferation
  - differentiation
  - death (apoptosis)

- **Regulation controlled by complex signalling**
  - "network" of general pathways
  - similar in all cells / different cell-specific effects

Intracellular signal transduction: target of toxicants

- **Consequences of signalling disruption**
  - unwanted changes in „homeostatic“ rates among proliferation / differentiation / apoptosis

→ cell transformation (carcinogenicity)
→ embryotoxicity
→ immunotoxicity
→ reproduction toxicity

.... and other chronic types of toxicity

Signal transduction - principles

Two major signalling processes

– **protein-(de)phosphorylation**

ProteinKinases - PKs, ProteinPhosphatases - PPases

- **secondary messengers**

cAMP / IP3, PIP2, DAG, Ca2+, AA

Three major types of signalling

1: Membrane receptors (G-protein, kinases)

→ activation of protein kinase A (PKA):
major messenger: cAMP, **MAPKs**

2: Membrane receptors

→ activation of membrane lipases → and later proteinkinase C
IP3, PIP2, DAG, Ca2+, AA

3: **Cytoplasmic (nuclear) receptors** (discussed in detail in other sections)

Signalling mechanism 1

→ Activation of adenylate cyclase → cAMP → PKA





←PKA is central to a number of signalling events and following effects

←Including modulation of “MAPKs”

← Including modulation of Transcription (i.e. control of transcription factors)

Mitogen Activated Protein Kinases (MAPKs) & dependent effects





Centrum pro výzkum toxických látek v prostředí

Signalling mechanism 2

Activation of Phospholipase C

→ release of PIPs → DAG → PKC / arachidonic acid

+ IP3 → activation of Ca^{2+} signalling





Centrum pro výzkum toxických látek v prostředí



Different signalling crosstalks → networks



G-proteins & G-protein coupled receptors – GPCRs

Involved in many functions → triggering multiple downstream events & networks





Centrum pro výzkum toxických látek v prostředí

Disruption of intracellular signaling - EXAMPLES

Cholera toxin (from *Vibrio cholerae* **)**

CT acts as **adenylate cyclase** enzyme

→ increasing cAMP levels

→ TOXICITY (diarrhea)



Environmental Science & Technology
DOI: 10.1021/acs.est.5b02049
Environ. Sci. Technol. 2015, 49, 12457−124

Immunomodulatory Potency of Microcystin, an Important Water-Polluting Cyanobacterial Toxin

Ondrej Adamovsky,*[,†] Zdena Moosova,[†] Michaela Pekarova,[‡] Amrita Basu,[†] Pavel Babica,[†] Lenka Svihalkova Sindlerova,[‡] Lukas Kubala,[‡] and Ludek Blaha[†]





Example: Lipopolysaccharides & exogenous agents inducing immune pathologies – allergies, auto-immune diseases

→ hyperactivation of intracellular signals → immunotoxicity





Centrum pro výzkum toxických látek v prostředí