


Secondary structure diagrams of proteins, protein families and ligands

Radka Svobodová


NCBR, CEITEC
MASARYK UNIVERSITY




Current trends: Number of available structures grows



Current trends: Size of deposited structures also grows



Current trends: Protein families are getting bigger





Analysis of individual structure



Analysis of a whole family


Protein family structures and their analysis

- Comparison of protein family members
 - Different species
 - Different substituents
 - Mutations
 - Active and inactive forms
- Firm (conserved) and flexible regions
- Binding of ligands



Protein family structures and their analysis

How to do it?




Aldolase class I
(protein family 3.20.20.70)




Cytochrome P450
(protein family 1.10.630.10)

Protein family structures and their analysis

How to do it?




Aldolase class I
(protein family 3.20.20.70)



Insight into protein family:
Secondary structure
2D diagrams



Cytochrome P450
(protein family 1.10.630.10)




Protein family structures and their analysis

Secondary structure utilization – necessary steps


- Detection



- Annotation




- Visualization




Visualization of secondary structure in 2D: Solved in past? Not for protein families!

ISSUE 1: Similar proteins have
different 2D diagrams




1OG2

1TQN



RMSD: 2.295 Å



Hera, PDBe



Visualization of secondary structure in 2D: Solved in past? Not for protein families!

ISSUE 2:

Secondary structure elements close in 2D diagrams are far in reality


1TQN

Hera,
PDBe




Visualization of secondary structure in 2D: Solved in past?

ISSUE 3: 2D diagrams does not reflect
a shape of a protein



1ORW



HERA

Protein family based 2D diagrams

How to get them?

Input:



Step 1: Detection & annotation

- Find secondary structure elements (SSE)
- Annotate them

Step 2: Statistics

- Average length of SSE
- Average occurrence of SSE



Protein family based 2D diagrams

How to get them?

Step 3: Construct the 2D diagram

- Group all β -strands into sheets
- Divide the **helices and sheets into primary** (common for most of the domains) **and secondary** (the remaining ones).
- **Place all primary** helices and sheets into the 2D diagram.
- **Adjust the angles** of the primary helices and sheets.
- **Add all secondary** helices and sheets into the 2D diagram.
- **Adjust the angles** of the secondary helices and sheets.

Step 4: Draw the 2D diagrams



Protein family 2D diagrams

2DProts database

<https://2dprots.ncbr.muni.cz>

2DProts

Custom entry

User manual

Description of methods

e.g., 1r9nA01, 1r9n, 2.140.10.

Search 2DProts

2DProts

Database of 2D diagrams of domain secondary structures

Examples

Click headings below to expand:



Porin (protein family 2.40.160.10)

Protein family 2D diagrams

2DProts database

2DProts

Custom entry

User manual

Description of methods

e.g., 1r9nA01, 1r9n, 2.140.10.3


Search 2DProts

Domain 1j2eA01

2D domain diagram


No ligands

With ligands



« no prev. | [1j2eB01](#) »

Member of
family:
[2.140.10.30](#)



Part of protein:
[1j2e](#)

Protein family 2D diagrams

2DProts database

Family 2.140.10.30

2D multi diagram

No ligands

With ligands

No ligands, opaque


No ligands, opaque, no averages



Multi image for 2.140.10.30 ([svg source](#))

[« 2.140.10.20](#) | [2.150.10.10 »](#)

3D model ([CATH](#))




Domains (325)

- [1j2eA01](#)
- [1j2eB01](#)
- [1n1mA02](#)
- [1n1mB01](#)
- [1nu6A01](#)
- [1nu6B01](#)
- [1nu8A01](#)
- [1nu8B01](#)
- [1orvA01](#)

2DProts outputs

2D diagram of a protein domain



2DProts outputs: Multiple 2D diagram of protein domains in a family



With opacity



No opacity


Superfamily: Dipeptidylpeptidase IV (2.140.10.30)

PROTEIN

PROTEIN FAMILY

Current solution


HERA



CATH



2DProts




Superfamily: Rhodopsin 7-helix transmembrane proteins

PROTEIN (1.20.1070.10)


PROTEIN FAMILY

Current solution



HERA



CATH



2DProts




Superfamily: Aldolase class I (3.20.20.70)

PROTEIN



PROTEIN FAMILY

Current solution


HERA



CATH



2DProts



2DProts integration to CATH

The screenshot shows the CATH Superfamily 1.10.60.10 page. The browser address bar shows the URL www.cathdb.info/version/latest/superfamily/1.10.60.10/superposition. The page title is "CATH Superfamily 1.10.60.10" with a subtitle "Iron dependent repressor, metal binding and dimerisation domain". A "View in Gene3D" button is visible in the top right. The navigation menu includes "Home", "Search", "Browse", "Download", "About", and "Support". A search bar is present with the text "Search CATH by keywords or ID".


On the left side, there is a "SUPERFAMILY LINKS" section with a "Summary" link and a highlighted "Superfamily Superposition" link. Below this is a "Functional Families" section with the text: "Overview of the Structural Clusters (SC) and Functional Families within this CATH Superfamily. Clusters with a representative structure are represented by a filled circle." A diagram shows a red filled circle labeled "SC.1" connected to four other circles: "Diphtheria t Transcriptio", "Transcriptio", "Iron (Metal)", and "Manganese".

The main content area features a navigation bar with icons for "SS", "Alignbow", "2DProts", and "2DProts". A green button labeled "Visit 2DProts (1.10.60.10)" is located in the top right of the main area. The central visualization is a 3D superposition of protein structures, with one structure highlighted in yellow and another in red. A blue text box at the bottom of the visualization states: "These superposition figures provide an indication of the relative distance and position of secondary structure elements within CATH superfamilies. Image are generated by the 2DProts database".


2DProts integration into OverProt

<https://overprot.ncbr.muni.cz>


Family: 2.140.10.30 *Dipeptidylpeptidase IV, N-terminal domain*



2D view (2DProts)



3D view (MAPSCI + OverProt)



2DProts integration into OverProt


<https://overprot.ncbr.muni.cz>

Integrated Viewer


Current family (CATH): 2.160.10.30
Current domain: 3ogzA02

Protein family (CATH): 2.160.10.30
Protein domain: 3ogzA02 Submit


+ - ↺ Color ▾ Shape ▾ Beta-connectivity ▾ Occurrence threshold: 25% ▾ 📷



E2 H3 H4 H5 E7 E9 E10 E12 E13 H14 E15



3ogz | Entity 1 | Chain A Annotation ▾



UDP-sugar pyrophosphorylase
3OGZ | Model 1 | Instance_1_555 | A | VAL 575

Publications

Sillitoe I, ..., Berka K, Hutařová Vařeková I, Svobodová R., et al. (2021). *CATH: increased structural coverage of functional space*. **Nucleic Acids Research**, 49(D1), D266-D273.

Hutařová Vařeková, I., Hutař, J., Midlik, A., Horský, V., Hladká, E., Svobodová, R., & Berka, K. (2021). *2DProts: database of family-wide protein secondary structure diagrams*. **Bioinformatics**, 37(23), 4599-4601.

PRINT ISSN: 0305-1048
ONLINE ISSN: 1362-4962

Nucleic Acids Research

VOLUME 49 DATABASE ISSUE JANUARY 8, 2021
<https://academic.oup.com/nar>



OXFORD
UNIVERSITY PRESS


Open Access

No barriers to access – all articles freely available online




2DProts: Coloring by structure properties

Example: Occurrence of secondary structures




**Cytochrome reductase,
Family 2.140.10.30**



**Porin
Family 2.40.160.10**

2DProts: Integration of ligands




**PDB ID 2bgn,
domain A00**


Cytochrome reductase, family 2.140.10.30

● ...NAG (742 pcs)	● ...SY1 (8 pcs)	● ...T22 (4 pcs)	● ...RUF (4 pcs)	● ...P2Y (4 pcs)	● ...0WG (4 pcs)	● ...10T (4 pcs)	● ...B2Q (2 pcs)
● ...S04 (56 pcs)	● ...SC3 (8 pcs)	● ...6RL (4 pcs)	● ...B2Y (4 pcs)	● ...8O3 (4 pcs)	● ...0QG (4 pcs)	● ...008 (4 pcs)	● ...P54 (2 pcs)
● ...NA (20 pcs)	● ...6Z8 (8 pcs)	● ...8OL (4 pcs)	● ...7AC (4 pcs)	● ...BPR (4 pcs)	● ...AES (4 pcs)	● ...01T (4 pcs)	● ...677 (2 pcs)
● ...HG (10 pcs)	● ...XIH (5 pcs)	● ...8VU (4 pcs)	● ...LF7 (4 pcs)	● ...007 (4 pcs)	● ...13Z (4 pcs)	● ...LUI (4 pcs)	● ...277 (2 pcs)
● ...EDO (9 pcs)	● ...715 (4 pcs)	● ...RUM (4 pcs)	● ...PHI (4 pcs)	● ...PEG (4 pcs)	● ...9K4 (4 pcs)	● ...75L (2 pcs)	● ...D3C (2 pcs)


2DProts: Integration of ligands





OMPf Porin
PDB ID 2zfg,
domain A00



Porin, Family 2.40.160.10








2DProts: 2D diagrams for proteins




**Pseudomonas
aeruginosa lectin II
PDB ID 1gzt**

**Hemoglobine
PDB ID 1v4w**


2DProts: Integration of AlphaFoldDB



2DProts: Integration of AlphaFoldDB



**Structures
from PDB**



**Structures from
AlphaFoldDB**

**E. coli PapC protein, C-terminal domain
Family 2.60.40.2070**