

No.	Name	Type	Ct
1	10x UBC10	Standard	15.04
2	10x UBC10	Standard	16.1
3	100x UBC10	Standard	18.69
4	100x UBC10	Standard	19.06
5	1 000x UBC10	Standard	22.54
6	1 000x UBC10	Standard	22.6
7	10 000x UBC10	Standard	25.71
8	10 000x UBC10	Standard	25.58
9	100 000x UBC10	Standard	29.68
10	100 000x UBC10	Standard	29.05
11	10x LBD29	Standard	20.81
12	10x LBD29	Standard	21.03
13	100x LBD29	Standard	23.79
14	100x LBD29	Standard	23.93
15	1000x LBD29	Standard	27.77
16	1000x LBD29	Standard	27.53
17	10 000x LBD29	Standard	30.73
18	10 000x LBD29	Standard	30.58
19	100 000x LBD29	Standard	26.98 *amplifikačná krivka nebola v poriadku, asi m
20	100 000x LBD29	Standard	14.83 *amplifikačná krivka nebola v poriadku, asi m
21	DMSO 6H UBC10	Unknown	15.23
22	DMSO 6H UBC10	Unknown	14.29
23	DMSO 6H UBC10	Unknown	16.01
24	NAA 6H UBC10	Unknown	16.7
25	NAA 6H UBC10	Unknown	16.03
26	NAA 6H UBC10	Unknown	17.68
27	DMSO 12H UBC10	Unknown	15.24
28	DMSO 12H UBC10	Unknown	16.9
29	DMSO 12H UBC10	Unknown	16.09
30	NAA 12H UBC10	Unknown	14.39
31	NAA 12H UBC10	Unknown	16.7
32	NAA 12H UBC10	Unknown	15.13
33	DMSO 6H LBD29	Unknown	23.99
34	DMSO 6H LBD29	Unknown	24.93
35	DMSO 6H LBD29	Unknown	24.81
36	NAA 6H LBD29	Unknown	19.34
37	NAA 6H LBD29	Unknown	20.22
38	NAA 6H LBD29	Unknown	19.92
39	DMSO 12H LBD29	Unknown	26.79
40	DMSO 12H LBD29	Unknown	27.63
41	DMSO 12H LBD29	Unknown	27.72
42	NAA 12H LBD29	Unknown	19.93
43	NAA 12H LBD29	Unknown	20.93
44	NAA 12H LBD29	Unknown	19.89
45	DMSO 24H UBC10	Unknown	17.59
46	DMSO 24H UBC10	Unknown	15.31
47	DMSO 24H UBC10	Unknown	15.92
48	NAA 24H UBC10	Unknown	15.08
49	NAA 24H UBC10	Unknown	14.33

50	NAA 24H UBC10	Unknown	15.78
51	DMSO 48H UBC10	Unknown	15.29
52	DMSO 48H UBC10	Unknown	15.32
53	DMSO 48H UBC10	Unknown	15.96
54	NAA 48H UBC10	Unknown	16.44
55	NAA 48H UBC10	Unknown	16.85
56	NAA 48H UBC10	Unknown	17.1
57	DMSO 24H LBD29	Unknown	24.72
58	DMSO 24H LBD29	Unknown	24.11
59	DMSO 24H LBD29	Unknown	24.21
60	NAA 24H LBD29	Unknown	19.71
61	NAA 24H LBD29	Unknown	19.13
62	NAA 24H LBD29	Unknown	18.98
63	DMSO 48H LBD29	Unknown	25.93
64	DMSO 48H LBD29	Unknown	25.94
65	DMSO 48H LBD29	Unknown	25.74
66	NAA 48H LBD29	Unknown	23.37
67	NAA 48H LBD29	Unknown	23.27
68	NAA 48H LBD29	Unknown	23.02
69	NEG UBC10	NTC	19.45
70	NEG LBD29	NTC	36.13
71	NEG UBC10	NTC	
72	NEG LBD29	NTC	33.1

oc nariadený templát - dáta z riedenia 100 000x do konštrukcie kalibračnej krivky LBD29 vynechajte
oc nariadený templát - dáta z riedenia 100 000x do konštrukcie kalibračnej krivky LBD29 vynechajte