



Research centre
for toxic compounds
in the environment

Ecotoxicology Part 1 - Introduction

Ludek Blaha + ecotox colleagues

cecoen



EUROPEAN UNION
EUROPEAN REGIONAL DEVELOPMENT FUND
INVESTING IN YOUR FUTURE




OP Research and
Development for Innovation



Global anthropogenic threats ?

A safe operating space for humanity & the nine planetary boundaries

Rockstrom et al. 2009
(*Ecology and Society* 14(2): 32; *Nature* 461, 472-475)



Research centre
for toxic compounds
in the environment

cetocoen



EUROPEAN UNION
EUROPEAN REGIONAL DEVELOPMENT FUND
INVESTING IN YOUR FUTURE




1996 - Chemicals in the environment

Do you believe that **chemicals in products** sold to consumers have been proven **safe**?

Think again

most chemicals in modern use have simply not been tested for their impacts on **human**, even very basic effects.

... what about the effects in nature, then ?



How we stand almost 30 years later?

Published online: 21 October 2005; | doi:10.1038/news051017-16

Pollution makes for more girls

The stress of dirty air skews sex ratios in Sao Paulo.

[Erika Check](#)

Toxic fumes favour the fairer sex, a group of researchers in Brazil has found.



Babies born in highly polluted areas are more likely to be girls.

theguardian

World news

Man-made chemicals blamed as many more girls than boys are born in Arctic

- High levels can change sex of child during pregnancy
- Survey of Greenland and east Russia puts ratio at 2:1

Paul Brown in Nuuk, Greenland

Wednesday 12 September 2007
03.00 BST



This article is 8 years old

Shares

79



Save for later



An Inuit child in a traditional parka. Photograph: Joel Sartore/Getty/National Geographic

Pollution

Microplastics are infiltrating brain tissue, studies show: 'There's nowhere left untouched'

Douglas Main

Wed 21 Aug 2024 19:00 CEST

Share



Twenty-four brain samples collected in early 2024 measured on average about 0.5% plastic by weight

A growing body of scientific evidence shows that microplastics are accumulating in critical human organs, including the brain, leading researchers to call for more urgent actions to rein in plastic pollution.

Studies have detected tiny shards and specks of plastics in human [lungs](#), placentas, reproductive organs, livers, kidneys, knee and elbow joints, blood vessels and bone marrow.

Robin McKie

Sun 11 Apr 2021 11:45 CEST

Share

Rare European vultures being poisoned by livestock drug

Diclofenac was approved in Spain and Italy despite being banned in Asia after it had wiped out millions of birds



A cinereous vulture was confirmed to have been killed by the drug, which also threatens eagles. Photograph: Wildlife World/Alamy


A recently approved veterinary drug has been confirmed as the cause of death of a vulture in Spain. Conservationists say the incident could be the tip of an iceberg, and warn that the drug could wipe out many of Europe's vultures as well as harming related species, including golden eagles.



Research centre
for toxic compounds
in the environment

Sperm concentration

In millions of spermatazoa per millilitre




© Mail Online

Global Assessment

of the State-of-the-Science of

Endocrine Disruptors



IPCS
INTERNATIONAL PROGRAMME
ON CHEMICAL SAFETY

Edited by
Terri Damstra
Sue Barlow
Aake Bergman
Robert Kavlock
Glen Van Der Kraak

<https://www.who.int/teams/environment-climate-change-and-health/settings-and-populations/children/endocrine-disruptors>

<https://bacandrology.biomedcentral.com/articles/10.1186/s12610-020-00114-4>

Median sperm concentration (adjusted to period of abstinence)

- 40-49 Mio/mL
- 50-59 Mio/mL
- ≥ 60 Mio/mL

Testicular cancer incidence rates per 100'000 (age standardized- World)

- [1.3 ; 5.7]
- [5.7 ; 7.7]
- [7.7 ; 9.9]



tocon

EUROPEAN UNION
EUROPEAN REGIONAL DEVELOPMENT FUND
INVESTING IN YOUR FUTURE

OP Research and
Development for Innovation

Environmental pollution

Examples and ecological consequences

Major anthropogenic threats – example: waters

Direct



Indirect



Major impacts

- **Loss of biodiversity**



Major impacts

Loss of biodiversity



• Impairment of ecosystem services

– Unbalanced water cycles

- Water scarcity
- Draughts/floods

– Impaired water quality

- Drinking waters
- Bathing waters
- Toxicants in food chain


– Shrinking of food supplies

- Direct → lowering fish amounts
- Indirect → crop yield



Impacts on fish → decreased crop yields

NATURE (2005) 437: 880



Research centre
for toxic compounds
in the environment

cetocoen



EUROPEAN UNION
EUROPEAN REGIONAL DEVELOPMENT FUND
INVESTING IN YOUR FUTURE



OP Research and
Development for Innovation

Impacts on biota → global effects

Mixing oceans

→ cooling the atmosphere

[Nature 447, p.522, May 31, 2007]



Marine life supplies up to 50% of the mechanical energy required worldwide to mix waters from the surface to deeper cool layers

[Dewar, Marine Res 64:541 (2006)]



[Katija a Dabiri, Nature 460:624 (2009)]

CONSERVATION

Economic Importance of Bats in Agriculture

Justin G. Boyles,^{1*} Paul M. Cryan,² Gary F. McCracken,³ Thomas H. Kunz⁴

Insectivorous bat populations, adversely impacted by white-nose syndrome and wind turbines, may be worth billions of dollars to North American agriculture.



Ecotoxicology

assessment of hazards
and **risks** of chemicals in
ecosystems

Protection of environment / nature

- Is and must be primary aim of **sustainably developing society**
- **why?**

How to protect ?

- Policy
- Legislation
- Research
- Education



Ecotoxicology – offers knowledge and tools useful for the effective and reasonable environmental protection




Cause → Effect (Causality)


Dose → Response

Risk assessment


Exposure
(concentration >> dose)



Effect
(What exposure causes effects?)



Ecotoxicological bioassays,
field studies, biomonitoring...



What is hazardous? What is toxic? How to define toxicity?

What is hazardous? What is toxic? How to define toxicity?

Is this thing toxic?



Research centre
for toxic compounds
in the environment

What is hazardous? What is toxic? How to define toxicity?

You should **NEVER** feed your dog **ANY** chocolate but we understand that accidents do happen.



Is 11g a lot ... or is it just negligible amount?

What is hazardous? What is toxic? How to define toxicity?

How much chocolate could be poisonous to your dog?

You should **NEVER** feed your dog **ANY** chocolate but we understand that accidents do happen.



Key

- Standard 45g bar of Milk Chocolate
- Standard 45g bar of Dark Chocolate

Paracelsus (1493 - 1541)



'What is there which is not a poison?

- *All things are poison and nothing without poison.*
- *Solely the dose determines that a thing is not a poison.*

(Eco)toxicology – ultimate goal ?

To identify (or predict)
safe vs hazardous levels



Research centre
for toxic compounds
in the environment

cetocoen



EUROPEAN UNION
EUROPEAN REGIONAL DEVELOPMENT FUND
INVESTING IN YOUR FUTURE



2007-13
OP Research and
Development for Innovation


Assessment of one of the hazards (i.e. toxicity) to different targets

...to...

Humans
(**TOXICOLOGY**)




Other organisms
(**ECO**toxicology)



ECOTOXICOLOGY by definition

- **Aim:** to maintain the natural structure and function of ecosystems
- **Definitions:**
 - ecotoxicology is concerned with the **toxic effects** of chemical and physical agents on living organisms, especially on populations and communities within defined ecosystems; **it includes the transfer pathways** and their interactions with the environment
 - science of contaminants in the biosphere and their effect on constituents of the biosphere, including humans' (Newman & Unger, 2002)
 - science that provides critical information on effects of toxic compounds on living organisms which SERVE various practical aims (environmental protection)

ECOTOXICOLOGY



Ecotoxicology - from molecules to ecosystems ... and backwards




Figure 3.1 Biological levels of organization. The dimensions of time and space are less important for the investigation up to the levels of populations and biocoenoses.

**CHEMICAL
ENTERS THE
ENVIRONMENT**



**LEVELS, FATE,
PROCESSES**





**Bioavailable
fraction**



"EXPOSURE"

acute

chronic



**CHEMICAL
ENTERS THE
ORGANISM**

biomonitoring



Toxicokinetics

*biotransformation
bioactivation*

excretion / sequestration


Target site

**"EFFECT"
toxicodynamics**



From molecules to individuals → to populations

MECHANISMS OF TOXICITY



Ecotoxic effects





Figure 1 The effective concentration of a pollutant in an organism (e.g. fish, daphnia, algae) or at the target site inside the organism is the link between the environmental fate of a pollutant and its toxic effect.

Escher, B. I., Behra, R., Eggen, R. I. L., Fent, K. (1997), "Molecular mechanisms in ecotoxicology: an interplay between environmental chemistry and biology", *Chimia*, **51**, 915-921.

From molecules to individuals → to populations

ADVERSE OUTCOME PATHWAYS

Mechanistic effect models for ecotoxicology



→ Arrows indicate a causal relationship

See also: Ashauer & Escher *JEM* (2010), Rubach *et al. IEAM* (2011), Jager *et al. ES&T* (2011), Ashauer *et al. ET&C* (2011)

www.ecotoxmodels.org


**From ecosystems
→
down the mechanisms**






OR

?

**From mechanisms (molecules)
→
up to effects and ecosystems**



1962



© Patuxent Wildlife Refuge, MA, USA

"DDT is good for me-e-e!"

The great expectations held for DDT have been realized. During 1946, exhaustive scientific tests have shown that, when properly used, DDT kills a host of destructive insect pests, and is a benefactor of all humanity.

Pennsalt produces DDT and its products in all standard forms and is now one of the country's largest producers of this amazing insecticide. Today, everyone can enjoy added comfort, health and safety through the insect-killing powers of Pennsalt DDT products . . . and DDT is only one of Pennsalt's many chemical products which benefit industry, farm and home.

GOOD FOR STEERS—Beef grows meatier nowadays . . . for it's a scientific fact that—compared to untreated cattle—beef steers gain up to 50 pounds extra when protected from horn flies and many other pests with DDT insecticides.

GOOD FOR THE HOME—helps to make healthier, more comfortable homes . . . protects your family from dangerous insect pests. Use Knox-Out DDT Powders and Sprays as directed . . . then watch the bugs "bite the dust"!

GOOD FOR DAIRIES—Up to 20% more milk . . . more butter . . . more cheese . . . tests prove greater milk production when dairy cows are protected from the annoyance of many insects with DDT insecticides like Knox-Out Stock and Barn Spray.

GOOD FOR FRUITS—Bigger apples, juicier fruits that are free from unsightly worms . . . all benefits resulting from DDT dusts and sprays.

GOOD FOR ROW CROPS—25 more barrels of potatoes per acre . . . actual DDT tests have shown crop increases like that! DDT dusts and sprays help truck farmers pass these gains along to you.

KNOX FOR INDUSTRY—Food processing plants, laundries, dry cleaning plants, hotels . . . dozens of industries gain effective bug control, more pleasant work conditions with Pennsalt DDT products.


PENN SALT
CHEMICALS
87 Years' Service to Industry • Farm • Home
PENNSYLVANIA SALT MANUFACTURING COMPANY
WIDENER BUILDING, PHILADELPHIA 7, PA.

Bitman et al. *Science* 1970, 168(3931): 594



Biochemistry


bird carbonate dehydratase



In vivo: shell thinning




In situ: bioaccumulation
-> bird population decline



AOP Example: Activation of ER - estrogen receptor (e.g. by EE2) leads to reproductive disorders and population decline in fish


Ethinylestradiol (EE2)



Binds to ESTROGEN RECEPTOR

Target genes

- Proliferation/Apoptosis (sexual organs)
- Synthesis of egg yolk (fish, amphibia)





Effects

- Females: reproduction regulation
- Males: feminization
(+ e.g. cancer promotion, development, immunomodulation)

Kidd, K.A. et al. 2007. **Collapse of a fish population** following exposure to **a synthetic estrogen**. *Proceedings of the National Academy of Sciences* 104(21):8897-8901




5 ng/L (!)
7 years



Controls

+ Ethinylestradiol



WRAP UP ... take home message

- Ecotoxicology as a science with close links to practical environmental protection
 - Understand the importance and links between ECOTOXICITY --- BIODIVERSITY --- ECOSYSTEM SERVICES
- From molecular events to higher levels
 - Be aware of different biological levels - from molecules to communities
 - Know example(s) of „Adverse Outcome Pathway(s)“