

Příloha 2: Ohlasy na publikované práce (nebo výpis z příslušné databáze – WOS, SCOPUS, ...)

- c[1]** MAČÁK, Jirka, P. DUNDR, Jana DVOŘÁČKOVÁ, Petr BUZRLA a David NĚMEC. Primární velkobuněčný neuroendokrinní karcinom močového měchýře. *Česko-slovenská patologie a soudní lékařství*. 2013, **49**(2), 80-83.
- cit.[1] PUSIOL, T., M.G. ZORZI a D. MORICHETTI. Mesanenin "saf" primer büyük hücreli nöroendokrin karcinomu. *Türk Patoloji Dergisi/Turkish Journal of Pathology*. 2013, **29**(3), 241-245. M SCOPUS
- c[2]** ZELENÍK, Karol, J. KUKUTSCHOVÁ, J. DVOŘÁČKOVÁ, Hana BIELNIKOVÁ, P. PEIKERTOVÁ, Lenka ČÁBALOVÁ a Pavel KOMÍNEK. Possible role of nano-sized particles in chronic tonsillitis and tonsillar carcinoma: a pilot study. *European archives of oto-rhino-laryngology and Head & Neck*. 2013, **270**(2), 705-709.
- cit.[1] PEIKERTOVA, P., J. KUKUTSCHOVA, I. VAVRA, et al. Water suspended nanosized particles released from nonairborne brake wear debris. *WEAR*. 2013, **306**(1-2), 89-96. M WOS
- cit.[2] PEIKERTOVA, P., J. KUKUTSCHOVA, I. VAVRA, et al. Water suspended nanosized particles released from nonairborne brake wear debris. *WEAR*. 2013, **306**(1-2), 89-96. M SCOPUS
- c[3]** ČERMÁKOVÁ, Z., Martin KOŘÍSTKA, Šárka BLAHUTOVÁ, J. DVOŘÁČKOVÁ, R. BRÁT, I. VALKOVSKÝ a Radomíra HRDLIČKOVÁ. Transfusion-related acute lung injury: report of two cases. *Prague medical report*. 2012, **113**(4), 294-298.
- cit.[1] ČERMÁKOVÁ, Zuzana, Ondřej ŠIMETKA a Martin KOŘÍSTKA. Transfusion-related acute lung injury (TRALI) - přehledový článek. *Česká gynekologie*. 2013, **78**(2), 211-215. N SCOPUS
- c[4]** PLÁŠEK, Jiří, Martina VYBÍRALOVÁ, Jana DVOŘÁČKOVÁ, Andrea PETRUŠKOVÁ, Jiří SAGAN, Miloš GOLIAN, Vladimír HRABOVSKÝ, Naděžda PETEJOVÁ a Arnošt MARTÍNEK. Primární jaterní karcinoid. *Vnitřní lékařství*. 2011, **57**(6), 590-594. ISSN 0042-773X.
- Cit.[1] TALAFA, V., D. PASTUCHA, K. ZEMAN, et al. Karcinoid a jeho kardiální manifestace. *Vnitřní lékařství*. 2012, **58**(11), 867-870. N SCOPUS
- c[5]** KLIMENT, Martin, Ondřej URBAN, Martin ČEGAN, Peter FOJTÍK, Přemysl FALT, Jana DVOŘÁČKOVÁ, Martin LOVEČEK, Martin STRAKA a František JALŮVKA. Endoscopic ultrasound-guided fine needle aspiration of pancreatic masses: The utility and impact on management of patients. *Scandinavian Journal of Gastroenterology*. 2010, **45**(11), 1372-1379. ISSN 0036-5521.
- Cit.[1] ABDELGAWWAD, Mohammad S, Evan ALSTON a Isam A. ELTOUM. The frequency and cancer risk associated with the atypical cytologic diagnostic category in endoscopic ultrasound-guided fine-needle aspiration specimen of solid pancreatic lesions a meta-analysis and argument for a Bethesda systém for reporting cytopathology of the pancreas. *Cancer cytopathology*. 2013, **121**(11), 620-628. M WOS
- Cit.[2] CHEN, Ge, Shanglong LIU, Yupei ZHAO, et al. Diagnostic accuracy of endoscopic ultrasound-guided fine-needle aspiration for pancreatic cancer: a meta-analysis. *Pancreatology*. 2013, M WOS

- 13(3)**, 298-304.
- Cit.[3] CHEN, Jiong, Renbao YANG, Yin LU, et al. Diagnostic accuracy of endoscopic ultrasound-guided fine-needle aspiration for solid pancreatic lesion: a systematic review. *Journal of cancer research and clinical oncology*. 2012, **138(9)**, 1433-1441. M WOS
- Cit.[4] RANNEY, Nathaniel, Milind PHADNIS, Jessica TREVINO, et al. Impact of biliary stents on EUS-guided FNA of pancreatic mass lesions. *Gastrointestinal endoscopy*. 2012, **76(1)**, 76-83. M WOS
- Cit.[5] HAYNES, Claudia M., Ankur R. SANGOI a Reetesh K. PAI. PAX8 is expressed in pancreatic well-differentiated neuroendocrine tumors and in extrapancreatic poorly differentiated neuroendocrine carcinomas in fine-needle aspiration biopsy specimens. *Cancer cytopathology*. 2011, **119(3)**, 193-201. M WOS
- Cit.[6] BRYNSKOV, Jorn. This month in Scandinavian Journal of Gastroenterology. *Scandinavian journal of gastroenterology*. 2010, **45(11)**, 1267-1268. M WOS
- Cit.[7] FUJII, L.L., M.J. LEVY. Pitfalls in EUS FNA. *Gastrointestinal endoscopy clinics of North America*. 2014, **24(1)**, 125-142. M SCOPUS
- Cit.[8] CHEN, Ge, Shanglong LIU, Yupei ZHAO, et al. Diagnostic accuracy of endoscopic ultrasound-guided fine-needle aspiration for pancreatic cancer: a meta-analysis. *Pancreatology*. 2013, **13(3)**, 298-304. M SCOPUS
- Cit.[9] CHEN, Jiong, Renbao YANG, Yin LU, et al. Diagnostic accuracy of endoscopic ultrasound-guided fine-needle aspiration for solid pancreatic lesion: a systematic review. *Journal of cancer research and clinical oncology*. 2012, **138(9)**, 1433-1441. M SCOPUS
- Cit.[10] RANNEY, Nathaniel, Milind PHADNIS, Jessica TREVINO, et al. Impact of biliary stents on EUS-guided FNA of pancreatic mass lesions. *Gastrointestinal endoscopy*. 2012, **76(1)**, 76-83. M SCOPUS
- Cit.[11] ZHU, C.L., Q. HUANG, C.H. LIU, et al. Diagnostic value of endoscopic ultrasound-guided fine-needle aspiration for solid pancreatic masses: a meta-analysis. *World Chinese Journal of Digestology*. 2012, **20(18)**, 1667-1676. M SCOPUS
- Cit.[12] KRECHLER, T., M. DVOŘÁK a T. ŠVESTKA. Současná role endoskopické ultrasonografie v diagnostice nemocí slinivky břišní – vlastní zkušenosti. *Praktický lékař*. 2012, **92(1)**, 35-39. N SCOPUS
- Cit.[13] KLVAŇA, Pavel, O. URBAN, Arnošt MARTÍNEK, Evžen MACHYTKA a Pavel SVOBODA. Autoimunitní pankreatitida u pacientky s Crohnovou nemocí. *Gastroenterologie a hepatologie*. 2011, roč. 65, č. 4, s. 211-214. N SCOPUS
- Cit.[14] KLIMENT, M. a O. URBAN. Endosonograficky (EUS) – navigovaná biopsia v gastroenterológii – klinické odporučenie Európskej spoločnosti pre gastrointestinálnu endoskopiю (ESGE). *Endoskopie*. 2011, **20(3)**, 104-107. N SCOPUS
- Cit.[15] KLIMENT, M. a O. URBAN. Endosonograficky navigovaná tenkoihlová aspiračná biopsia – indikácie, technika, úskalía, komplikácie. *Endoskopie*. 2011, **20(3)**, 100-103. N SCOPUS
- Cit.[16] KRECHLER, T., J. HOŘEJŠ, J. ULRYCH, et al. Současný stav diagnostiky karcinomu pankreatu. *Časopis lékařů českých*. 2011, **150(11)**, 587-592. N SCOPUS
- Cit.[17] HAYNES, Claudia M., Ankur R. SANGOI a Reetesh K. PAI. PAX8 is expressed in pancreatic well-differentiated neuroendocrine tumors and in extrapancreatic poorly differentiated neuroendocrine carcinomas in fine-needle aspiration biopsy specimens. *Cancer cytopathology*. 2011, **119(3)**, 193-201. M SCOPUS
- Cit.[18] DABIZZI, E., M.S. ASSEF a M. RAIMONDO. Diagnostic management of pancreatic cancer. *Cancers*. 2011, **3(1)**, 494-509. M SCOPUS
- Cit.[19] BRYNSKOV, Jorn. This month in Scandinavian Journal of Gastroenterology. *Scandinavian journal of gastroenterology*. 2010, **45(11)**, 1267-1268. M SCOPUS
- c[6]** CHMELOVÁ, Jana, Zdeněk KOLÁŘ, Václav PROCHÁZKA, Romuald ČUŘÍK, Jana DVOŘÁČKOVÁ, Pavel ŠIRŮČEK, Otakar KRAFT a Tomáš

- HRBÁČ. Moyamoya disease is associated with endothelial activity detected by anti-nestin antibody. *Biomedical Papers*. 2010, **154**(2), 159-162. ISSN 1213-8118.
- Cit.[1] OHLIN, K. Elisabet, Veronica FRANCARDO, Hanna S. LINDGREN, et al. Vascular endothelial growth factor is upregulated by I-dopa in the parkinsonian brain: implications for the development of dyskinesia. *BRAIN*. 2011, **134**(Part 8), 2339-2357. M WOS
- Cit.[2] OHLIN, K. Elisabet, Veronica FRANCARDO, Hanna S. LINDGREN, et al. Vascular endothelial growth factor is upregulated by I-dopa in the parkinsonian brain: implications for the development of dyskinesia. *BRAIN*. 2011, **134**(Part 8), 2339-2357. M SCOPUS
- c[7]** PLEVOVÁ, Pavlína, Dita ČERNÁ, Alfons BALCAR, L. FORETOVÁ, J. ZAPLETALOVÁ, Eva ŠILHÁNOVÁ, R. ČURÍK a Jana DVOŘÁČKOVÁ. CCND1 and ZNF217 gene amplification is equally frequent in BRCA1 and BRCA2 associated and non-BRCA breast cancer. *Neoplasma*. 2010, **57**(4), 325-332. ISSN 0028-2685.
- Cit.[1] ALMEIDA, Madson Q, Michelle HARRAN, Eirini I. BIMPAKI, et al. Integrated genomic analysis of nodular tissue in macronodular adrenocortical hyperplasia: progression of tumorigenesis in a disorder associated with multiple benign lesions. *Journal of clinical endocrinology & metabolism*. 2011, **96**(4), E728-E738. M WOS
- Cit.[2] NIKAS, J.B., W.C. LOW a P.A. BURGIO. Prognosis of treatment response (pathological complete response) in breast cancer. *Biomarker Insights*. 2012, **7**, 59-70. M SCOPUS
- Cit.[3] ALMEIDA, Madson Q, Michelle HARRAN, Eirini I. BIMPAKI, et al. Integrated genomic analysis of nodular tissue in macronodular adrenocortical hyperplasia: progression of tumorigenesis in a disorder associated with multiple benign lesions. *Journal of clinical endocrinology & metabolism*. 2011, **96**(4), E728-E738. M SCOPUS
- c[8]** KRAFT, Otakar, Lubomír MRHAČ, Pavel ŠIRŮČEK, Jana DVOŘÁČKOVÁ, Jana CHMELOVÁ, Petar GRÁF a Libor ŠEVČÍK. I-131 Uptake in and Ovarian Tumor: Differential Diagnosis for Abdominal I-131 Uptake. *Clinical Nuclear Medicine*. 2009, **34**(6), 390-392. ISSN 0363-9762.
- Cit.[1] JANG, Hye Yoon, Bo Hyun KIM, Won Jin KIM, et al. False-positive radioiodine uptake in a functional ovarian cyst in a patient treated with total thyroidectomy for papillary cancer. *Internal medicine*. 2013, **52**(20), 2321-2323. M WOS
- Cit.[2] FLUG, Jonathan, Katherine LAMEKA, Raymond LEE, et al. False-positive I-131 uptake by an ovarian serous cystadenofibroma. *Clinical nuclear medicine*. 2012, **37**(2), 178-180. M WOS
- Cit.[3] JANG, Hye Yoon, Bo Hyun KIM, Won Jin KIM, et al. False-positive radioiodine uptake in a functional ovarian cyst in a patient treated with total thyroidectomy for papillary cancer. *Internal medicine*. 2013, **52**(20), 2321-2323. M SCOPUS
- c[9]** JANÍK, I., I. STÁREK, Z. HLOŽEK, J. HUBÁČEK, R. NOVOTNÝ a Jana DVOŘÁČKOVÁ. Histomorphological transformation of the auricular cartilage after carbon dioxide laser-assisted Mustardé otoplasty. *Lasers in Medical Science*. 2009, **24**(3), 433-437. ISSN 0268-8921.
- Cit.[1] SOBOL, Emil, Anatoly SHEKHTER, Anna GULLER, et al. Laser-induced regeneration of cartilage. *Journal of biomedical optics*. 2011, **16**(8), 080902. M WOS
- Cit.[2] RAGAB, Ahmed. Carbon dioxide laser-assisted cartilage reshaping otoplasty: a new technique for prominent fars. *Laryngoscope*. 2010, **120**(7), 1312-1318. M WOS
- Cit.[3] SOBOL, Emil, Anatoly SHEKHTER, Anna GULLER, et al. Laser-induced regeneration of cartilage. *Journal of biomedical optics*. 2011, **16**(8), 080902. M SCOPUS

- Cit.[4] RAGAB, Ahmed. Carbon dioxide laser-assisted cartilage reshaping otoplasty: a new technique for prominent fars. *Laryngoscope*. 2010, **120**(7), 1312-1318. M SCOPUS
- c[10]** HOZÁKOVÁ, Lubomíra, L. KOLÁŘOVÁ, Luděk ROŽNOVSKÝ, I. HIEMER, L. DENEMARK, R. ČUŘÍK a Jana DVOŘÁČKOVÁ. Alveolární echinokokóza - nově se objevující onemocnění?. *Časopis lékařů českých*. 2009, **148**(3), 132-136.
- cit.[1] ATANASOV, G., C. BENCKERT, A. THELEN, et al. Alveolar echinococcosis-spreading disease challenging clinicians: a case report and literature review. *World Journal of Gastroenterology*. 2013, **19**(26), 4257-4261. M SCOPUS
- c[11]** ŠIRŮČEK, Pavel, Václav PROCHÁZKA, Tomáš HRBÁČ, Otakar KRAFT, Jana CHMELOVÁ a Jana DVOŘÁČKOVÁ. Brain single photon emission tomography and hypercapnia test in testing cerebrovascular reserve capacity, in Moya moya disease. *Hellenic Journal of Nuclear Medicine*. 2008, **11**(3), 179-181. ISSN 1790-5427.
- Cit.[1] TARASÓW, E., A. KUŁAKOWSKA, A. ŁUKASIEWICZ, et al. Moyamoya disease: Diagnostic imaging. *Polish journal of radiology*. 2011, **76**(1), 73-79. M SCOPUS
- Cit.[2] LIU, B. a L.-Q. MIN. Effect of deproteinized calf blood serum injection on cerebrovascular chemistry reserve of rats with local cerebral ischemia. *Chinese journal of biologicals*. 2011, **24**(1), 61-63. M SCOPUS
- c[12]** DVOŘÁČKOVÁ, Jana a M. UVÍROVÁ. A Molecularly Genetic Determination of Prognostic Factors of the Prostate Cancer and Their Relationships to Expression of Protein p27kip1. *Neoplasma*. 2007, **54**(2), 149-154. ISSN 0028-2685.
- Cit.[1] LI, Ke, Ming-kun CHEN, Jie SITU, et al. Role of co-expression of c-Myc, EZH2 and p27 in prognosis of prostate cancer patients after surgery. *Chinese medical journal*. 2013, **126**(1), 82-87. M WOS
- Cit.[2] LI, K., M.K. CHEN, L.Y. LI, et al. The predictive value of semaphorins 3 expression in biopsies for biochemical recurrence of patients with low- and intermediate-risk prostate cancer. *Neoplasma*. 2013, **60**(6), 683-689. M WOS
- Cit.[3] DARCY, Kathleen M., William E. BRADY, Jan K. BLANCATO, et al. Prognostic relevance of c-MYC gene amplification and polysomy for chromosome 8 in suboptimally-resected, advanced stage epithelial ovarian cancers: a gynecologic oncology group study. *Gynecologic oncology*. 2009, **114**(3), 472-479. M WOS
- Cit.[4] RAMACHANDRAN, Sabarish, Kun-Young KWON, So-Jin SHIN, et al. Cyclin-dependent kinase inhibitor p27(Kip 1) controls growth and cell cycle progression in human uterine leiomyoma. *Journal of Korean medical science*. 2008, **23**(4), 667-673. M WOS
- Cit.[5] LI, Ke, Ming-kun CHEN, Jie SITU, et al. Role of co-expression of c-Myc, EZH2 and p27 in prognosis of prostate cancer patients after surgery. *Chinese medical journal*. 2013, **126**(1), 82-87. M SCOPUS
- Cit.[6] DARCY, Kathleen M., William E. BRADY, Jan K. BLANCATO, et al. Prognostic relevance of c-MYC gene amplification and polysomy for chromosome 8 in suboptimally-resected, advanced stage epithelial ovarian cancers: a gynecologic oncology group study. *Gynecologic oncology*. 2009, **114**(3), 472-479. M SCOPUS
- Cit.[7] RAMACHANDRAN, Sabarish, Kun-Young KWON, So-Jin SHIN, et al. Cyclin-dependent kinase inhibitor p27(Kip 1) controls growth and cell cycle progression in human uterine leiomyoma. *Journal of Korean medical science*. 2008, **23**(4), 667-673. M SCOPUS

- c[13]** KOLLÁROVÁ, Helena, Radim PEKTOR, Vít ŠMAJSTRLA, Jana DVOŘÁČKOVÁ, Olga SHONOVÁ, Gabriela JANOUTOVÁ a Vladimír JANOUT. Rutinní biopsie z duodena prováděná během gastroscopie - jedna z možností vyhledávání asymptomatické celiakie = Routine duodenal biopsy conducted in the course of gastroscopy - possibility of asymptomatic celiac disease detection. *Česká a slovenská gastroenterologie a hepatologie*. 2007, **61**(5), 245-248. ISSN 1213-323X.
- Cit.[1] CHVÁTALOVÁ, T., G. VEPŘEKOVÁ, A. HOUSKA, et al. Celiakie – opomíjená diagnóza. *Vnitřní lékařství*. 2012, **58**(2), 99-103. N SCOPUS
- Cit.[2] MAKOVICKÝ, P. a K. RIMÁROVÁ. Význam a možnosti skrínungu v diagnostice celiakie. *Vnitřní lékařství*. 2011, **57**(2), 183-187. N SCOPUS
- Cit.[3] MAKOVICKÝ, P. Sérové protilátky proti endomýziu (AEA) v diagnostickom algoritme celiakie. *Epidemiologie, mikrobiologie, imunologie*. 2009, **58**(4), 163-166. N SCOPUS
- Cit.[4] MAKOVICKÝ, P.E., P.A. MAKOVICKÝ a F. JÍLEK. Od historických poznatků a názorů až po současné úlohy na poli celiakie. *Epidemiologie, mikrobiologie, imunologie*. 2008, **57**(3), 90-96. N SCOPUS
- Cit.[5] MAŘATKA, Z. Poznámka k práci „rutinní biopsie z duodena prováděná během gastroscopie – jedna z možností vyhledávání asymptomatické celiakie“. *Česká a slovenská gastroenterologie a hepatologie*. 2008, **62**(1), 48. N SCOPUS
- c[14]** DVOŘÁČKOVÁ, Jana, J. ŠTĚRBA, L. ČEGANOVÁ, M. ČEGAN, M. TICHÝ, I. JANÍK a J. HUBÁČEK. Problematika vhodnosti laserového odběru pigmentových kožních lézí: kazuistika minimálně deviovaného melanomu. *Česko-slovenská patologie a soudní lékařství*. 2007, **43**(2), 64-67. ISSN 1210-7875.
- Cit.[1] HAMMES, S., C. RAULIN, S. KARSAI, et al. Treating papillomatous intradermal nevi. Lasers – yes or no? A prospective study. *Hautarzt*. 2008, **59**(2), 101-107. M SCOPUS
- c[15]** BRDIČKA, R., M. BERÁNEK, M. ČIMBUROVÁ, Jana DVOŘÁČKOVÁ, D. DVOŘÁKOVÁ, J. HÁJKOVÁ, C. HAŠKOVEC, V. KEBRDLOVÁ, M. KARAS, A. KRATOCHVÍLOVÁ, F. LOŠAN, M. - jr. MACEK, F. MUSIL, M. PUTZOVÁ, Š. ROŽMANOVÁ, P. RIEDLOVÁ, M. SAFROVÁ, O. SCHEINOST, P. ŠTOLBA, J. TRKA, T. VANĚČEK a R. VRTĚL. Frekvenční pohled na vyšetření odchylek genomu. *Časopis lékařů českých*. 2006, **145**(2), 98-103. ISSN 0008-7335.
- Cit.[1] FRANKOVÁ, V. Interpret – jedna z rolí klinického genetika. *Časopis lékařů českých*. 2007, **146**(11), 840-843. N SCOPUS
- Cit.[2] BRDIČKA, R. a M. DOBROVOLNÁ. Nabídka diagnostických služeb v oblasti molekulární genetiky v České Republice. Je to málo, moc, nebo akorát? *Časopis lékařů českých*. 2006, **145**(7), 582-584. N SCOPUS
- c[16]** PLEVOVÁ, Pavlína, A. KŘEPELOVÁ, M. PAPEŽOVÁ, E. SEDLÁKOVÁ, Romuald ČUŘÍK, L. FORETOVÁ, M. NAVRÁTILOVÁ, J. NOVOTNÝ, J. ZAPLETALOVÁ, J. PALAS, J. NIESLANIK, Jaroslav HORÁČEK, Jana DVOŘÁČKOVÁ a Z. KOLÁŘ. Immunohistochemical detection of the hMLH1 and hMSH2 proteins in hereditary non-polyposis colon cancer and sporadic colon cancer. *Neoplasma*. 2004, **51**(4), 275-284. ISSN 0028-2685.

- Cit.[1] LI, M. a Z.W. ZHAO. Clinical implications of mismatched repair gene promoter methylation in pancreatic cancer. *Medical oncology*. 2012, **29**(2), 970-976. M WOS
- Cit.[2] FENG, Lu, Mei LI, Qiu-Ping ZHANG, et al. Utility of BRAF protein overexpression in predicting the metastasis potential of papillary thyroid carcinoma. *Oncology letters*. 2011, **2**(1), 59-63. M WOS
- Cit.[3] KANG, Hong-Yo a Chih-Rong SHYR. Activins and cell migration. *Activins and inhibins. Book series: Vitamins and hormones*. 2011, **85**, 129-148. M WOS
- Cit.[4] LARSEN, Nicolai Balle, Peter Johan Heiberg ENGEL, Merete RASMUSSEN, et al. Differential expression of hMLH1 in sporadic human colorectal cancer tumors and distant metastases. *APMIS*. 2009, **117**(11), 839-848. M WOS
- Cit.[5] STASIKOWSKA-KANICKA, Olga, Pawel STAWERSKI, Malgorzata WAGROWSKA-DANILEWICZ, et al. Immunohistochemical analysis of HML H1 and HMS H2 proteins in serous ovarian tumours. *Polish journal of pathology*. 2009, **60**(4), 174-178. M WOS
- Cit.[6] VOGELSSANG, Matiaz, Aleksandra COMINO, Neja ZUPANEC, et al. Assessing pathogenicity of MLH1 variants by co-expression of human MLH1 and PMS2 genes in yeast. *BMC Cancer*. 2009, **9**, 382. M WOS
- Cit.[7] SLABÝ, O., K. SOBKOVÁ, M. SVOBODA, et al. Significant overexpression of Hsp1 10 gene during colorectal cancer progression. *Oncology reports*. 2009, **21**(5), 1235-1241. M WOS
- Cit.[8] CLYNE, M., J. OFFMAN, S. SHANLEY, et al. The G67E mutation in hMLH1 is associated with an unusual presentation of Lynch syndrome. *British journal of cancer*. 2009, **100**(2), 376-380. M WOS
- Cit.[9] PALOMAKI, Glenn E., Monica R. MCCLAIN, Stephanie MELILLO, et al. EGAPP supplementary evidence review: DNA testing strategies aimed at reducing morbidity and mortality from Lynch syndrome. *Genetics in medicine*. 2009, **11**(1), 42-65. M WOS
- Cit.[10] SEKOWSKA, Martina, Anna KREPELOVA a Vera KEBRDLOVA. Detection of microsatellite instability in Czech HNPCC patients. *Journal of applied biomedicine*. 2008, **6**(1), 15-18. M WOS
- Cit.[11] ERDAMAR, Sibel, Esra UCARVILMAZ, Gokhan DEMIR, et al. Importance of MutL homologue MLH1 and MutS homologue MSH2 expression in Turkish patients with sporadic colorectal cancer. *World journal of gastroenterology*. 2007, **13**(33), 4437-4444. M WOS
- Cit.[12] TRUSKY, C.L., A.R. SEPULVEDA a J.L. HUNT. Assessment of microsatellite instability in very small microdissected samples and in tumor samples that are contaminated with normal DNA. *Diagnostic molecular pathology*. 2006, **15**(2), 63-69. M WOS
- Cit.[13] ZÁVODNÁ, K., M. BUIALKOVÁ, T. KRIVULCIK, et al. Novel and recurrent germline alterations in the MLH1 and MSH2 genes identified in hereditary nonpolyposis colorectal cancer patients in Slovakia. *Neoplasma*. 2006, **53**(4), 269-276. M WOS
- Cit.[14] MANGOLD, E., C. PAGENSTECHE, W. FRIEDL, et al. Tumours from MSH2 mutation carriers show loss of MSH2 expression but many tumours from MLH1 mutation carriers exhibit weak positive MLH1 staining. *Journal of pathology*. 2005, **207**(4), 385-395. M WOS
- Cit.[15] LI, M. a Z.W. ZHAO. Clinical implications of mismatched repair gene promoter methylation in pancreatic cancer. *Medical oncology*. 2012, **29**(2), 970-976. M SCOPUS
- Cit.[16] SICKLICK, J.K. a N. AHUJA. Stool and blood sampling for early detection of colorectal cancer (Chapter). *Early diagnosis and treatment of cancer series: colorectal cancer*. 2011, 93-105. M SCOPUS
- Cit.[17] KANG, Hong-Yo a Chih-Rong SHYR. Activins and cell migration. *Activins and inhibins. Book series: Vitamins and hormones*. 2011, **85**, 129-148. M SCOPUS
- Cit.[18] FENG, Lu, Mei LI, Qiu-Ping ZHANG, et al. Utility of BRAF protein overexpression in predicting the metastasis potential of papillary thyroid carcinoma. *Oncology letters*. 2011, **2**(1), 59-63. M SCOPUS
- Cit.[19] SŁOMKA, M., O. STASIKOWSKA, M. WAGROWSKA-DANILEWICZ, et al. Znaczenie diagnostyczne i prognostyczne immunoekspresji białek genów naprawczych hMLH1 i hMSH2

- oraz bíalka CD34 w sporadycznym raku jelita grubego. *Polski merkuriusz lekarski*. 2010, **29**(174), 351-356.
- Cit.[20] STASIKOWSKA-KANICKA, Olga, Pawel STAWERSKI, Malgorzata WAGROWSKA-DANILEWICZ, et al. Immunohistochemical analysis of HML H1 and HMS H2 proteins in serous ovarian tumours. *Polish journal of pathology*. 2009, **60**(4), 174-178. M SCOPUS
- Cit.[21] LARSEN, Nicolai Balle, Peter Johan Heiberg ENGEL, Merete RASMUSSEN, et al. Differential expression of hMLH1 in sporadic human colorectal cancer tumors and distant metastases. *APMIS*. 2009, **117**(11), 839-848. M SCOPUS
- Cit.[22] VOGELSSANG, Matiaz, Aleksandra COMINO, Neja ZUPANEC, et al. Assessing pathogenicity of MLH1 variants by co-expression of human MLH1 and PMS2 genes in yeast. *BMC Cancer*. 2009, **9**, 382. M SCOPUS
- Cit.[23] PLEVOVÁ, Pavlína, J. NOVOTNÝ, M. ŠACHLOVÁ, A. KŘEPELOVÁ a L. FORETOVÁ. Hereditární nepolypózní kolorektální karcinom (HNPCC, Lynchův syndrom). *Klinická onkologie*. 2009, **22**(Suppl.), s12-s15. N SCOPUS
- Cit.[24] SLABÝ, O., K. SOBKOVÁ, M. SVOBODA, et al. Significant overexpression of Hsp1 10 gene during colorectal cancer progression. *Oncology reports*. 2009, **21**(5), 1235-1241. M SCOPUS
- Cit.[25] CLYNE, M., J. OFFMAN, S. SHANLEY, et al. The G67E mutation in hMLH1 is associated with an unusual presentation of Lynch syndrome. *British journal of cancer*. 2009, **100**(2), 376-380. M SCOPUS
- Cit.[26] PALOMAKI, Glenn E., Monica R. MCCLAIN, Stephanie MELILLO, et al. EGAPP supplementary evidence review: DNA testing strategies aimed at reducing morbidity and mortality from Lynch syndrome. *Genetics in medicine*. 2009, **11**(1), 42-65. M SCOPUS
- Cit.[27] SEKOWSKÁ, M., A. KŘEPELOVÁ a V. KEBRDLOVÁ. Detection of microsatellite instability in Czech HNPCC. *Journal of applied biomedicine*. 2007, **6**(1), 15-18. N SCOPUS
- Cit.[28] ERDAMAR, Sibel, Esra UCARVILMAZ, Gokhan DEMIR, et al. Importance of MutL homologue MLH1 and MutS homologue MSH2 expression in Turkish patients with sporadic colorectal cancer. *World journal of gastroenterology*. 2007, **13**(33), 4437-4444. M SCOPUS
- Cit.[29] LUCCI-CORDISCO, E., L. BOCCUTO, G. NERI a M. GENUARDI. The use of microsatellite instability, immunohistochemistry and other variables in determining the clinical significance of MLH1 and MSH2 unclassified variants in Lynch syndrome. *Cancer biomarkers*. 2006, **2**(1-2), 11-27. M SCOPUS
- Cit.[30] KŘEPELOVÁ, A., K. PAVLÍKOVÁ a P. PLEVOVÁ. Diagnostika lynchova syndromu – nové geny a metody. *Klinická onkologie*. 2006, **19**(Suppl.), 76-81. N SCOPUS
- Cit.[31] TSIAMBAS, E., L. MANAIOS, A. MELA, et al. Tissue microarrays in immunohistochemical expression and molecular detection of DNA MMR systém instability in colorectal cancer. *Archives of Hellenic medicine*. 2006, **23**(5), 473-482. M SCOPUS
- Cit.[32] ZÁVODNÁ, K., M. BUIALIKOVÁ, T. KRIVULCIK, et al. Novel and recurrent germline alterations in the MLH1 and MSH2 genes identified in hereditary nonpolyposis colorectal cancer patients in Slovakia. *Neoplasma*. 2006, **53**(4), 269-276. M SCOPUS
- Cit.[33] TRUSKY, C.L., A.R. SEPULVEDA a J.L. HUNT. Assessment of microsatellite instability in very small microdissected samples and in tumor samples that are contaminated with normal DNA. *Diagnostic molecular pathology*. 2006, **15**(2), 63-69. M SCOPUS
- Cit.[34] HLAVATÝ, T., L. LUKÁČ, M. HUORKA, et al. Rodinný výskyt kolorektálnych karcinómov a ich skrining medzi prvostupňovými príbuznými pacientov s rakovinou hrubého čreva a konečníka. *Česká a slovenská gastroenterologie a hepatologie*. 2005, **59**(6), 285-292. M SCOPUS
- Cit.[35] MANGOLD, E., C. PAGENSTECHEK, W. FRIEDL, et al. Tumours from MSH2 mutation carriers show loss of MSH2 expression but many tumours from MLH1 mutation carriers exhibit weak positive MLH1 staining. *Journal of pathology*. 2005, **207**(4), 385-395. M SCOPUS
- c[17]** MARTÍNEK, Arnošt, Jana DVOŘÁČKOVÁ, Marek HONKA, Jaroslav

- HORÁČEK a Pavel KLVAŇA. Importance of guided fine needle aspiration cytology (FNAC) for the diagnostics of thyroid nodules - own experience. *Biomedical Papers*. 2004, **148**(1), 45-50. ISSN 1213-8118.
- Cit.[1] AKHAVAN-MOGHADAM, J., M. AFAAGHI, A.R. MALEKI a A. SABURI. Fine needle aspiration: an atraumatic method to diagnose head and neck masses. *Trauma monthly*. 2013, **18**(3), 117-121. M SCOPUS
- Cit.[2] GHOSH, A., D. GHARTIMAGAR, M.K. SHRESTHA, et al. Value of image-guided fine-needle aspiration cytology – a study of 500 cases. *Diagnostic cytopathology*. 2013, **41**(12), 1052-1062. M SCOPUS
- Cit.[3] KRISHNAPPA, P., S. RAMAKRISHNAPPA a M.H. KULKARNI. Comparison of free hand versus ultrasound-guided fine needle aspiration of thyroid with histopathological correlation. *Journal of environmental pathology, toxicology and oncology*. 2013, **32**(2), 149-155. M SCOPUS
- Cit.[4] RIZZO, M., A. SINDONI, R.T. ROSSI, et al. Annual increase in the frequency of papillary thyroid carcinoma as diagnosed by fine-needle aspiration at a cytology unit in sicily. *Hormones*. 2013, **12**(1), 46-57. M SCOPUS
- Cit.[5] SELLAMI, M., S. TABABI, J. MAMY, et al. Interest of fine-needle aspiration cytology in thyroid nodule. *European annals of otorhinolaryngology, head and neck diseases*. 2011, **128**(4), 159-164. M SCOPUS
- Cit.[6] SELLAMI, M., S. TABABI, J. MAMY, et al. Advantage of fine needle aspiration biopsy of thyroid nodules. *Annales Francaises d'Oto-Rhino-Laryngologie et de Pathologie Cervico-Faciale*. 2011, **128**(4), 195-201. M SCOPUS
- Cit.[7] SAATIAN, M., B.M. BADIE, S. SHAHRIARI, et al. FNA diagnostic value in patients with neck masses in two teaching hospitals in Iran. *Acta medica Iranica*. 2011, **49**(2), 85-88. M SCOPUS
- Cit.[8] BHATTI, S.U.Z, M.S.U. MALOOK a M.A. ZULGARNAIN. Diagnostic accuracy of fine needle aspiration cytology in thyroid nodules. *Pakistan journal of medical and health sciences*. 2010, **4**(3), 245-247. M SCOPUS
- Cit.[9] LEWIS, C.M., K.-P. CHANG, M. PITMAN, et al. Thyroid fine-needle aspiration biopsy: variability in reporting. *Thyroid*. 2009, **19**(7), 717-723. M SCOPUS
- Cit.[10] PENG, L., M.-J. GU. Diagnostic value of conventional and ultrasound-guided fine-needle aspiration biopsy for thyroid nodules: a meta-analysis. *Academic journal of second military medical university*. 2007, **28**(9), 968-972. M SCOPUS
- Cit.[11] WANG, H.H. Reporting thyroid fine-needle aspiration: literature review and a proposal. *Diagnostic cytopathology*. 2006, **34**(1), 67-76. M SCOPUS
- c[18]** GATĚK, J., J. BAKALA, B. DUDEŠEK, J. DUBEN, L. HNÁTEK a Jana DVOŘÁČKOVÁ. Biopsie sentinelové uzliny v chirurgické léčbě karcinomu prsu: prospektivní studie = Biopsy of the sentinel node in surgical treatment of breast cancer: prospective study. *Česká gynekologie*. 2003, **68**(1), 6-10. ISSN 1210-7832.
- Cit.[1] FAIT, V. Sentinelová biopsie a možnosti využití v současné onkochirurgii. *Klinická onkologie*. 2008, **21**(1), 5-19. N SCOPUS
- c[19]** KOLÁŘ, Z., Jana DVOŘÁČKOVÁ, Pavlína PLEVOVÁ, V. ŠTUDENT, M. HAJDÚCH, R. TROJANEC a K. ŠPAČKOVÁ. Jaký je reálný význam hodnocení exprese c-erbB (HER-2/neu) v karcinomech mléčné žlázy a prostaty?. *Česko-slovenská patologie a soudní lékařství*. 2002, **38**(S1), 15-19. ISSN 1210-7875.
- Cit.[1] ICZKOWSKI, K.A. a R. MONTIRONI. Adenoid cystic/basal cell carcinoma of the prostate strongly expresses HER-2/neu. *Journal of clinical pathology*. 2006, **59**(12), 1327-1330. M SCOPUS

- c[20]** SKÁLOVÁ, A., I. STÁREK, R.H.W. SIMPSON, V. KUČEROVÁ, Jana DVOŘÁČKOVÁ, Romuald ČUŘÍK a M. DUŠKOVÁ. Spindle cell myoepithelial tumours of the parotid gland with extensive lipomatous metaplasia: A report of four cases with immunohistochemical and ultrastructural findings. *Virchows Archiv*. 2001, **439**(6), 762-767. ISSN 0945-6317.
- Cit.[1] LIANG, Peir-In, Chien-Feng LI, Yasuharu, SATO, et al. Ectopic hamartomatous thymoma is distinct from lipomatous pleomorphic adenoma in lacking PLAG1 aberration. *Histopathology*. 2013, **62**(3), 518-522. M WOS
- Cit.[2] AGAIMY, Abbas, Stephan IHRLER, Bruno MAERKL, et al. Lipomatous salivary gland tumors: a series of 31 cases spanning their morphologic spectrum with emphasis on sialolipoma and oncocytic lipoadenoma. *American journal of surgical pathology*. 2013, **37**(1), 128-137. M WOS
- Cit.[3] LIN, Hung-Wei a Han-Nan LIU. Lipomatous mixed tumor of the skin. *Dermatologica Sinica*. 2009, **27**(2), 85-92. M WOS
- Cit.[4] MAGRO, Gaetano, Francesco FLORIDIA, Guido GERACI, et al. Lipomatous apocrine mixed tumor of the skin: an unusual giant lesion occurring in the breast. *Journal of cutaneous pathology*. 2009, **36**(6), 692-696. M WOS
- Cit.[5] BIERNAT, Wbiciech. Lipomatous mixed tumor of the skin. *American journal of dermatopathology*. 2008, **30**(3), 284-286. M WOS
- Cit.[6] EYERICH, Kilian, Claudia TRAUDL-HOFFMANN, Annette ALBERT, et al. Lipomatous metaplasia after severe and chronic cutaneous inflammation. *Dermatology*. 2008, **217**(1), 52-55. M WOS
- Cit.[7] KAZAKOV, Dmitry V., Irena E. BELOUSOVA, Michele BISCEGLIA, et al. Apocrine mixed tumor of the skin („mixed tumor of the folliculosebaceous-apocrine complex“). *Journal of the american academy of dermatology*. 2007, **57**(3), 467-483. M WOS
- Cit.[8] IDE, F., A. TANAKA a K. KUSAMA. Further evidence for adipocytic differentiation by the neoplastic myoepithelium. *Journal of oral pathology & medicine*. 2007, **36**(3), 187-189. M WOS
- Cit.[9] KASASHIMA, S., H. MINATO, T. MORI, et al. Lipomatous mixed tumor with follicular differentiation of the skin. *Journal of cutaneous pathology*. 2006, **33**(5), 389-394. M WOS
- Cit.[10] KUWABARA, H., S.I. HAGINOMORI, A. TAKAMAKI, et al. Lipomatous pleomorphic adenoma of the ceruminous gland. *Pathology International*. 2006, **56**(1), 51-53. M WOS
- Cit.[11] HASKELL, H.D., K.M. BUTT a S.B. WOO. Pleomorphic adenoma with extensive lipometaplasia – Report of three cases. *American journal of surgical pathology*. 2005, **29**(10), 1389-1393. M WOS
- Cit.[12] KAZAKOV, D.V., R. SOUKUP, P. MUKENSABL, et al. Brooke-Spiegler syndrome – Report of a case with combined lesions containing cylindromatous, spiradenomatous, trichoblastomatous, and sebaceous differentiation. *American journal of dermatopathology*. 2005, **27**(1), 27-33. M WOS
- Cit.[13] KAZAKOV, D.V., P. MUKENSABL, O. HES, et al. 'Ectopic' ectopic hamartomatous thymoma. *Histopathology*. 2004, **45**(2), 202-204. M WOS
- Cit.[14] IDE, F. a K. KUSAMA. Myxolipomatous pleomorphic adenoma: and unusual oral presentation. *Journal of oral pathology & medicine*. 2004, **33**(1), 53-55. M WOS
- Cit.[15] OHATA, C. a M. HANADA. Lipomatous apocrine mixed tumor of the skin. *American journal of dermatopathology*. 2003, **25**(2), 138-141. M WOS
- Cit.[16] AGAIMY, A. Fat-Containing salivary gland tumors: a review. *Head and neck pathology*. 2013, **7**(Suppl.1), 90-96. M SCOPUS
- Cit.[17] LIANG, P.-I., C.-F. LI, Y. SATO, et al. Ectopic hamartomatous thymoma is distinct from lipomatous pleomorphic adenoma in lacking PLAG1 aberration. *Histopathology*. 2013, **62**(3),

- 518-522. M SCOPUS
- Cit.[18] AGAIMY, Abbas, Stephan IHRLER, Bruno MAERKL, et al. Lipomatous salivary gland tumors: a series of 31 cases spanning their morphologic spectrum with emphasis on sialolipoma and oncocytic lipoadenoma. *American journal of surgical pathology*. 2013, **37**(1), 128-137. M SCOPUS
- Cit.[19] GNEPP, D.R., J.D. HENLEY, R.H.W. SIMPSON a J. EVESON. Salivary and lacrimal glands. (Chapter). *Diagnostic surgical pathology of the head and neck*. 2009. M SCOPUS
- Cit.[20] LIN, Hung-Wei a Han-Nan LIU. Lipomatous mixed tumor of the skin. *Dermatologica Sinica*. 2009, **27**(2), 85-92. M SCOPUS
- Cit.[21] MAGRO, Gaetano, Francesco FLORIDIA, Guido GERACI, et al. Lipomatous apocrine mixed tumor of the skin: an unusual giant lesion occurring in the breast. *Journal of cutaneous pathology*. 2009, **36**(6), 692-696. M SCOPUS
- Cit.[22] EYERICH, Kilian, Claudia TRAILD-HOFFMANN, Annette ALBERT, et al. Lipomatous metaplasia after severe and chronic cutaneous inflammation. *Dermatology*. 2008, **217**(1), 52-55. M SCOPUS
- Cit.[23] BIERNAT, Wbiciech. Lipomatous mixed tumor of the skin. *American journal of dermatopathology*. 2008, **30**(3), 284-286. M SCOPUS
- Cit.[24] PEEL, R.L. a R.R. SEETHALA. Pathology of solivary gland disease.(Chapter). *Salivary gland disorders*. 2007, 1-157. M SCOPUS
- Cit.[25] KAZAKOV, Dmitry V., Irena E. BELOUSOVA, Michele BISCEGLIA, et al. Apocrine mixed tumor of the skin („mixed tumor of the folliculosebaceous-apocrine complex“). *Journal of the american academy of dermatology*. 2007, **57**(3), 467-483. M SCOPUS
- Cit.[26] IDE, F., A. TANAKA a K. KUSAMA. Further evidence for adipocytic differentiation by the neoplastic myoepithelium. *Journal of oral pathology & medicine*. 2007, **36**(3), 187-189. M SCOPUS
- Cit.[27] KASASHIMA, S., H. MINATO, T. MORI, et al. Lipomatous mixed tumor with follicular differentiation of the skin. *Journal of cutaneous pathology*. 2006, **33**(5), 389-394. M SCOPUS
- Cit.[28] DABOIN, K.P., V. OCHOA-PEREZ a M.A. LUNA. Adenolipomas of the head and neck: analysis of 6 cases. *Annals of diagnostic pathology*. 2006, **10**(2), 72-76. M SCOPUS
- Cit.[29] KANE, S.V., I.N. BAGWAN, T. SHET, et al. Spindle cell myoepithelial carcinoma of the oral cavity – a report of two cases. *Oral oncology extra*. 2006, **42**(2), 66-69. M SCOPUS
- Cit.[30] KUWABARA, H., S.I. HAGINOMORI, A. TAKAMAKI, et al. Lipomatous pleomorphic adenoma of the ceruminous gland. *Pathology International*. 2006, **56**(1), 51-53. M SCOPUS
- Cit.[31] HASKELL, H.D., K.M. BUTT a S.B. WOO. Pleomorphic adenoma with extensive lipometaplasia – Report of three cases. *American journal of surgical pathology*. 2005, **29**(10), 1389-1393. M SCOPUS
- Cit.[32] BISCEGLIA, M., C. FISHER, S. SUSTER, et al. Tumoral, quasitumoral and pseudotumoral lesions of the superficial and somatic soft tissue: New entities and new variants of old entities recorded during the last 25 years. Part IX: Excerpta VII. *Pathologica*. 2005, **97**(5), 343-360. M SCOPUS
- Cit.[33] KATO, A., T. FUJIMURA, T. SHIMIZU, et al. A case of myoepithelioma with lipomatous metaplasia of the parotid gland. *Practica oto-rhino-laryngologica*. 2005, **98**(7), 537-541. M SCOPUS
- Cit.[34] KERN, M.A., H.U. KASPER, U. DREBBER, et al. Report of a spindle cell myoepithelioma of the minor salivary glands with extensive lipomatous component. *Laryngo- Rhino- Otologie*. 2005, **84**(6), 432-435. M SCOPUS
- Cit.[35] KAZAKOV, D.V., R. SOUKUP, P. MUKENSABL, et al. Brooke-Spiegler syndrome – Report of a case with combined lesions containing cylindromatous, spiradenomatous, trichoblastomatous, and sebaceous differentiation. *American journal of dermatopathology*. 2005,**27**(1), 27-33. M SCOPUS
- Cit.[36] KAZAKOV, D.V., P. MUKENSABL, O. HES, et al. 'Ectopic' ectopic hamartomatous thymoma. *Histopathology*. 2004, **45**(2), 202-204. M SCOPUS

- Cit.[37] IDE, F. a K. KUSAMA. Myxolipomatous pleomorphic adenoma: and unusual oral presentation. *Journal of oral pathology & medicine*. 2004, **33**(1), 53-55. M SCOPUS
- Cit.[38] OHATA, C. a M. HANADA. Lipomatous apocrine mixed tumor of the skin. *American journal of dermatopathology*. 2003, **25**(2), 138-141. M SCOPUS
- Cit.[39] SIMPSON, R.H.W. Myoepithelial tumours of the salivary glands. *Current diagnostic pathology*. 2002, **8**(5), 328-337. M SCOPUS
- c[21]** MARTÍNEK, Arnošt, Pavel KLVAŇA, Pavel MARTEN, Marta LEŠKOVÁ a Jana DVOŘÁČKOVÁ. Je sonografický nález u diabetiků odlišný?. *Vnitřní lékařství*. 2001, **47**(5), 324-329. ISSN 0042-773X.
- Cit.[1] KEIL, R. Žlučník, žlučové cesty a diabetes mellitus. *Vnitřní lékařství*. 2004, **50**(5), 383-385. N SCOPUS
- c[22]** MAČÁK, J., M. RYDLOVÁ, J. HORÁČEK a Jana DVOŘÁČKOVÁ. Současný výskyt papilárního karcinomu, onkocytárního karcinomu a maligního lymfomu štítné žlázy u pacientky s Hashimotovou strumou. *Česko-slovenská patologie a soudní lékařství*. 2001, **37**(1), 18-22. ISSN 1210-7875.
- Cit.[1] VASSILATOU, E., T. ECONOMOPOULOS, M. TZANELA, et al. Coexistence of differentiated thyroid carcinoma with primary thyroid lymphoma in a background of Hashimoto's thyroiditis. *Journal of clinical oncology*. 2011, **29**(25), e709-e712. M SCOPUS
- Cit.[2] PANAYIOTIDES, I.G., P.G. FOUKAS, C. MERISTOUDIS, et al. Simultaneous occurrence of Warthin-like papillary carcinoma and lymphoma of the mucosa associated lymphoid tissue in Hashimoto thyroiditis. *Journal of clinical pathology*. 2010, **63**(7), 662-663. M SCOPUS
- Cit.[3] INTERLANDI, A. a G. BUSACCA. Primary thyroid lymphoma. *Chirurgia*. 2003, **16**(3), 125-126. M SCOPUS
- c[23]** MAČÁK, J., L. PLANK, B. HRABANEC, P. FABIÁN, Romuald ČUŘÍK, L. BOBOT, P. VÁCHA, Z. UTÍKAL, Jana DVOŘÁČKOVÁ a J. NIESLANIK. EBV pozitivní případy Hodgkinova lymfomu u dětí do deseti roků. *Vnitřní lékařství*. 2000, **46**(7), 387-390. M SCOPUS
- Cit.[1] AUDOUIN, J., J. DIEBOLD, B. NATHWANI, et al. Epstein-Barr virus and Hodgkin's lymphoma in Cairo, Egypt. *Journal of hematopathology*. 2010, **3**(1), 11-18.
- c[24]** ALBÍN, A., R. BUŽGA, Jana DVOŘÁČKOVÁ a V. ŠMAJSTRLA. Přínos rutinních endoskopických biopsií sliznice duodena pro záchyt celiakie dospělých - první zkušenosti. *Praktický lékař*. 1999, **79**(3), 151-153. ISSN 0032-6739.
- Cit.[1] MAKOVICKÝ, P. a K. RIMÁROVÁ. Význam a možnosti skrínungu v diagnostice celiakie. *Vnitřní lékařství*. 2011, **57**(2), 183-187. N SCOPUS
- c[25]** MAČÁK, J., Jana DVOŘÁČKOVÁ, M. MICHAL, H. VAVERKOVÁ a J. NĚMEC. Současný výskyt dvou karcinomů štítné žlázy. *Vnitřní lékařství*. 1997, **43**(9), 602-606. ISSN 0042-773X.
- Cit.[1] GIACOMELLI, L., G. GUERRIERO, L. FALVO, et al. Simultaneous occurrence of medullary M SCOPUS

- carcinoma and papillary microcarcinoma of thyroid in a patient with men 2A syndrome. Report of a case. *Tumori*. 2007, **93**(1), 109-111.
- Cit.[2] SALAČ, V., J. ASTL, J. BETKA, et al. Primární chirurgická intervence u pacientů s medulárním karcinomem štítné žlázy – zkušenosti za desetileté období. *Otorinolaryngologie a foniatrie*. 2006, **55**(1), 15-22. N SCOPUS
- Cit.[3] YOUNES, N., M. SHOMAF a L. AL HASSAN. Simultaneous medullary and papillary thyroid carcinoma with lymph node metastasis in the same patient: case report and review of the literature. *Asian journal of surgery*. 2005, **28**(3), 223-226. M SCOPUS
- Cit.[4] ROSSI, S., L. FUGAZZOLA, L. DE PASQUALE, et al. Medullary and papillary carcinoma of the thyroid gland occurring as a collision tumour: report of three cases with molecular analysis and review of the literature. *Endocrine-Related cancer*. 2005, **12**(2), 281-289. M SCOPUS
- Cit.[5] MESHIKHES, A.-W.N., M. TINGURA a J.Y. AL-SAEED. Concurrent papillary and medullary thyroid carcinomas with mixed metastases to lymph nodes. *Saudi medical journal*. 2004, **25**(3), 373-375. M SCOPUS
- Cit.[6] KŮSEM, M., C. KOTAN, E. ALGŮN, et al. Simultaneous occurrence of papillary intrafollicular and microcarcinomas with bilateral medullary microcarcinoma of the thyroid in a patient with multiple endocrine neoplasia type 2A: report of a case. *Surgery today*. 2002, **32**(7), 623-628. M SCOPUS