

Kepner-Tregoe Methodology

Skorkovský

Department of business economy


Developed by Charles H. Kepner and Benjamin
B. Tregoe in the 1960s.

Apollo 13 – Houston, Houston, do you read me ? We have a big problem....!



The Apollo 13 team is famous for bringing back the astronauts stranded in space by solving difficult and complex problems. The teams solving the problems has used the Kepner-Tregoe (KT) methodology !

Decision Analysis –serious one



Sticky- lepkavý
Lick – olíznout

What is it K-T methodology ?

Kepner Tregoe is used for decision making .

It is a structured methodology for gathering information and prioritizing and evaluating it.

It is very detailed and complex method applicable in many areas, which is much broader than just idea selection.


It is called also a **root cause analysis** and decision-making method.

It is a step-by-step approach for systematically solving problems, making decisions, and analyzing potential risks.


Access situation (situation appraisal)

- Identify concerns (problems) by listing them (**seznam**)
- Separate the level of concern (importance, **magnitude**, level of **influence**)
- Set the priority level to measure seriousness of impacts (**influence**), urgency and growth potential
- Decide what action to take next (**step by step approach**)
- Plan for **who** is involved, **what** they will be doing, **where** they will be involved, **when** it happened and the **extent** of involvement (**magnitude**)

WHO WHAT WHEN WHERE EXTENT



Make decision (A choice between *two* or *more* alternatives)

- Identify what is being decided
- Establish and classify objectives (major ones, minor ones,..)
- Separate the objectives into **must** (*must to have*) and **want** (*nice to have*) categories (we have to assign **importance factors** from 1-10, where 10 is the most important **want** objective) and assign criterion rating (weights)
- Generate the alternatives (*we can do it that way or we can take another way as well*)
- Evaluate the alternatives by scoring the **wants** against the main objective – *see next slides* 
- Review adverse (harmful, neblahý) consequences of your corrective steps (risk evaluation, risk assessment)
- Make the best possible choice : **what to do ?????**

Criteria rating

"Must" Criteria		Car 1		Car 2		Car 3		Car 4
Cost under \$9,000		Yes		Yes		Yes		Yes
Available within one week		Yes		Yes		Yes		No
		Car 1		Car 2		Car 3		
"Want" Criteria	Importance*	Criterion rating	Weighted score	Criterion rating	Weighted score	Criterion rating	Weighted score	
Good gas mileage	7	5	$7 \times 5 = 35$	6	$7 \times 6 = 42$	8	$7 \times 8 = 56$	
Sporty	8	5	$8 \times 5 = 40$	7	$8 \times 7 = 56$	4	$8 \times 4 = 32$	
Color (blue)	3	10	$3 \times 10 = 30$	0	$3 \times 0 = 0$	0	$3 \times 0 = 0$	
AM/FM stereo	5	7	$5 \times 7 = 35$	8	$5 \times 8 = 40$	3	$5 \times 3 = 15$	
Good condition	10	5	$10 \times 5 = 50$	6	$10 \times 6 = 60$	8	$10 \times 8 = 80$	
Low mileage	6	6	$6 \times 6 = 36$	4	$6 \times 4 = 24$	5	$6 \times 5 = 30$	
Relatively new	7	3	$7 \times 3 = 21$	5	$7 \times 5 = 35$	5	$7 \times 5 = 35$	
TOTAL WEIGHTED SCORE (WS)			247			257	248	

See similar example on the next slide

Importance can be understood as a Satisfaction score, meaning desirable but not essential.

Criteria rating is related to want criteria and every car property

Which car to buy ?

MUSTS	A	B	C	D
Power Brakes	GO	GO	GO	GO
Power Steering	GO	GO	GO	GO
AM/FM Stereo	GO	GO	NO GO	GO
Automatic	GO	GO	NO GO	GO
Under \$15,000	GO	GO	GO	GO

WANTS	Weight	Score	W x S	Score	W x S	Score	W x S	Score	W x S
AirCon	10	10	100	0	0			10	100
Cassette	7	6	42	10	70			10	70
Antilock Brakes	9	0	0	10	90			0	0
Air Bag	8	5	40	10	80			5	40
Rear Demist	6	10	60	0	0			0	0
Engine Size	6	8	48	6	36			10	60
Central Lock	5	5	25	10	50			5	25
Metal Paint	4	0	0	10	40			10	40
Warranty	8	10	80	7	56			3	24
Resale Value	7	7	49	7	49			4	28
TOTALS			444		471				387

Criterion rating

Importance score, meaning desirable but not essential.

go to slide 34 and back

See the Upcoming (approaching, next to come) and Potential Opportunity -Solutions


- State the action
- List the potential opportunities $O\{op1, \text{[yellow box]}, \dots, opN\}$
- Consider the possible solutions (e.g. the second one)
- Take the action to address the most likely cause/solution
- Prepare actions to enhance likely (possible) effects

Uncover and handle problems


(problem analysis)

- State the problem (definition and description of the problem)
- Specify the problem by asking **what is** and **what is not**
- Develop possible causes of the problem
- Test and verify possible causes
- Determine the most probable cause (root cause)
- Verify any assumptions (předpoklad)
- Try the best possible solution and monitor what will be a situation after applied correctives step


Description



Decomposition, priorities and causes



Example of problem manifestation (decrease of performance)



Final effect of the **Change** = PROBLEM (e.g. server crashed)

Then we have to ask : *What, Where, When, and to what Extent –Size (how much, how many)?*

Server crashed !!!! (home study !!!)

- Server crashed (this is a very poor problem definition)
- The e-mail system crashed after the 3rd shift support engineer applied hot-fix XYZ to Exchange Server 123 (better definition of the problem)

	IS	COULD BE but IS NOT	DIFFERENCES	CHANGES
WHAT	System failure	Similar systems/situations not failed	?	?
WHERE	Failure location	Other locations that did not fail	?	?
WHEN	Failure time	Other times where failure did not occur	?	?
EXTENT	Other failed systems	Other systems without failure	?	?



	IS	COULD BE but IS NOT	DIFFERENCES	CHANGES
WHAT	Exchange Server 123 crashed upon application of hot-fix XYZ	Other Exchange Servers getting hot-fix XYZ	Different staff (3rd shift) applied this hot-fix	New patch procedure from vendor
WHERE	3rd floor production room without vendor/contractor support	Anywhere else with vendor/contractor support	Normally done by vendor	New procedure, first time 3rd shift applies hot-fixes
WHEN	Last night, 1:35am	Any other time or location	None noted	
EXTENT	Any Exchange Server on 3rd floor	Other servers		



History (and best practice) says that the root cause of the problem is probably due to some **recent change**. **WHAT, WHERE, WHEN and EXTENT will be shown on next slides**

Test the Most Probable Cause (home study !!!)

Clarifying problem Analysis (example)

Potential root cause:	True if:	Probable root cause?
Exchange Server 123 has something wrong with it	Only Exchange Server 123 has this problem	Maybe
Procedure incorrect	Same procedure crashes another server	Probably
Technician error	Problem did not always reoccur	Probably not

We have to ask (where Qi =QUESTION i) :

Question	IS	IS NOT
<i>What (identify)</i>	Q1	Q2
<i>Where (locate)</i>	Q3	Q4
<i>When (timing)</i>	Q5	Q6
<i>Extent (magnitude)</i>	Q7	Q8



Problem Analysis - What

Is

- What specific object(s) has the deviation?
- What is the specific deviation?

Example for Is :

1. What specific **object IS** related to the defect?
Inventory Valuation Objects in **database A**
 2. What specifically is the defect (deviation)?
Inventory Adjustment does not work
- 1-> see setup of the database and see differences
2->see algorithm used for calculation and parameters used.
You can see , that in production calculation it does not work

Is Not

- What similar object(s) could have the deviation, **but does not? (It did not happen)**
- What other deviations could be reasonably observed, **but are not? (It did not happen)**

Example for Is Not :

1. What specific **object IS NOT** related to the defect?
Inventory Valuation Objects in **database B**
 2. What specifically is not the defect (deviation)?
- 1 -> Setup has another parameters set to **On**
2-> Algorithm is used also for production where not error occurs

See two MS Dynamics Setup screens (related to the problem specified recently)

The screenshot shows the 'Inventory Setup' window with the 'General' tab selected. The 'Automatic Cost Adjust...' dropdown menu is set to 'Never'. Other settings include 'Automatic Cost Posting' checked, 'Expected Cost Posting' unchecked, 'Average Cost Calc. Type' set to 'Item', and 'Average Cost Period' set to 'Day'. There are also checkboxes for 'Copy Comments Order...' and text boxes for 'Outbound Whse. Han...' and 'Inbound Whse. Handli...'. A 'Help' button is at the bottom right.

The screenshot shows the same 'Inventory Setup' window, but the 'Automatic Cost Adjust...' dropdown menu is now set to 'Always' and is highlighted with a red rectangular box. All other settings and the window layout are identical to the left screenshot.

Problem Analysis - What

Is

- **What** specific object(s) has the deviation?



- **What** is the specific deviation? - bites on the neck

Example for **Is** :

1. Nice young girl's neck and strange look of anemic person



Is Not

- What similar object(s) could have the deviation, **but does not? (It did not happen)**



What is the specific deviation? **but does not? (It did not happen) – bites, anemia**

Example of **Is Not** :

1. Girl with garlic in her hands
2. No bites
3. Zaftig



Another example for **WHAT** and **IS** and **IS NOT**

Example I.

Customer X and Customer Y both use product B but only customer X was sent the wrong product so the object **IS** Customer X , but **IS NOT** Customer Y

Example II.

IS girl visited Dracula lower castle without a bunch of garlic, but **IS NOT** not the one having bunch of garlic and visiting Špiberk castle in Brno

Problem Analysis - **Where**

Is

- Where is the object when the deviation is observed? (geographically)
- Where is the deviation on the object?

Example for **Is** :

1. Old castle in the mountains

Where IS : Romanian Carpathian mountains where It is very easy to meet a lot of vampires

Is Not

- Where else could the object be when the deviation is observed, **but is not?**
- Where else could the deviation be located on the object, **but is not?**

Example for Is Not

1. Brno castle Spilberk

Where **IS NOT** possible to meet vampires (only lovers and children an seniors.

Problem Analysis - **When**

Is

- When was the deviation observed first (clock and calendar time)?
- When since that time has the deviation been observed?
- When, in the object's history or life cycle, was the deviation observed first?

Is Not

- When else could the deviation have been observed first, **but was not?**
- When since that time could the deviation have been observed, **but was not?**
- When else, in the object's history or life cycle, could the deviation have been observed first, **but was not?**

See example next slide



Example for **WHEN** and **IS** and **IS NOT**

Customer X and Customer Y both use product B but only customer X was sent the wrong product if Salesman Tony was on holiday in this time and Salesman Mustafa was in charge, so the object **IS** Salesman Mustafa , but **IS NOT** Salesman Tony

Problem Analysis - **Extent**

Is

- How many objects have the deviation?
- What is the size of a single deviation?
- How many deviations are on each object?
- What is the trend?
 - Occurrences?
 - Size?

Is Not

- How many objects could have the deviation, **but don't?**
- What other size could a deviation be, **but isn't?**
- How many deviations could there be on each object, *but are not?*
- What could be the trend, **but isn't?**
 - Occurrences?
 - Size?

Problem Analysis

Evaluate Possible Causes

-
- *Determine the most probable cause*
 - Which possible cause best explains the **IS** and **IS NOT** information?
 - Which possible cause has the fewest, simplest, and most reasonable assumptions?



Problem Analysis


Confirm True Cause

- What can be done to verify any assumptions made?
- How can this cause be observed at work?
- How can we demonstrate the cause-and-effect relationship (e.g. Current Reality Tree or Ishikawa Fishbone Diagram)?
- When corrective action is taken, how will results be checked?


Let's Look At Some Problems!

Systematic Problem Solving and Decision making Overview

Problem Definition Process



Decision Making Process



Planning the Next Steps

- Problem Analysis
 - Do we have a deviation?
 - Is the cause unknown?
 - Is it important to know the cause to take effective action?
- If the answer is YES to ALL three, than you have a big problem, Huston !!!

Problem analysis table template

(Home study)

		IS	IS NOT	Distinction	Cause
What	Identify:	What is problem?	What is not problem?	What difference between is and is not?	What is possible cause?
Where	Locate:	Where is problem found?	Where is problem not found?	What difference in locations?	What cause?
When	Timing:	When does problem occur?	When does problem not occur?	What difference in timing?	What cause?
		When was it first observed?	When was it last observed?	What difference between 1 st , last?	What cause?
Extent	Magnitude:	How far does problem extend?	How localized is problem?	What is the distinction?	What cause?
		How many units are affected?	How many not affected?	What is the distinction?	What cause?
		How much of any one unit is affected?	How much of any one unit is not affected?	What is the distinction?	What cause?

Problem description (example)

On a new model of airplane, flight attendants develop rash on arms, hands, face (only those places). It only occurs on flights over water.

Usually disappears after 24 hours. No problems on old planes over those routes.

Does not affect all attendants on these flights, but same number of attendants get it on each flight. Those who get rash have no other ill effects.

No measurable chemicals, etc., in cabin air.

Rash arm ->



Problem analysis real table

	IS	IS NOT	DISTINCTION
WHAT:	Rash	Other illness	External contact
WHEN:	New planes used	Old planes used	Different materials
WHERE:	Flights over water	Flights over land	Different crew procedures
EXTENT:	Face, hands, arms	Other parts	Something contacting face, hands and arms
	Only some attendants	All attendants	Crew duties

Distinction=Difference


Results ????



Tree of the casual relationships I –example

- Decline of revenue due to :
- Lower merchantability of the items
 - New competitors
 - Change of the customer preferences
 - Poor (not sufficient) quality of the item
- Restriction of capacity production
 - Downtime due to machine failure, obsolete machinery, irregular maintenance
- Change of the legislation (change of the health rules)





Let's Look At Some Problems again!



Decision making process

- Problem definition
- Requirements identification
- Goal establishment
- Evaluation criteria development
- Select decision –making tool
- Apply tool (K &T, Pros-Cons,...)
- Check

Step 1 and Step 2

Step 1 Problem: Pick a replacement vehicle for the motor pool fleet

The definition of the problem dictates the requirements. As the vehicle is for a motor pool, the requirements will differ from those for a family car, for example.

Step 2 Requirements:

1. Vehicle shall be made in **U. S. A.**
2. Vehicle shall seat at least **four adults**, but no more than **six adults**
3. Vehicle shall cost no more than **\$28,000**
4. Vehicle shall be **new and the current model year**

Step 3 and Step 4

Step 3 Goals:

- Maximize passenger comfort
- Maximize passenger safety
- Maximize fuel-efficiency
- Maximize reliability of the car
- Minimize investment cost

Step 4 Alternatives:

There are many alternatives but the requirements eliminate the consideration of a number of them:

Requirement 1 eliminates the products not manufactured in the USA

Requirement 2 eliminates vans, buses, and sports cars (Ferrari no !!!!)

Requirement 3 eliminates high-end luxury cars

Requirement 4 eliminates used vehicles

Step 5

Step 5 Criteria:

“Maximize comfort” will be based on the combined rear seat leg and shoulder room. (Note: front seat passenger leg and shoulder room was found to be too nearly the same to discriminate among the alternatives.) **5**

“Maximize safety” will be based on the total number of stars awarded by the National Highway Traffic Safety Administration for head-on and side impact. **10**

“Maximize fuel efficiency” will be based on the EPA fuel consumption for city driving. **7**

“Maximize reliability” will be based on the reliability rating given each vehicle by a consumer product testing company. **9**

“Minimize Cost” will be based on the purchase price. **10**

Weighted criteria vector $C(5,10,7,9,10)$ are values assigned by decision makers !!!!

Kepner-Tregoe table

(for 4 cars : Arrow, Baton, Carefree and **Dash**)

Criteria/ Want objectives	Criteria Weight	<i>Arrow</i>	Alter- native Score	Total Score
Comfort	5	86 in. rear seat leg and shoulder room, seats 5	6	30
Safety	10	14 stars	5	50
Fuel efficiency	7	21 mpg	9	63
Reliability	9	80	9	81
Cost	10	\$26,000	5	50
		Total		274
		<i>Baton</i>		
Comfort	5	88 in. rear seat leg and shoulder room, seats 6	9	45
Safety	10	17 stars	8	80
Fuel efficiency	7	19 mpg	8	56
Reliability	9	70	7	63
Cost	10	\$21,000	8	80
		Total		324
		<i>Carefree</i>		
Comfort	5	80 in. rear seat leg and shoulder room, seats 5	4	20
Safety	10	15 stars	6	60
Fuel efficiency	7	22 mpg	10	70
Reliability	9	65	5	45
Cost	10	\$17,000	10	100
		Total		295
		<i>Dash</i>		
Comfort	5	89 in rear seat leg and shoulder room, seats 6	10	50
Safety	10	19 stars	10	100
Fuel efficiency	7	21 mpg	9	63
Reliability	9	85	10	90
Cost	10	\$24,000	6	60
		Total		363

Last step – Validation (check)

Last Step Validate Solution:

The totals of the weighted scores show that the **Dash** most nearly meets the wants/goals (or put another way, has the most “benefits”). Dash meets all the requirements and solves the problem !!!



Go back to slide 9

Thanks for Your attention

