
Kepner-Tregoe Methodology

Skorkovský Department of business economy

Feveloped by Charles H. Kepner and Benjamin B. Tregoe in the 1960s.

The formulation of a problem is far more essential than its solution, which may be merely a matter of mathematical or experimental skill"

- Albert Einstein




Apollo 13 – Houston, Houston, do you read me? We have a big problem....!



The Apollo 13 team is famous for bringing back the astronauts stranded in space by solving difficult and complex problems. The teams solving the problems has used the **Kepner-Tregoe** (KT) methodology!


Appolo 13 – description (problem and solution)

https://spectrum.ieee.org/tech-history/space-age/apollo-13-we-have-a-solution



https://prezi.com/ ohiqi4xzcxt/tier-v-problems-and-solutions-on-apollo-13/

Appolo 13 – description (problem and solution)



What is it K-T methodology?


Kepner - Tregoe is used for decision making (finding best possible choice)

It is a structured methodology for gathering information and prioritizing and evaluating it.


It is a very detailed and complex method applicable in many areas, which is much broader than just idea selection.

It is also called a root cause analysis and decision-making method.

It is a step-by-step approach for systematically solving problems, making decisions, and analyzing potential risks.




Kepner-Tregoe spheres



- 1. **Assessment (appraisal)** priorities assigned to current situation
- **2. Existing Problem analysis** to find the root problem (cause)
- 3. **Decision analysis** to select a way to react
- **4. Future problem analysis** -risk analysis

Source: Kepner-Tregoe



Alternative means how to solve problem and what kind of pay-off you will get

Access situation (situation appraisal)

- Identify concerns (problems) by listing them (detection)
- Separate the level of concern (importance, magnitude, and level of influence)
- Set the priority level to measure the seriousness of impacts (influence), urgency and growth potential
- Decide what action to take next (step by step approach)
- Plan for who is involved, what they will be doing, where they will be involved, when it happened and the extent of involvement (magnitude)


Used terminology

- Importance=magnitude=level of influence
- Priority level
- Step-by-step approach

Questions:

- Who
- What
- Where
- When
- Extent

WHO WHAT WHEN WHERE EXTENT



Make decision (A choice between two or more alternatives)

- Identify what is being decided (quality, used OM methods)
- Establish and classify objectives (main ones, minor ones,..) goals
- Separate the objectives into must (must to have) and want (nice to have)
 categories (we have to assign importance factors from 1-10, where 10 is
 the most important want objective) and assign criterion rating (weights)
- Generate the alternatives (we can do it that way or we can take another way as well)
- Evaluate the alternatives by scoring the wants against the main objective see next slides
- Review adverse (harmful) consequences of your corrective steps (risk evaluation, risk assessment)
- Make the best possible choice what to do


Concise overview of the previous text

- Must-to-have
- Nice-to-have
- Importance factor = score (10-1) = satisfaction score
 - 10 the highest importance
 - 1 the lowest importance
- Risks

Some statement of underestimation of Information Technology

- I think there is a world market for maybe five computers (IBM chairman 1943)
- There is no reason anyone would want a computer in his or her home (President of Digital Equipment 1977)
- I can assure you that data processing is a fad that won't last out the year (Editor Prentice-Hall 1957)
- Document management is nice-to-have, not must-to-have (Director of the company still burdened in manual business process)

Criteria rating



See similar example on the next slide

Importance can be understood as a Satisfaction score, meaning desirable but not essential.

Criteria rating is related to want criteria and every car property

Which car to buy?

MUSTS	Α	В	С	D
Power Brakes	GO	GO	GO	GO
Power Steering	GO	GO	GO	GO
AM/FM Stereo	GO	GO	NO GO	GO
Automatic	GO	GO	NO GO	GO
Under \$15,000	GO	GO	GO	GO

WANTS	Weight	Score	WxS	Score	WxS	Score	WxS	Score	WxS
AirCon	10	10	100	0	0	> <	> <	10	100
Cassette	7	6	42	10	70	><	><	10	70
Antilock Brakes	1/9	0	0	10	90	><	\sim	0	0
Air Bag	8	5	40	10	80	><	><	5	40
Rear Demist	6	10	60	0	0	><	><	0	0
Engine Size	6	8	48	6	36	><	><	10	60
Central Lock	5	5	25	10	50	><	><	5	25
Metal Paint	4	0	0	10	40	><	><	10	40
Warranty	8	10	80	7	56	><	><	3	24
Resale Value	7	7	49	7	40	$\geq <$	><	4	28
	TOTALS		444		471				387
/								•	·
/									

Criterion rating

Importance score, meaning desirable but not essential.

Another similar problem to be solved

Step 1 Problem: Pick a replacement vehicle for the motor pool fleet

The definition of the problem dictates the requirements. As the vehicle is for a motor pool, the requirements will differ from those for a family car, for example.

Step 2 Requirements:

- 1. Vehicle shall be made in U. S. A.
- 2. Vehicle shall seat at least **four adults**, but no more than **six adults**
- 3. Vehicle shall cost no more than \$28,000
- 4. Vehicle shall be **new and the current model year**





Max 28000 USD







Min

Max

New car (current model)

Step 3 and Step 4

Step 3 Goals:

- · Maximize passenger comfort
- Maximize passenger safety
- Maximize fuel-efficiency
- · Maximize reliability of the car
- · Minimize investment cost

Step 4 Alternatives:

There are many alternatives but the requirements eliminate the consideration of a number of them:

Requirement 1 eliminates the products not manufactured in the USA Requirement 2 eliminates vans, buses, and sports cars (Ferrari no !!!!) Requirement 3 eliminates high-end luxury cars Requirement 4 eliminates used vehicles

Step 5

Step 5 Criteria:

"Maximize comfort" will be based on the combined rear seat leg and shoulder room. (Note: front seat passenger leg and shoulder room was found to be too nearly the same to discriminate among the alternatives.) 5

"Maximize safety" will be based on the total number of stars awarded by the National Highway Traffic Safety Administration for head-on and side impact. **10**

"Maximize fuel efficiency" will be based on the EPA fuel consumption for city driving. 7

"Maximize reliability" will be based on the reliability rating given each vehicle by a consumer product testing company. 9

"Minimize Cost" will be based on the purchase price. 10

Weighted criteria vector C(5,10,7,9,10) are values assigned by decision makers !!!!

Kepner-Tregoe table

(for 4 cars : Arrow, Baton, Carefree and Dash)

Criteria/	Criteria	Arrow			Alter-	Total	Score
Want objectives	Weight				native		
					Score		
Comfort	5		leg and should	der room, seats 5	6		30
Safety	10	14 stars			5		50
Fuel efficiency	7	21 mpg			9		63
Reliability	9	80			9		81
Cost	10	\$26,000			5		50
				Total			274
			Baton				
Comfort	5		leg and should	der room, seats 6	9		45
Safety	10	17 stars			88		80
Fuel efficiency	7	19 mpg			8		56
Reliability	9	70			7		63
Cost	10	\$21,000			8		80
				Total			324
			Carefree				
Comfort	5	80 in. rear seat	leg and should	der room, seats 5	4		20
Safety	10	15 stars			6		60
Fuel efficiency	7	22 mpg			10		70
Reliability	9	65			5		45
Cost	10	\$17,000			10		100
				Total			295
			Dash				
Comfort	5	89 in rear seat	leg and should	er room, seats 6	10	50	
Safety	10	19 stars		10	100		
Fuel efficiency	7	21 mpg		9	63		
Reliability	9	85		10	9		
Cost	10	\$24,000			6	60	
				Total			363

Last step – Validation (check)

Last Step Validate Solution:


The totals of the weighted scores show that the **Dash** most nearly meets the wants/goals (or put another way, has the most "benefits"). Dash meets all the requirements and solves the problem !!!




Uncover and handle problems

(problem analysis)

- State the problem (definition and description of the problem)
- Specify the problem by asking what is and what is not, who is and who is not...
- Develop possible causes of the problem (similar to CRT or Ishikawa approaches) - > Detection
- Test and verify possible causes
- Determine the most probable cause (Root cause)
- Verify any assumptions
- Try the best possible solution and monitor what will be a situation after applied correctives step




Decomposition, priorities and causes



Example of problem manifestation

(decrease of performance)



Final effect of the **Change** = **PROBLEM** (e.g. server crashed, hard disk with database crashed)

Then we have to ask: Who, What, Where, When, and to what Extent –Size (how much, how many)?

Server crashed !!!! (home study !!!)

- Server crashed (this is a very poor and not clear problem definition)
- The e-mail system crashed after the 3rd shift support engineer applied hot-fix XYZ to Exchange Server 123 (better definition of the problem)
- Comment: WHO is not mentioned here but could be: Different staff (3 shift) –see table

	IS	COULD BE but I	IS NOT	DIFFERENCES	CHANGES
WHAT	System failure	Similar systems/situations not failed	Similar systems/situations not failed ?		?
WHERE	Failure location	Other locations that did not fail	?		?
WHEN	Failure time	Other times where failure did not occur	?		?
EXTENT	Other failed systems	Other systems without failure	?		?

	IS	COULD BE but IS NOT	DIFFERENCES	CHANGES
WHAT	Exchange Server 123 crashed upon application of hot-fix XYZ	Other Exchange Servers getting hot-fix XYZ	Different staff (3rd shift) applied this hot-fix	New patch procedure from vendor
WHERE	3rd floor production room without vendor/ contractor support	Anywhere else with vendor/ contractor support	Normally done by vendor	New procedure, first time 3rd shift applies hot-fixes
WHEN	Last night, 1:35am	Any other time or location	None noted	
EXTENT	Any Exchange Server on 3rd floor	Other servers		

History (and best practice) says that the root cause of the problem is probably due to some recent change. WHAT, WHERE, WHEN and EXTENT will be shown on next slides

Test the Most Probable Cause

(home study !!!)

Clarifying problem Analysis (example)

Potential root cause:	True if:	Probable root cause?
Exchange Server 123 has something wrong with it	Only Exchange Server 123 has this problem	Maybe
Procedure incorrect	Same procedure crashes another server	Probably
Technician error	Problem did not always reoccur	Probably not

We have to ask (where Qi =QUESTION i):

Question	IS	IS NOT		
What (identify)	O1	Q2		
Where (locate)	Q3	Q4	See next slides	
When (timing)	Q 5	Q6		4
Extent (magnitude)	Q7	Q8		

Problem Analysis - What

Is

- What specific object(s) has the deviation?
- What is the specific deviation?

Example for Is:

- What specific **object IS** related to the defect? Inventory Valuation Objects in **database A**
- 2. What specifically is the defect (deviation)? Inventory Adjustment does not work

1-> see setup of the database and see differences

2->see algorithm used for calculation and parameter used. You can see , that in production calculation related algorithm is not functional

Is Not


- What similar object(s) could have the deviation, but does not? (It did not happen)
- What other deviations could be reasonably observed, but are not? (It did not happen)

Example for Is Not:


- What specific **object IS NOT** related to the defect?
 Inventory Valuation Objects in **database B**
- 2. What specifically is not the defect (deviation)?

 Adjustment is working good setup in database B
- 1 -> Setup has another parameter **ON**
- 2-> Algorithm is also used for production where not error occurs

See two MS Dynamics NAV setup screens (related to the problem specified recently)



Apology- we go back to this strange individual habits



Back to vampires: Problem Analysis - What

Is

 What specific object(s) has the deviation?

What is the specific deviation? - bites on the neck

Example for **Is**:

1. Nice young girl's neck and strange look of anemic person





Is Not

 What similar object(s) could have the deviation, but does not? (It did not happen)



What could the specific deviation? but does not? (It did not happen) – bites, anemia

Example of **Is Not**:

- 1. Girl with garlic in her hands
- 2. No bites
- 3. Healthy



Example for What IS and What IS NOT

Customer X and Customer Y both use product B but only to customer X was sent the wrong product so the object IS Customer X, but IS NOT Customer Y



Example for When and IS and IS NOT

Customer X and Customer Y both use product B but only customer X was sent the wrong product if Salesman Tony was on holiday in this time and Saleswomen Linda was in charge, so the object IS Saleswomen Linda, but IS NOT Salesman Tony



Another example for What IS and What IS NOT as well as Where IS and Where IS NOT

IS girl Sarah visited Dracula lower castle without a bunch of garlic, but IS NOT not the one (Emily) having a bunch of garlic and visiting Špilberk castle in Brno



Dracula Castle (Where IS)



Špilberk Brno (Where IS NOT)





Problem Analysis - Where

Is

- Where is the object when the deviation is observed? (geographically)
- Where is the deviation on the object?

Example for IS:

1. The old castle in the mountains (Romania)

Where IS: Romanian Carpathian mountains where it is very easy to meet many vampires there

Is Not

- Where else could the object be when the deviation is observed, but is not?
- Where else could the deviation be located on the object, but is not?

Example for IS NOT

 Brno castle Špilberk
 Where IS NOT possible to meet vampires (only lovers and children and seniors)

Problem Analysis - Extent

Is

- How many objects have the deviation?
- What is the size of a single deviation?
- How many deviations are on each object?
- What is the trend?
 - Occurrences?
 - Size?

Is Not


- How many objects could have the deviation, but don't?
- What other size could a deviation be, but isn't?
- How many deviations could there be on each object, but are not?
- What could be the trend, but isn't?
 - Occurrences?
 - Size?

37


Let's Look At Some Problems!

Systematic Problem Solving and Decision making Overview

Problem Definition Process



Decision Making Process



Planning the Next Steps

- Problem Analysis
 - Do we have a deviation?
 - Is the cause unknown?
 - Is it important to know the cause to take effective action?
- If the answer is YES to ALL three listed problems above, than you have a big problem, Huston!

Problem analysis table template (Home study)

		IS	IS NOT	Distinction	Cause
What	Identify:	What is problem?	What is not problem?	What difference between is and is not?	What is possible cause?
Where	Locate:	Where is problem found?	Where is problem not found?	What difference in locations?	What cause?
When	Timing:	When does problem occur?	When does problem not occur?	What difference in timing?	What cause?
		When was it first observed?	When was it last observed?	What difference between 1st, last?	What cause?
Extent	Magnitude:	How far does problem extend?	How localized is problem?	What is the distinction?	What cause?
		How many units are affected?	How many not affected?	What is the distinction?	What cause?
		How much of any one unit is affected?	How much of any one unit is not affected?	What is the distinction?	What cause?

Problem description (example)

On a new model of airplane, flight attendants develop rash on arms, hands, face (only those places). It only occurs on flights over water.

Usually disappears after 24 hours. No problems on old planes over those routes.

Does not affect all attendants on these flights, but same number of attendants get it on each flight. Those who get rash have no other ill effects.

No measurable chemicals, etc., in cabin air.

Rash arm ->



Problem analysis real table

	IS	IS NOT	DISTINCTION
WHAT:	Rash	Other illness	External contact
WHEN:	New planes used	Old planes used	Different materials
WHERE:	Flights over water	Flights over land	Different crew procedures
EXTENT:	Face, hands, arms	Other parts	Something contacting face, hands and arms
	Only some attendants	All attendants	Crew duties

Distinction=Difference

Comment: specification is very simplified-> all aircraft use life jackets regardless Of the type of fly (over water or over land)

Results

Only a part of the cabin crew shows how a life jacket is worn over their heads. In new airplanes, the life jackets were treated with powder chemicals that cause a rash on contact with the skin.

Moreover, the deployment of life jackets is not presented on-air routes outside the oceans and seas.



WORLD CUP & QUALITY MANAGEMENT

SAMUEL K. M. HO

Keywords: Quality Management, World Cup, problem solving

Abstract: In the semi-final World Cup 1990, England lost to West Germany in the penalty knockout. The Italian team had similar experience when they lost to Brazil in the World Cup final 1994. History repeats itself -- in WC'98, England lost to Argentina and Italy lost to France by the same mistakes. In an attempt to audit the defeats, the author developed the S-H Method of managerial auditing and used the World Cup match examples to illustrate the significance of the S-H Method in auditing managerial processes.

Author: prof. Samuel K.M Ho, School of Business, Hong Kong Baptist University, Hong Kong

Rule #1: In a successful penalty-shoot, the ball ends up in the goal away from the goal-keeper's reach. The most likely positions are those along the inside edges of the goal-posts, the higher the better, provided that the ball does not go over the bar. The football player must target these points.

Rule #2: The shooter should assume that there is nobody at all in the field, and concentrate on shooting the ball into the positions defined as the best.

ENGLAND		WEST GERMANY			
Goal	Player	Result & Analysis	Goal	Player	Result
E1	Lineker	In	W1	Brehme	In
E2	Beardsley	In		Matthaeus	In
E3	P1att	In despite being touched by the goal- keeper	W3	Riedle	In
E4	Pearce	Ball caught by the goal-keeper (violating Rule #1)	W4	Thon	In
E5	Waddle	Ball flew above the goal (violating Rule #2)		WON	

Table 1 Score Table of Penalty-shoot Knock-out -- World Cup Semi-final 1990: England vs. West Germany




Figure 3

Approximate Positions of Penalty-shoot Goals -- World Cup Semi-final 1990: England (E) vs. West Germany (W) (Underlined balls indicate missing shoots)

Example of analysis (only as an interesting example)

	Is the problem?	Is as expected?	The point of change
What	Weak penalty shooting	Performance during the match	Difference in penalty shoot-out tactics
Who	Two out of the five England players	German players	The way some players struck the ball
When	After 120 minutes of football	During the match	Penalty shoot-out took place after a long and tiring match
Where	At the points easily reached by the goal- keeper Above the bar	At the positions near the posts, inside the goal (E2 and E3)	Ball easily caught by the goalkeeper or ended up outside the goal
How significant	Two failures out of five attempts	The German team did not miss out of four attempts	Very significant
Possible causes	1 Some players not for	llowing rule 1	

and have forgotten about rule 2

Lack of proper training based on rules 1 and 2

Certain players are incapable of shooting the ball at the right spot

Some players are affected psychologically by the presence of the goalkeeper

- WHAT -- Lack of proper training led to the weak penalty-shooting, mostly due to players not adhering to Rule #1 (see).
- WHO -- A significant number of players were making the mistake as a result of insufficient training.
- WHEN -- When players are tired, the physical condition may affect their decision making. This is why training is important.
- WHERE -- More stringent training on correct shooting (Rule #1).
- HOW SIGNIFICANT The importance of the match makes the problem very significant. Therefore training must be thorough.

Thanks for Your attention

