

Scientific Clouds

Introduction

Boris Parák, Zdeněk Šustr

Masaryk University

CESNET

October 19, 2016



- ▶ Basic terminology
 - ▶ IaaS, PaaS, SaaS, XaaS, ...
 - ▶ opaque internal structure
 - ▶ resources on demand, *pay-as-you-go*
 - ▶ multi-tenant, multi-purpose
- ▶ Virtualization
 - ▶ compute (KVM, XEN, VMWare, HyperV, ...)
 - ▶ storage (block, object, fs, ...)
 - ▶ network (VLAN, VXLAN, ... *SDN*)
- ▶ Application deployment
 - ▶ designed for application-level horizontal scaling
 - ▶ replication, distributed consensus, self-healing
 - ▶ automated life-cycle processes, continuous integration and deployment

- ▶ Computing intensive tasks → *HPC*
- ▶ Data intensive tasks → *Big Data*
- ▶ Users often requiring assistance as well as resources
- ▶ National providers targeting academic/research communities

– HPC Clouds –

- ▶ Require flexibility (OS, HW, network, . . .)
- ▶ Make use of scalability, even on demand if supported
- ▶ User in control of the execution environment
 - additional responsibilities
 - higher skill requirements
- ▶ Wide variety of types (GPGPU, legacy, bleeding edge, . . .)

- ▶ HPC vs. AWS-like end-user services
→ scientific grants from Amazon/Microsoft
- ▶ No “paying” customers (fairness in resource allocation)
- ▶ Expectation of assistance (looking for a research partner)
- ▶ Often working with open data, wanting to share the results

- ▶ No overcommitment of resources
- ▶ I/O performance often critical (disks, network)
- ▶ Tools for sharing data/results or restricting access
- ▶ Heterogeneous infrastructure and user requirements


– MetaCloud –

Infrastructure Example

- ▶ OpenNebula cloud management framework (open source)
- ▶ KVM with *libvirt* on a mixed fleet of Debian/CentOS nodes
- ▶ Kerberos and X.509 authentication for users (GUI and API)

Sandbox and Reference architecture:

- ▶ <http://opennebula.org/tryout/sandboxvirtualbox/>
- ▶ <https://goo.gl/470wce>



Logical CPUs (cores)	4488
Memory (TB)	37.6
Central storage (TB)	38
Node storage (TB)	369
Physical hosts	246
Appliances in catalog	730
Virtual networks	539

- ▶ Open to everyone in the Czech academic community
 - ▶ Resources from MetaCentrum (CESNET) and CERIT-SC (MU)
 - ▶ User payment → publications
-
- ▶ Registration – <https://goo.gl/3gGGjW>
 - ▶ GUI – <https://cloud.metacentrum.cz/>

Virtual Machines

oneadmin

OpenNebula

 Dashboard System Virtual Resources Virtual Machines Templates Images Files & Kernels Infrastructure Marketplace OneFlow Support

Search

	ID	Owner	Group	Name	Status	Host	IPs	VNC
<input type="checkbox"/>	14	John	BlueVDC	Frontend_0_(service_5)	RUNNING	dev2	192.168.1.13	
<input type="checkbox"/>	13	John	BlueVDC	DB_0_(service_5)	RUNNING	dev1	192.168.1.12	
<input type="checkbox"/>	12	John	BlueVDC	Worker_0_(service_4)	RUNNING	dev2	192.168.1.11	
<input type="checkbox"/>	11	John	BlueVDC	Master_0_(service_4)	RUNNING	dev1	192.168.1.10	
<input type="checkbox"/>	10	John	BlueVDC	Slave_2_(service_3)	RUNNING	dev2	192.168.1.9	
<input type="checkbox"/>	9	John	BlueVDC	Slave_1_(service_3)	RUNNING	dev1	192.168.1.8	
<input type="checkbox"/>	8	John	BlueVDC	Slave_0_(service_3)	RUNNING	dev2	192.168.1.7	
<input type="checkbox"/>	6	Doe	BlueVDC	Sinatra - Mongo	RUNNING	dev2	192.168.1.5	
<input type="checkbox"/>	5	BlueVDC-admin	BlueVDC	Testing Env	RUNNING	dev1	192.168.1.4	
<input type="checkbox"/>	4	BlueVDC-admin	BlueVDC	Prod Machine	RUNNING	dev2	192.168.1.3	

Showing 1 to 10 of 14 entries

1 2 » 10

15 TOTAL 13 ACTIVE 2 OFF 0 PENDING 0 FAILED

OpenNebula 4.8.0 by C12G Labs.

1. Get a personal certificate at <http://goo.gl/CDsdIJ>
2. Register your personal certificate at <https://goo.gl/NL2zB8>
3. Export your certificate from the browser
→ see a step-by-step conversion guide at <http://goo.gl/GzKjJX>

For more information, see <https://goo.gl/fDosgK>

```
$ oneuser login $USERNAME --x509 --force \
    --cert usercert.pem --key userkey.pem

$ onetemplate list
...
3397 oneadmin metacloud METACLOUD-Ubuntu-Docker-14.04
...

$ onetemplate instantiate 3397 --name MyPA200Instance
ID: ...

$ onevm show $INSTANCE_ID
...
VM NICS
## IP address(es) HERE
...


$ onevm shutdown $INSTANCE_ID --hard
```


Adding “`--xml`” to commands gives machine-readable output!

– EGI Federated Cloud –

Infrastructure Example

<https://www.egi.eu/federation/egi-federated-cloud/>





– How To Use Cloud? –

- ▶ Automated and repeatable installation (and configuration)
- ▶ Possible approaches:
 - ▶ custom scripting (bash, powershell)
 - ▶ Ansible – <https://www.ansible.com/>
 - ▶ SaltStack – <https://saltstack.com/>
 - ▶ Chef – https://docs.chef.io/chef_solo.html
 - ▶ Puppet – <https://puppet.com/>
- ▶ Often used in combination with containers

– That's All Folks! –

...

Do you have any questions?

- ▶ ask **NOW!**
- ▶ ask us directly at parak@cesnet.cz or sustr4@cesnet.cz
- ▶ send your questions to cloud@metacentrum.cz