





## MASARYKOVA UNIVERZITA

#### **Fotis Liarokapis**



### PV182 **Human Computer Interaction**

Lecture 1

Introduction to Human-Computer Interaction

Fotis Liarokapis liarokap@fi.muni.cz

17th September 2018

- · PhD in Computer Engineering
  - University of Sussex, UK
- MSc in Computer Graphics and Virtual Environments
  - University of Hull, UK
- BSc in Computer Systems Engineering
  - University of Sussex, UK





#### My Research









- · Research areas:
- Virtual Reality
  - Augmented Reality
  - Brain-computer Interfaces
  - Procedural Modeling
  - Serious Games





- liarokap@fi.muni.cz
- Telephone:
  - 549493948
- · Office Location:
  - C411
- · Office Hour:
  - Tuesday 10:00 to 11:00





#### Course Details







### **Course Objectives**




- Lectures
  - Every Monday
  - Time: 13:00 to 14:00
  - Location: A318

- · The course deals with basics of humancomputer interaction
- · It is focused on psychological and physiological aspects of interface design, graphical user interface design and its usability assessment



#### **Learning Outcomes**







- · After finishing the course students
  - Will be able to evaluate existing screen designs
  - Will practice in developing human-computer interfaces with respect to a usability
  - Will be able to assess the usability of SW products
  - Will understand the usability issues of products in general
  - Will gain practical knowledge of designing process based on in-depth knowledge of high and low level models of human-computer interaction

- Introduction to human computer interaction. Task-centred system design
- High level models of human-computer behaviour
- User-centred design and prototyping
- Evaluating interfaces with users
- Evaluation controlled experiments
- · Design of everyday things
- Representations, visual variables, metaphors and direct manipulation
- Evaluation based on cognitive models
- Graphical screen design
- Physical user interfaces
- Heuristic evaluation of interfaces



### **Teaching Methods**






#### Labs



- Delivery of the material will be based on
- Expositional lectures
- Reinforced by computer demonstrations of the application of the material
- Video demonstrations





- Elaboration of details
- Learn specific skills
- Discuss intermediate results
- Class feedback on assignment milestones





#### Assessment Methods



- Project is split in 5 HWA solved mostly in a lab using specialized software
  - Steps include a design of interface for a specific purpose: from a paper prototype to complete GUI design
  - Every step is graded 0-10 points
  - Points exceeding limit 20 are added as bonus to the grading of a written exam



- 5 questions, 90 minutes



## Plagiarism and Cheating



- If you use an external resource cite it clearly!
- Don't do things that would be considered dishonest... if in doubt ask
- · Cheating earns you:
  - Fail in the class
  - Getting reported to the University
  - No exceptions









#### Literature

- MULLET, Kevin and Darrell SANO. Designing visual interfaces: communication oriented techniques. Englewood Cliffs, NJ: SunSoft Press, 1995. xv, 273. ISBN 0133033899.
- PREECE, Jenny. Human computer interaction. Harlow: Addison-Wesley, 1994. xxxviii, 7. ISBN 0-201-62769-8
- DIX Alan, FINLAY Janet E., ABOWD Gregory D., BEALE Russell, Human-Computer Interaction (3rd Edition), Pearson Education Ltd, 2004. ISBN-10: 0130461091

## History of HCI



# RAND's vision of the Future





# RAND's vision of the Future




- · Scientists from the RAND Corporation have created this model to illustrate how a "home computer" could look like in the year 2004
- · However the needed technology will not be economically feasible for the average home
- Also the scientists readily admit that the computer will require not yet invented technology to actually work, but 50 years from now scientific progress is expected to solve these problems
- · With teletype interface and the Fortran language, the computer will be easy to use



### Eniac (1943)









• A general view of the ENIAC, the world's first all electronic numerical integrator and computer




• The Mark I paper tape readers





## 'As We May Think' (1945)







- · Vannevar Bush identified the information storage and retrieval problem:
  - New knowledge does not reach the people who could benefit from it
- · Desired for a sort of collective memory machine with his concept of the memex that would make knowledge more accessible
  - Memex was the hypothetical proto-hypertext system



- Conceiving Hypertext and the World Wide Web
  - A device where individuals stores all personal books, records, communications etc
  - Items retrieved rapidly through indexing, keywords, cross references,...
  - Can annotate text with margin notes, comments...
  - Can construct and save a trail (chain of links) through the material
  - Acts as an external memory!



#### Bush's Memex.






### Ball Tracker System (1946)



- · Bush's Memex based on microfilm records!
  - Not implemented



- · Ralph Benjamin invented a ball tracker system called the roller ball in 1946
  - Invented as part of a post-World War II-era radar plotting system named Comprehensive Display System (CDS)
  - Kept as a military secret for a few years!
  - Only fully implemented as a usable device by the Canadian navy some years later in its Digital Automated Tracking and Radar system (DATAR)

#### **IBM SSEC (1948)**









- IBM Selective Sequence **Electronic Calculator** (SSEC) was an electromechanical computer built by IBM
  - Design started in late 1944
  - Operated from January 1948 to 1952



- · The DATAR was a method of giving all ships within a particular fleet a "single view" of their operational status
  - Collated information provided by sensors placed on board of each vessel





### DATAR (1952-1953).





## J.C.R. Licklider (1960)



· The trackball could be used by operators of the system to manage and upload this data to the main DATAR mainframe for processing and regurgitation back to each ship



- The actual hardware used to display this information was adapted from a radar screen

· Outlined "man-computer symbiosis"

"The hope is that, in not too many years, human brains and computing machines will be coupled together very tightly and that the resulting partnership will think as no human brain has ever thought and process data in a way not approached by the information-handling machines we know today."



# UBM 7030 - Stretch (1961-62)








#### SketchPad (1963)




- The IBM 7030, also known as Stretch, was IBM's first transistorized supercomputer
- Fastest computer in the world from 1961 until 1964
  - The first CDC 6600 became operational in 1964







Ivan Sutherland's







## SketchPad Concepts (1963)



- · Hierarchical structures:
  - Defined pictures and subpictures
- · Object-oriented programming:
  - Master picture with instances
- · Constraints:
  - Details which the system maintains through changes
- - Small pictures that represent more complex items

- · Copying:
  - Pictures and constraints
- Input techniques:
- Efficient use of light pen
- World coordinates
  - Separation of screen from drawing coordinates
- · Recursive operations
  - Applied to children of hierarchical objects



## First Mouse Prototype (1964)



- · Bill English joined ARC, where he helped Engelbart build the first mouse prototype
- Early models had a cord attached to the rear part of the device which looked like a tail
  - This resembled to the common mouse





uglas Engelbart holding the first computer m





### Xerox Alto (1973)



# The Xerox Alto Mouse (1973)



• The Xerox Alto was the first computer designed from its inception to support an operating system based on a graphical user interface (GUI)

- Later using the desktop metaphor



· The first mouse driven GUI computer

· Featured:


- A three button mouse
- Utilised a steel ball






### ALTAIR 8800 (1974)







- Based on the Intel 8080 CPU







### Xerox Star 8010 (1981)



- · First commercial personal computer designed for 'business professionals'
  - Introductory price : \$16,500 (equivalent to \$43,467 in 2016)
  - Discontinued: 1985
- Incorporated various technologies that have since become standard in personal computers
  - i.e. a bitmapped display, a window-based graphical user interface, icons, folders, mouse (two-button), Ethernet networking, file servers, print servers, and e-mail



 $\triangle$ 



### Apple Lisa (1983)



- · Based upon many ideas in the Star
  - Predecessor of Macintosh
  - Somewhat cheaper (\$10,000)
  - Commercial failure



· Succeeded because:



- Learnt from mistakes of Lisa and corrected them - ideas now "mature"

Macintosh 128K (1984)

- Market now ready for them
- Developer's toolkit encouraged 3rd party non-Apple software
- Interface guidelines encouraged consistency between applications
- Domination in desktop publishing because of affordable laser printer and excellent graphics




6

 $\triangle$ 

 $\triangle$ 

# Logitech Wireless Mouse (1991)




- · In 1991, Logitech released the first wireless mouse:
  - Logitech's Cordless MouseMan
- · Before released:
  - 1982: a 3-button mouse in
  - 1990: introduced the MouseMan Left, MouseMan Right and MouseMan Large





## Logitech MX-1000 (2004)



- Made the mouse experience a lot smoother





### Magic Mouse (2009)

- · Apple released the Magic Mouse in 2009
- Minimalist design
- · Multi-touch pad









#### Other Events



- MIT Architecture Machine Group
  - Nicholas Negroponte (1969-1980+) with many innovative inventions:
    - wall sized displays
    - · use of video disks
    - · use of artificial intelligence in interfaces (idea of agents)
    - · speech recognition merged with pointing
    - speech production
    - multimedia hypertext
- ACM SIGCHI (1982)
  - special interest group on computer-human interaction
  - conferences draw between 2000-3000 people
- **HCI Journals** 
  - Int J Man Machine Studies (1969)
- many others since 1982





 $\forall$ 



#### Definition

 $\triangle$ 

 "Human–computer interaction (commonly referred to as HCI) researches the design and use of computer technology, focused on the interfaces between people (users) and computers. Researchers in the field of HCl both observe the ways in which humans interact with computers and design technologies that let humans As a field of research, human-computer interaction is situated at the intersection of computer science, behavioral sciences, design, media studies, and several other fields of study."

Introduction to HCI

7



### The Field of HCI







#### What is HCI?



· Human-Computer Interaction






#### Advanced HCI?











- Cheaper/available computers/workstations meant people more important than machines
- Excellent interface ideas modeled after human needs instead of system needs (user centered design)
- Evolution of ideas into products through several generations
  - Pioneer systems developed innovative designs, but often commercially unviable
  - Settler systems incorporated (many years later) wellresearched designs
- People no longer willing to accept products with poor interfaces



#### **HCI** Discipline









A discipline concerned with the:



of interactive computing systems for human use

 "Human-computer interaction is a discipline concerned with the design, evaluation and implementation of interactive computing systems for human use and with the study of major phenomena surrounding them."

Association for Computing Machinery (ACM)




### Three paradigms of HCI

 $\triangle$ 

Three paradigms of HCI.



• The Three Paradigms of HCI Harrison, Tatar and Sengers, CHI 2007







|                               | 1st HCI Paradigm<br>Human Factors<br>Engineering                     | 2nd HCI Paradigm<br>Classical Cognitivism<br>Information  | 3rd HCI Paradigm<br>Embodied Cognition<br>Interaction   |
|-------------------------------|--|---|---|
| Metaphor of<br>Interaction    | Interaction as Man-<br>Machine Coupling                              | Interaction as<br>Information Transfer  | Interaction as<br>Phenomenologically Situated   |
| Central Goal for Interaction  | Optimise fit between man and machine                                 | Optimise accuracy and<br>Efficiency of Information<br>Transfer  | Support of Situation Action in the World  |
| Typical Questions of Interest | How can we fix<br>specific problems<br>that arise in<br>Interaction? | What mismatches arise in communication between humans and computers? How can we accurately model what people do? How can improve the efficiency of HCI? | What existing situated activities should we support? How do users appropriate technology? How can we support interaction with constraining it by what a computer can do/understand? What is the wider context roles, politics and values? |
|                               |  |   |   |



## Three paradigms of HCI ..



|  | 1st HCI Paradigm<br>Human Factors<br>Engineering | 2nd HCI Paradigm<br>Classical Cognitivism<br>Information  | 3rd HCI Paradigm<br>Embodied Cognition<br>Interaction  |
|--|--|---|--|
| Appropriate Disciplines for Interaction  | Engineering,<br>Programming,<br>Ergonomics       | Laboratory and<br>Theoretical Behavioural<br>Science  | Ethnography, Action Research<br>Ethnomethodology, Interaction<br>Design, User Centred Design |
| Desirable<br>Methodologies               | Cool Hacks                                       | Verifiable Quantitative<br>design and evaluation<br>methods that can be<br>applied regardless of<br>context | A palette of situated design and evaluation strategies                                       |
| Legitimate kinds of Knowledge            | Pragmatic Objective<br>Details                   | Objective facts and models with general applicability   | Thick Description of Context and Stakeholder Concerns.                                       |
| How do you know<br>something is<br>True? | You Tried it out and it worked                   | You confirm of refute<br>your hypothesis based<br>on a statistical analysis<br>of the evidence              | You argue about the relationship between your data and what you seek to understand           |




## Three paradigms of HCI ...



|        | 1st HCI Paradigm   | 2nd HCI Paradigm   | 3rd HCI Paradigm  |
|--------|--|--|---|
|        | Human Factors  | Classical Cognitivism  | Embodied Cognition  |
|        | Engineering  | Information  | Interaction   |
| Values | Reduce errors and<br>make it work.<br>Ad Hoc is OK.<br>Cool Hacks that<br>exploit a specific<br>instance are desired | Optimisation.  Tive for Objective, Abstract, Quantitative, Generalizable Knowledge wherever possible. Principled evaluation is a priori better than ad hoc, since design can be structured to sulte this paradigm. Structured Design better than un- structured. Reduce Ambiguity Top Down | Construction of meaning is intrinsic to and unfolds from interaction. What goes on around systems is more interesting than what's happening at the interface. Zensign' - what you don't buil is as important and what you do build. Goal is to grapple with the full complexity around the system. Knowledge can not jus be a powerful abstraction but can be embedded in the worfd as hidden context and tacit skil which is revealed through engagement |




# Which HCI Paradigm is Correct?












## Why Interface Design Process?





- · Managers gave four usabilityrelated reasons
  - Users requested changes
  - Overlooked tasks
  - Users did not understand their own requirements
  - Insufficient user-developer communication and understanding



## Why Interface Design Process? .

- · Usability engineering is software engineering
  - Pay a little now, or pay a lot later!
  - Far too easy to jump into detailed design that is:
    - · founded on incorrect requirements
    - · has inappropriate dialogue flow
    - · is not easily used
    - is never tested until it is too late



## Foundations for designing interfaces



- · Understanding users and their tasks
  - Task-centered system design
    - · How to develop task examples
    - · How to evaluate designs through a task-centered walkthrough



## Foundations for designing interfaces .



- · Designing with the user
  - User centered design and prototyping
    - · methods for designing with the user
    - · low and medium fidelity prototyping
  - Evaluating interfaces with users
    - the role of evaluation in interface design
    - · how to observe people using systems to detect interface problems



## Foundations for designing interfaces ...



#### · Designing visual interfaces

- Design of everyday things
  - What makes visual design work?
- Beyond screen design
  - · Representations and metaphors
- Graphical screen design
  - The placement of interface components on a screen



## Foundations for designing interfaces ...



- · Principles for design
  - Design principles, guidelines, and usability heuristics
    - · Using guidelines to design and discover usability problems









### Computer



· What is a computer?

## Computer





## **Nowadays Many Mediums**





## Mobile and Social Media



- · Mobile and Social Media
- Social Computing
- · Virtual and Augmented Reality
- · Ubiquitous Computing
- Tangible Computing
- Brain-Computer Interfaces



- Smart Phones
- · Apps vs HTML5
- · Location Based Services (LBS)
- **Communication and Content** Creation
- A post PC era of phones and tablets?
- Constantly changing interactions, social context and place.
- Twitter, Facebook, Foursquare, Google Maps






## **Social Computing**



- · Computer Supported Collaborative Working (CSCW)
- · Beyond immediate interaction to a web of surrounding relations
- · Ethnography, Ethnomethodology
- · Actual Practices







- Virtual Worlds Simulation, immersion
- · Second Life, Massive Multiplayer Online Role Playing Games MMORPG
- Virtual Reality A separate virtual place
- HeadMounted Displays, Caves
- Augmented Reality The Real World Plus
- Tablets, Phones, Google Glasses





## **Ubiquitous Computing**



#### MASARYKOVA UNIVERZITA **Tangible Computing**



- Computers omnipresent but "invisible"
- · Computers escape from the desktop and disappear
- · Wireless, Wearable, Small, Embedded
- · RFID tags,
- Micro-controllers, Speckled computing, Machine to Machine
- Internet of Things (IoT)



- · Physical Interface
- · Use of Embodied skills
- · Rich tactile and proprioceptive feedback
- Physical affordances and constraints of the physical world





### **Brain-Computer Interfaces**










- BCI is a direct communication pathway between an enhanced or wired brain and an external device
  - Research on BCIs began in the 1970s at the University of California, Los Angeles (UCLA)
  - More to come ...





- HCI is one of the most important disciplines of Computing and Engineering
- · Traditional HCI is changing
  - What will be the new technology that will dominate?











· Prof. Ing. Jiří Sochor



