Lesson 1 – Introduction PV227 – GPU Rendering

Jiří Chmelík, Jan Čejka Fakulta informatiky Masarykovy univerzity

19. 09. 2018

Organization

Introduction

- Shading Languages
- Repetition of knowledge
- 3 Toon-shading, cel-shading
 - Toon-shading
 - Cel-shading
 - Food for thought

Organization

2 Introduction

- Shading Languages
- Repetition of knowledge
- Toon-shading, cel-shading
 Toon-shading
 - Cel-shading
 - Food for thought

Course

Teaching method = seminars \rightarrow active participation . . .

Course

Teaching method = seminars \rightarrow active participation . . .



Figure: Taken from weebly.com

PV227 - GPU Rendering (FI MUNI)

Lesson 1 - Introduction

Course – curriculum

- Introduction, Repetition, Toon Shading
- Shadows
- Deferred shading
- SSAO, DoF
- HDR, bloom
- Particle systems, compute shaders
- Geometry shaders
- Tessallation shaders
- Microfacets
- Physically Based Rendering, IBL
- Vulkan
- Parallax Occlusion Mapping

Course

Used technologies:

- Windows
- Visual Studio 2015
- C++
- OpenGL
- Libraries
 - FreeGLUT
 - ► GLM
 - GLEW
 - DevIL
 - AntTweakBar

Requirements

To successfully pass the course:

- no more than 2 absences,
- two assignments:
 - individual, home work,
 - two weeks limit,
 - ► oral presentation.

Expectations:

- programming skills: C, C++
- knowledge of OpenGL (PV112)
- basic knowledge of basics principles of computer graphics (PB009)

Requirements

To successfully pass the course:

- no more than 2 absences,
- two assignments:
 - individual, home work,
 - two weeks limit,
 - ► oral presentation.

Expectations:

- programming skills: C, C++
- knowledge of OpenGL (PV112)
- basic knowledge of basics principles of computer graphics (PB009)

Contacts

- Jiří Chmelík
 - ▶ office: A412
 - e-mail: jchmelik@mail.muni.cz

- Jan Čejka
 - office: A419
 - e-mail: 324987@mail.muni.cz

Want to know more about GPUs?

PV197 – GPU Programming, Jiří Filipovič:

- Introduction: motivation for GPU programming, GPU architecture, overview of parallelism model, basics of CUDA, first demonstration code
- GPU hardware and parallelism: detailed hardware description, synchronization, calculation on GPU – rate of instruction processing, arithmetic precision, example of different approaches to matrix multiplication – naive versus block-based
- Performance of GPUs: memory access optimization, instructions perormance, example of matrix transposition
- CUDA, tools and libraries: detailed description of CUDA API, compilation using nvcc, debugging, profiling, basic libraries, project assignment
- Optimization: general rules for algorithm design for GPU, revision of matrix multiplication, parallel reduction
- Parallelism in general: problem decomposition, dependence analysis, design analysis, parallel patterns
- Metrics of efficiency for GPU: parallel GPU and CPU usage, metrics for performance prediction of GPU code, demonstration using graphics algorithms, principles of performance measurement
- OpenCL: introduction to OpenCL, differences comparing to CUDA, exploiting OpenCL for hardware not accessible from CUDA

```
• . . .
```

Organization

Introduction

- Shading Languages
- Repetition of knowledge
- Toon-shading, cel-shading
 Toon-shading
 - Cel-shading
 - Food for thought

Organization

IntroductionShading Languages

- Repetition of knowledge
- Toon-shading, cel-shading
 Toon-shading
 - Cel-shading
 - Food for thought

- Cg (C for Graphics), by NVIDIA no longer under active development,
- HLSL (High Level Shading Language), by Microsoft,
- GLSL (OpenGL Shading Language), by Khronos Group.
- Vulkan + SPIR-V, by Khronos Group.

- almost the same capabilities,
- conversion tools exist,
- Cg and HLSL very similar (different setup),
- HLSL DirectX only, GLSL OpenGL only, Cg for both \rightarrow different platforms supported.

Chosen Language

We will use GLSL in this course:

- open standard (same as OpenGL),
- no install needed,
- all platforms, all vendors.

Will will use GLSL 4.30 for OpenGL 4.3

- newer features will be mentioned but not demonstrated,
- NVIDIA 400 family supports OpenGL 4.5
- NVIDIA 600 family supports Vulkan

Organizatior

Introduction

- Shading Languages
- Repetition of knowledge
- Toon-shading, cel-shading
 Toon-shading
 - Cel-shading
 - Food for thought

Repeat the knowledge of PV112, everyone at home as homework

- See Repetition.pdf in IS
- Understand project Repetition in IS

1 Organization

2 Introduction

- Shading Languages
- Repetition of knowledge


3


Toon-shading, cel-shading • Toon-shading

- Cel-shading
- Food for thought

1. Lesson: Toon-shading, cel-shading







Cel-shading

Toon-shading

PV227 - GPU Rendering (FI MUNI)

Lesson 1 - Introduction

Download and prepare source code from IS:

- Download and unzip PV227.zip
- Download and unzip Cv1.zip

Open **Cv1.sln** in Visual Studio, and compile and run the source code.

Diffuse lighting: use only several intensities of the light




Without toon-shading



With toon-shading

Toon-shading: diffuse lighting



PV227 - GPU Rendering (FI MUNI)

 Task 1: Implement toon-shading for diffuse lighting for objects without textures.

Hint: Look for "Task 1" in notexture_fragment.glsl

Specular lighting: the same as diffuse lighting, usually only a single white intensity.




Without specular highlight



With specular highlight

Toon-shading: specular lighting



PV227 - GPU Rendering (FI MUNI)

 Task 2: Implement toon-shading for specular lighting for objects without textures.

Hint: Look for "Task 2" in notexture_fragment.glsl

Toon-shading: textures

What about textures?

Use the textures you have



Create special textures



• Threshold the texture



Do not use textures



• Task 3: Implement toon-shading for diffuse and specular lighting for objects with textures.

Hint: Look for "Task 3" in texture_fragment.glsl

• Task 4: Threshold the color of the texture

Hint: Look for "Task 4" in texture_fragment.glsl

1 Organization

2 Introduction

- Shading Languages
- Repetition of knowledge



Toon-shading, cel-shading

- Toon-shading
- Cel-shading
- Food for thought

Cel-shading

Adds contours around objects.




Without contours



With contours

Contours, method 1: view direction

Check the angle between the normal and the view direction



black if $\vec{n} \cdot \vec{l} < threshold$

Contours, method 1: view direction

Good for round objects, bad for flat objects



Good



Bad, no contour



Bad, left side is black

Contours, method 2: enlarge object

Render black back faces of objects enlarged a bit along their normals,




then render the front faces as usual




Contours, method 3: Postprocessing


Use postprocessing to detect edges



Start with depths,



or normals,



and detect edges.

Choose one (or both if you are fast):

• Task 5a: (easier) Implement the first method, i.e., inspect the view direction.

Hint: Look for "Task 5a" in notexture_fragment.glsl and in texture_fragment.glsl

• Task 5b: (harder) Implement the second method, i.e., render the objects twice, first only the black faces in black, and then the front faces in a standard way.

Hint: Look for "Task 5b" in Cv1_main.cpp (two places).

1 Organization

2 Introduction

- Shading Languages
- Repetition of knowledge

3 Toon-shading, cel-shading

- Toon-shading
- Cel-shading
- Food for thought

Food for thought

- How to solve more lights? Threshold separate lights and then add the result together? Or vice versa, first add the lights together and then threshold the result?
- How to solve transparent objects, like glass, fog, or smoke?



Borderlands 2

Food for thought

 How about different thresholds for different materials? Think about 1D textures.



• How about different styles of the lines?



Taken from gatheryourparty.com

Topic of next seminar: Shadows

