

PA198 Augmented Reality Interfaces

Lecture 10
Collaborative AR Applications & Future

Fotis Liarokapis
liarokap@fi.muni.cz

15th October 2019

HCI LAB

Collaborative AR Applications

Collaboration

- Collaboration is working with others to do a task and to achieve shared goals
 - A recursive process where two or more people or organizations work together to realize shared goals



<https://en.wikipedia.org/wiki/Collaboration>

Collaborative Activities

- Collaboration
 - Business, Entertainment, etc
- Computer Supported Collaborative Work (CSCW)
- Groupware



Collaborative Learning

- Collaborative activities are most often based on four principles:
 - The learner or student is the primary focus of instruction
 - Interaction and 'doing' are of primary importance
 - Working in groups is an important mode of learning
 - Structured approaches to developing solutions to real-world problems should be incorporated into learning

<http://www.cte.cornell.edu/teaching-ideas/engaging-students/collaborative-learning.html>

Collaboration Tools Taxonomy

<u>Persistent Information</u>	<u>Real Time Information Exchange</u>
<ul style="list-style-type: none"> • Email • News group • Papers • Mail • Electronic Notebook 	<ul style="list-style-type: none"> • Telephone • Video Conference • Chat/White board • Shared authoring & applications • Shared VR space • Instrument control




Notebook is a chronological record of ideas, data and events.

<http://www.csm.ornl.gov/~jessit/java/applets/enote/Slides/Al1002.htm>

Blooms Taxonomy

Bloom's Taxonomy for Thinking



<https://sites.google.com/a/gpsu.edu/apps- iPad-apps/2008-s-taxonomy-m-learning>

Bloom's Taxonomy for iPads




Computer-Supported Cooperative Work (CSCW)

- The term computer-supported cooperative work (CSCW) was first coined by Irene Greif and Paul M. Cashman in 1984, at a workshop attended by individuals interested in using technology to support people in their work
- CSCW is a generic term, which combines the understanding of the way people work in groups with the enabling technologies of computer networking, and associated hardware, software, services and techniques

https://en.wikipedia.org/wiki/Computer-supported_cooperative_work

CSCW Matrix



https://en.wikipedia.org/wiki/Computer-supported_cooperative_work

Today's Technology

- Video Conferencing
 - Lack of spatial cues
 - Limited participants
 - 2D collaboration
- Collaborative Virtual Environments
 - Separation from real world
 - Reduced conversational cues



Billingshurst, M. Lecture 6: Collaborative AR Applications, HIT Lab NZ, University of Canterbury

Beyond Video Conferencing

- 2D Interface onto 3D
 - VRML, Web3D
- Projection Screen
 - CAVE, WorkBench
- Volumetric Display
 - Scanning laser
- Virtual Reality
 - Natural spatial cues



Billingshurst, M. Lecture 6: Collaborative AR Applications, HIT Lab NZ, University of Canterbury

HCI LAB

Beyond Virtual Reality

- Lessons from CSCW
 - Seamless
 - Enhance Reality
- Immersive Virtual Reality
 - Separates from real world
 - Reduces conversational cues



Billingshurst, M. Lecture 6: Collaborative AR Applications, HIT Lab NZ, University of Canterbury

HCI LAB

Future Collaboration ?

- Remote Conferencing
- Face to face Conferencing



Billingshurst, M. Lecture 6: Collaborative AR Applications, HIT Lab NZ, University of Canterbury

HCI LAB

AR & Collaboration

- Claim:
 - AR techniques can be used to provide spatial cues that significantly enhance face-to-face and remote collaboration on three-dimensional tasks

Billingshurst, M. Lecture 6: Collaborative AR Applications, HIT Lab NZ, University of Canterbury

HCI LAB

Construct3D [Kaufmann 2000]


- Collaborative geometry education tool
- Different learning modes
 - Teacher, student, exam
- Tangible interaction
 - Personal interaction panel



Billingshurst, M. Lecture 6: Collaborative AR Applications, HIT Lab NZ, University of Canterbury

HCI LAB

Construct3D Video



<https://www.youtube.com/watch?v=1A8wBtWJ4tc>

HCI LAB

Collaborative AR

- Seamless Interaction
- Natural Communication
- Attributes:
 - Virtuality
 - Augmentation
 - Co-operation
 - Independence
 - Individuality




Billingshurst, M. Lecture 6: Collaborative AR Applications, HIT Lab NZ, University of Canterbury

Seamless CSCW

- Seam
 - Spatial, temporal, functional discontinuity
- Types of Seams
 - Functional
 - Between different functional workspaces
 - Cognitive
 - Between different work practices


Billingshurst, M. Lecture 6: Collaborative AR Applications, HIT Lab NZ, University of Canterbury

Functional Seams



Billingshurst, M. Lecture 6: Collaborative AR Applications, HIT Lab NZ, University of Canterbury

Cognitive Seams



Billingshurst, M. Lecture 6: Collaborative AR Applications, HIT Lab NZ, University of Canterbury

Effect of Seams

- Functional Seams:
 - Loss of Gaze Information
 - Degradation of Non-Verbal Cues
- Cognitive Seams:
 - Learning Curve Effects
 - User Frustration

Billingshurst, M. Lecture 6: Collaborative AR Applications, HIT Lab NZ, University of Canterbury

Open Research Questions

- Does seamlessness enhance performance?
- What AR cues can enhance collaboration ?
- How does AR collaboration differ ?
- What technology is required ?

Billingshurst, M. Lecture 6: Collaborative AR Applications, HIT Lab NZ, University of Canterbury

Collaborative AR Interfaces

- Face to Face Collaboration
 - WebSpace, Shared Space, Table Top Demo, Interface
- Comparison, AR Interface Comparison
- Remote Collaboration
 - SharedView, RTAS, Wearable Info Space, WearCom, AR Conferencing, BlockParty
- Transitional Interfaces
 - MagicBook
- Hybrid Interfaces
 - AR PRISM, GI2VIS

Billingshurst, M. Lecture 6: Collaborative AR Applications, HIT Lab NZ, University of Canterbury

Face to Face Collaboration

Communication Cues

- A wide variety of communication cues used



Billingshurst, M. Lecture 6: Collaborative AR Applications, HIT Lab NZ, University of Canterbury

Communication Cues .

- In computer supported collaboration it is often hard for users to exchange non-verbal communication cues, even when they are co-located



Billingshurst, M. Lecture 6: Collaborative AR Applications, HIT Lab NZ, University of Canterbury

Differences in Collaboration

- Face-to-face collaboration
 - People surround a table
 - It is easy to see each other
- Computer supported collaboration
 - People sit side by side
 - It is hard to see each other



Billingshurst, M. Lecture 6: Collaborative AR Applications, HIT Lab NZ, University of Canterbury

Shared Space - Table Top Demo

- Goal
 - Create compelling collaborative AR interface usable by novices
- Exhibit content
 - Matching card game
 - Face to face collaboration
 - Physical interaction



Billingshurst, M. Lecture 6: Collaborative AR Applications, HIT Lab NZ, University of Canterbury

Results from Shared Space

- 2,500 - 3,000 users
- Observations
 - No problems with the interface
 - Only needed basic instructions
 - Physical objects easy to manipulate
 - Spontaneous collaboration
- User study (157 participants)
 - Users felt they could easily play with other people and interact with objects
- Improvements
 - Reduce lag, improve image quality, better HMD



Billingshurst, M. Lecture 6: Collaborative AR Applications, HIT Lab NZ, University of Canterbury

HCI LAB

AR Pad

- Handheld AR Display
 - LCD screen
 - SpaceOrb
 - Camera
 - Peripheral awareness



Billingshurst, M. Lecture 6: Collaborative AR Applications, HIT Lab NZ, University of Canterbury

HCI LAB

Support for Collaboration



Billingshurst, M. Lecture 6: Collaborative AR Applications, HIT Lab NZ, University of Canterbury

HCI LAB

Holograms

HCI LAB

Holography


- Holography is the science and practice of making holograms
- A hologram is a photographic recording of a light field
 - Rather than of an image formed by a lens
- It is used to display a fully 3D image of the holographed subject
 - Which is seen without the aid of special glasses or other intermediate optics

<https://en.wikipedia.org/wiki/Holography>

HCI LAB

Holography .


- In its pure form, holography requires the use of laser light for illuminating the subject and for viewing the finished hologram



<https://en.wikipedia.org/wiki/Holography>

HCI LAB

Reconstructing a Hologram



<https://en.wikipedia.org/wiki/Holography>

HCI LAB

Recording a Hologram

- To make a hologram, the following are required:
 - A suitable object or set of objects
 - A suitable laser beam
 - Part of the laser beam to be directed so that it illuminates the object beam and another part so that it illuminates the recording medium directly (the reference beam)
 - Enabling the reference beam and the light which is scattered from the object onto the recording medium to form an interference pattern
 - A recording medium
 - Converts this interference pattern into an optical element which modifies either the amplitude or the phase of an incident light beam according to the intensity of the interference pattern
 - An environment
 - Provides sufficient mechanical and thermal stability that the interference pattern is stable during the time in which the interference pattern is recorded

<https://en.wikipedia.org/wiki/Holography>

HCI LAB


CNN Hologram

- Elections in 2008, USA
- Holographic technology used
 - First time in TV



HCI LAB

CNN Hologram Video



<https://www.youtube.com/watch?v=5tD0wV12sTg>

HCI LAB

Basic AR Conferencing

- Moves conferencing from the desktop to the workspace



Billingham, M. Lecture 6: Collaborative AR Applications, HIT Lab NZ, University of Canterbury

HCI LAB

Features

- Hardware
 - SGI O2
 - Virtual i-O HMD
 - Head mounted camera
- Software
 - Live video
 - Shared whiteboard
 - Vision based registration/tracking



Billingham, M. Lecture 6: Collaborative AR Applications, HIT Lab NZ, University of Canterbury

HCI LAB


Pilot Study

- How does AR conferencing differ ?
- Task
 - Discussing images
 - 12 pairs of subjects
- Conditions
 - Audio only (AC)
 - Video conferencing (VC)
 - Mixed reality conferencing (MR)

Billingham, M. Lecture 6: Collaborative AR Applications, HIT Lab NZ, University of Canterbury

Results

- Paid more attention to pictures
- Remote video provided peripheral cues
- In AR condition
 - Difficult to see everything
 - Remote user distracting
 - Communication asymmetries



Billingshurst, M. Lecture 6: Collaborative AR Applications, HIT Lab NZ, University of Canterbury

A Wearable Conferencing Space

- Features
 - Mobile video conferencing
 - Full size images
 - Spatial audio/visual cues
 - Interaction with real world
 - Dozens of users
 - Body-stabilized data



Billingshurst, M. Lecture 6: Collaborative AR Applications, HIT Lab NZ, University of Canterbury

Initial Prototype


- Internet Telephony
- Spatial Audio/Visuals
- See-through HMD
- Head Tracking
- Wireless Internet
- Wearable Computer
- Static Images



Billingshurst, M. Lecture 6: Collaborative AR Applications, HIT Lab NZ, University of Canterbury

Software Architecture

- Multicast Groups
 - 10 kb/s per person
- Position Broadcasting
 - 172 kb/s per person
- Audio Broadcasting
 - DirectSound3D
- Local sound spatialization
 - DirectX/Direct3D





Billingshurst, M. Lecture 6: Collaborative AR Applications, HIT Lab NZ, University of Canterbury

Pilot User Study

- Can MR spatial cues aid comprehension?
- Task
 - Recognize words in spoken phrases
- Conditions
 - Number of speakers
 - 1,3,5 simultaneous speakers
 - Spatial/Non Spatial Audio
 - Visual/Non visual cues

Billingshurst, M. Lecture 6: Collaborative AR Applications, HIT Lab NZ, University of Canterbury

Results



Billingshurst, M. Lecture 6: Collaborative AR Applications, HIT Lab NZ, University of Canterbury


Advanced AR Conferencing

- Superimpose video of remote person over real world



Billingham, M. Lecture 6: Collaborative AR Applications, HIT Lab NZ, University of Canterbury


System Architecture



Billingham, M. Lecture 6: Collaborative AR Applications, HIT Lab NZ, University of Canterbury

Tangible Manipulation

- Using real paddle to move virtual user



Billingham, M. Lecture 6: Collaborative AR Applications, HIT Lab NZ, University of Canterbury


AR Remote Conferencing

- Progression
 - 2D to Spatial Cues to 3D
 - Increasing realism (visual/audio cues)




Billingham, M. Lecture 6: Collaborative AR Applications, HIT Lab NZ, University of Canterbury

AR Videoconferencing for Social Interaction Video



<https://www.youtube.com/watch?v=uxXP6OR9EQ0>

CONFETTI Video



<https://www.youtube.com/watch?v=3e9PK5Z3B8>

Multiscale Collaboration

MagicBook Concept


- Goal
 - A collaborative AR interface supporting transitions from reality to virtual reality
- Physical Components
 - Real book
- Display Elements
 - AR and VR content
- Interaction Metaphor
 - Book pages hold virtual scenes



Billinghamst, M. Lecture 6: Collaborative AR Applications, HIT Lab NZ, University of Canterbury

Milgram's Reality-Virtuality Continuum

- Milgram defined the term 'Augmented Virtuality' to identify systems which are mostly synthetic with some real world imagery added such as texture mapping video onto virtual objects



Milgram, P., Kishino, A.F. Taxonomy of Mixed Reality Visual Displays, IEICE Transactions on Information and Systems, 1321-1329, 1994.

MagicBook Transitions

- Interfaces of the future will need to support transitions along the Reality-Virtuality continuum
- Augmented Reality is preferred for:
 - Co-located collaboration
- Immersive Virtual Reality is preferred for:
 - Experiencing world immersively (egocentric)
 - Sharing views
 - Remote collaboration

Billinghamst, M. Lecture 6: Collaborative AR Applications, HIT Lab NZ, University of Canterbury

MagicBook Features

- Seamless transition between Reality and Virtuality
 - Reliance on real decreases as virtual increases
- Supports egocentric and exocentric views
 - User can pick appropriate view
- Computer becomes invisible
 - Consistent interface metaphors
 - Virtual content seems real
- Supports collaboration

Billinghamst, M. Lecture 6: Collaborative AR Applications, HIT Lab NZ, University of Canterbury


MagicBook Collaboration

- Collaboration on multiple levels:
 - Physical Object
 - AR Object
 - Immersive Virtual Space
- Egocentric + exocentric collaboration
 - Multiple multi-scale users
- Independent Views
 - Privacy, role division, scalability

Billinghamst, M. Lecture 6: Collaborative AR Applications, HIT Lab NZ, University of Canterbury

HCI LAB

MagicBook Video



https://www.youtube.com/watch?v=ek_niDvDwE

HCI LAB

Future of AR

HCI LAB

AR Nowadays

- 30th November 2015 AR went to space!
- New hardware improvements expected
- Many companies
 - > \$600 Million USD market
 - And growing
 - Thousands of applications (mainly mobile)
- A lot of tools exist but no complete solution



HCI LAB

Conclusions

- Face to face collaboration
 - AR preferred over immersive VR
 - AR facilitates seamless/natural communication
- Remote Collaboration
 - AR spatial cues can enhance communication
 - AR conferencing improves video conferencing
 - Many possible confounding factors
- Future
 - Expect a lot of new AR technologies and apps

HCI LAB

Up to Now

- Many years of development
 - A lot of achievements
- Moving from desktop to mobile
 - New interfaces are required
 - Research is changing

HCI LAB

Current Research in AR

- Social Acceptance
 - Overcome social problems with AR
- Cloud Services
 - Cloud based storage/processing
- AR Authoring Tools
 - Easy content creation for non-experts
- Collaborative Experiences
 - AR teleconferencing

Investments

- Big investments by Google and Apple
 - 29 M Euros Apple (Metaio)
 - 542 M dollars (Magic Leap)
 - Facebook invested in VR



Facts & Expectations

Wearable Devices Market
\$1.4 B 2013 → \$19 B 2018
(Juniper Research)

Augmented Reality Apps Market
\$692 M 2013 → \$5.2 B 2016
(Markets and Markets)

Google Glass
87,000 u 2013 → 21 M 2018
(BI Intelligence)

<http://www.neosentec.com/news/economic-expectation-of-wearable-devices-augmented-reality-and-google-glass/>



<http://jugara.com/cmcs-select-augmented-reality-future-trend-marketing>

The Diverse Potential of VR & AR Applications

Predicted market size of VR/AR software for different use cases in 2025*



* Base case scenario
#FutureTechs Source: Goldman Sachs Global Investment Research

<http://jugara.com/augmented-reality-and-virtual-reality-software-market-projections>

AR Commerce Opportunities


Augmented Reality will be utilized by retail for various aspects of the Retail Purchase Funnel



AR will provide next generation product virtualization for increased discovery, trial, engagement, personalization and conversion

<http://jugara.com/augmented-reality-and-virtual-reality-software-market-projections>

Device Forecast (2015-2018)



June 2015

info@ccsinsight.com / @ccsinsight


<http://www.idu.com/2015/06/02427/augmented-and-virtual-reality-market-to-4-billion-3-years>

Table 1: The key characteristics of the various emerging technologies that blend the physical and digital worlds

Feature	Augmented reality (AR)	Mixed reality (MR)	Virtual reality (VR)	Extended reality (ER)
Presence: The user is at the location of the experience	Yes	Yes	No	No
Real time: The user is interacting in real time with the environment	Yes	Yes	Yes and No	Yes
See-through capability	Yes	Yes	No	No
Movement: The user can physically move in the environment	Yes	Yes	No	No
Time horizon of enterprise adoption	2 to 4 years	3 to 7 years	2 to 4 years	Already in use

<http://www.pwc.com/us/en/technology-forecast/augmented-reality/augmented-reality-road-ahead.html>

Areas that Shape the Future of AR



<http://www.pwc.com/us/en/technology-forecast/augmented-reality/augmented-reality-road-ahead.html>


Commercial Systems

- Ngrain
 - <http://www.ngrain.com/>
 - Training authoring tool
 - Model based AR tracking
 - Focus on industrial applications



Billingshurst, M. Augmented Reality: The Next 20 Years, AWE Asia, 18th October 2015.

Ngrain Video



<https://www.youtube.com/watch?v=0XfzQ9u3j0>


Commercial Systems .

- ScopeAR
 - <http://www.scopear.com/>
 - Remote assistance
 - Image based tracking



Billingshurst, M. Augmented Reality: The Next 20 Years, AWE Asia, 18th October 2015.

ScopeAR Video



<http://www.scopear.com/remotear/>

HCI LAB

Key Enabling Technologies

- Augmentation
 - Display Technology
- Real-time interaction
 - Interaction Technologies
- 3D Registration
 - Tracking Technologies

Billingshurst, M. Augmented Reality: The Next 20 Years, AWE Asia, 18th October 2015.


HCI LAB

Displays

HCI LAB

Displays Projections


- Early years
 - Bulky HMDs
- Nowadays
 - Handheld, lightweight HMDs
- Near Future
 - Projected AR
 - Wide FOV see through
 - Retinal displays
- Far Future
 - Contact lens



HCI LAB

Projected AR (1-3 years)


- Use stereo head mounted projectors
 - Rollable retro-reflective sheet
- Wide FOV, shared interaction
 - i.e. CastAR
 - \$400 USD, available Q4 2015



Billingshurst, M. Augmented Reality: The Next 20 Years, AWE Asia, 18th October 2015.

HCI LAB

CastAR Video



<http://castar.com/>

HCI LAB

Wide FOV See-Through (3+ years)

- Waveguide techniques
 - Wider FOV
 - Thin see through
 - Socially acceptable
- Pinlight Displays
 - LCD panel + point light sources
 - 110 degree FOV
 - UNC/Nvidia




Lumus DK40

Maimone, A., Lanman, D., et al. Pinlight displays: wide field of view augmented reality eyeglasses using defocused point light sources, Proc of ACM SIGGRAPH 2014 Emerging Technologies, 20, 2014.

Retinal Displays (5+ years)



- Photons scanned into eye
 - Infinite depth of field
 - Bright outdoor performance
 - Overcome visual defects
 - True 3D stereo with depth modulation
- Microvision (1993-)
 - Head mounted monochrome
- MagicLeap (2013-)
 - Projecting light field into eye



Billingshurst, M. Augmented Reality: The Next 20 Years, AWE Asia, 18th October 2015.

Contact Lens (15 + years)

- Contact Lens only
 - Unobtrusive
 - Significant technical challenges
 - Power, data, resolution
- Contact Lens + Micro-display
 - Wide FOV
 - Socially acceptable
 - Innovega
 - <http://innovega-inc.com/>



<http://spectrum.ieee.org/biomedical/bionics/augmented-reality-in-a-contact-lens/>

Interaction

Interaction Projections

- Early years
 - Limited interaction
 - Viewpoint manipulation
- Nowadays
 - Screen based, simple gesture
 - Tangible interaction
- Future
 - Natural gesture, Multimodal
 - Intelligent Interfaces
 - Physiological/Sensor based



Billingshurst, M. Augmented Reality: The Next 20 Years, AWE Asia, 18th October 2015.

Natural Gesture (2-5 years)

- Freehand gesture input
 - Depth sensors for gesture capture
 - Move beyond simple pointing
 - Rich two handed gestures
 - i.e. Microsoft Research Hand Tracker
 - 3D hand tracking, 30 fps, single sensor
- Commercial Systems
 - Meta, Hololens, Oculus, Intel, etc



Sharp, T., Keskin, C., et al. Accurate, Robust, and Flexible Real-time Hand Tracking. Proc CHI, Vol. 8, 2015.

Smart Glass Hand Interaction

- EnvisageAR + Phonevers
- RGB-D hand tracking on Android
- Natural gesture input for glasses



Billingshurst, M. Augmented Reality: The Next 20 Years, AWE Asia, 18th October 2015.

HCI LAB

Multimodal Input (5+ years)

- Combine gesture and speech input
 - Gesture good for qualitative input
 - Speech good for quantitative input
 - Support combined commands
 - “Put that there” + pointing
- HIT Lab NZ multimodal input
 - 3D hand tracking, speech
 - Multimodal fusion module
 - Complete tasks faster with MMI, less errors



Billinghamst, M. Plumbson, T., et al. Hands in Space: Gesture Interaction with Augmented-Reality Interfaces, IEEE computer graphics and applications, (1), 77-80, 2014.

HCI LAB

Intelligent Interfaces (10+ years)

- Move to Implicit Input vs. Explicit
 - Recognize user behaviour
 - Provide adaptive feedback
 - Support scaffolded learning
 - Move beyond check-lists of actions
- Eg AR + Intelligent Tutoring
 - Constraint based ITS + AR
 - PC Assembly
 - 30% faster, 25% better retention



Westerfield, G., Mitrovic, A. & Billinghamst, M. Intelligent Augmented Reality Training for Motherboard Assembly, International Journal of Artificial Intelligence in Education, 25(1), 157-172, 2015.


HCI LAB

Tracking

HCI LAB

Tracking Projections

- Early years
 - Location based, marker based,
 - Magnetic/mechanical
- Nowadays
 - Image based, hybrid tracking
- Future
 - Ubiquitous
 - Model based
 - Environmental




Billinghamst, M. Augmented Reality: The Next 20 Years, AWE Asia, 18th October 2015.

HCI LAB

Model Based Tracking (1-3 yrs)

- Track from known 3D model
 - Use depth + colour information
 - Match input to model template
 - Use CAD model of targets
- Recent innovations
 - Learn models online
 - Tracking from cluttered scene
 - Track from deformable objects




Hinterstoisser, S., Lepetit, V., et al. Model based training, detection and pose estimation of texture-less 3D objects in heavily cluttered scenes, Computer Vision-ACCV 2012, Springer Berlin Heidelberg, 548-562, 2013.

HCI LAB


Environmental Tracking (3+ yrs)

- Environment capture
 - Use depth sensors to capture scene & track from model
- InifinitAM
 - Real time scene capture on mobiles (dense or sparse)
 - Dynamic memory swapping allows large environment capture
 - Cross platform, open source library available



Billinghamst, M. Augmented Reality: The Next 20 Years, AWE Asia, 18th October 2015.

InifinitAM Video



<http://www.robots.ox.ac.uk/~victor/inifinitam/>

Wide Area AR Tracking (5+ yrs)

- Using panorama imagery →
- Processed into a point cloud dataset →
- Used for AR localisation →



Ventura, J., Hollerer, T. Wide-area scene mapping for mobile visual tracking, Proc. of the International Symposium on Mixed and Augmented Reality 2012, (ISMAR), IEEE Computer Society, 3-12, 2012.

Conclusions

- 30th November 2015 AR went to space!
- New hardware improvements expected
- Many companies
 - > \$600 Million USD market
 - And growing
 - Thousands of applications (mainly mobile)
- A lot of tools exist but no complete solution



Questions

