

INVESTICE DO ROZVOJE VZDĚLÁVÁNÍ

EXERCISE LOAD, LOADING

David Zahradník, PhD.

Projekt: Zvyšování jazykových kompetencí pracovníků FSpS MU a inovace výuky v oblasti kinantropologie, reg.č.: CZ.1.07/2.2.00/15.0199

Systematic development of the individual components of sports training is a long-term dynamic process, which has a predetermined logical relation.



Key proceses of sports trainig:

- Sports training as a process of morpho-functional adaptation
- Sports training as a process of motor learning
- Sports training as a process of psychosocial interaction

Sports training as a process of morpho-functional adaptation

- The increase in performance generally is related to the achievement of adaptive changes in the organism.
- Adaptive changes can be achieved by repeated application of Exercise load.

??way??



Adaptation stimulus = physical exercise



Adaptation stimulus must be applied in the appropriate strength:







Exercise load

If motor activity is carried out in such a way that it evokes desirable **current change** of human functional activity, and consequently long-term, structural and psycho-social changes, it can be referred to as **Exercise load**.

The Exercise load is characterized by:

- Frequency exercise
- Intensity
- **Type of exercise**
- **Time**



The Size of load is created by load characteristics:

- Exercise intensity
- Exercise volume
- Rest interval





Rate of specificity of exercise

Indicates how to what extent exercise is **similar** to the final design of sports activities.

We distinguish:

Generally nonspecific exercises

Special exercises

Competition exercises

Rate of specificity

Small

Medium

High

Intensity

- Intensity exercise is characterized by a degree of effort.
- Exercise intensity is on te outside manifested as movement velocity, movement frequency
- The higher the exercise intensity, the greater the energy expenditure (kJ/s)



Maximum intensity (phosphagen system) (ATP – CP)
Submaximal intensity (fast glycolysis) (LA)
Moderate intensity (slow glycolysis) (LA – O₂)
Low intensity (slow glycolysis, fat oxidation) (O₂)

max

HR

Can be expressed as

HR

Volume

The volume of exercise expresses the quantity of load.

Volume can be epressed in time, i.e. duration of exercise or the number of repetitions of an exercise respectively.

Frequency of repetitions of an exercise

Given the number of training units for a given period (usually one week)

Sport season	Frequency guidelines (session per week)
Off-season	4-6
Preseason	3-4
In-season	1-3
Postseason (active rest)	0-3

Rest interval, Way of rest

Depends on the specific training aims

% of maximum power	Primary system stressed	Typical exercise time	Range of work- to-rest period ratios
90-100	Phosphagen	5-10 seconds	1:12 to 1:20
75-90	Fast glycolysis	15-30 seconds	1:3 to 1:5
30-75	Fast glycolysis and oxidative	1-3 minutes	1:3 to 1:4
20-30	Oxidative	>3 minutes	1:1 to 1:3

Increasing the size of the load

- Crucial features for the volume of load are duration and intensity of exercise.
- Relationship between duration and intensity of exercise

INDIRECT PROPORTION

Possibilities of increasing the size of the load





Volume increased intensity

Loading



Loading is a process of applying load which has been devined in advance repeatedly in time.



Cumulative training effect arises form the phenomenon of supercompensation.



Supercompensation is understood as increasing energy resources of the organism as a consequence of previous exercise load (defined by intensity and size).





INVESTICE DO ROZVOJE VZDĚLÁVÁNÍ

Thank you for your attention.