

Physiology of Sport and Exercise

Assessing Body Composition

Ana Carolina Paludo

carolina.paludo@fsps.muni.cz

Learning Objectives

- Concept of body composition
- Methods for assessing body composition
- Practical approach




Human Body Composition

Typical body composition of and adult man and woman


Body Composition: the body's relative amounts of fat mass and fat-free mass (bone, water, muscle, connective and organ tissue, teeth)

Essential fat: crucial for normal body functioning

Nonessential fat: adipose tissue




Body Composition Models



Two-Compartment model: divides the human body into fat and fat-free mass.

Multi-component model: divide the human body into the atomic model, molecular model, cellular model, and tissue system model.

Why assessing body composition?



Information about the % of body fat and fat distribution

The most important consideration is the proportion of total body weight that is fat

Estimating a **healthy body weight** and formulating nutritional recommendations/ exercise prescriptions (over and underweight/fatness)

Estimating competitive body weight for athletes participating in sports that use body weight classification

Monitoring the growth of children and adolescents and identifying those at risk (under or overweight/fatness)

Body changes associated with aging, malnutrition or obesity

Two Method Body Composition Assessment

Direct

- Chemical solution dissolves
- Physical dissection

Indirect

- Height, weight and BMI
- Hydro densitometry
- Air displacement plethysmograph
- Skin fold method
- Bioelectrical impedance analysis (BIA)
- Dual-energy X-ray absorptiometer (DEXA)

Height, weight and BMI

Body Height: measured by stadiometer

Body weight: measured by weighing scale

Body Mass Index (BMI): estimated by equation $BMI = \text{Weight (kg)} / \text{Height (cm)}^2$

<u>Classification</u>	<u>BMI (kg/m²)</u>	<u>Risk of comorbidities</u>
Underweight	<18.5	Low (but risk of other clinical problems increased)
Normal range	18.5–24.9	Average
Overweight (preobese)	25.0–29.9	Mildly increased
Obese	≥30.0	
Class 1	30.0–34.9	Moderate
Class II	35.0–39.9	Severe
Class III	≥40.0	Very severe



BMI positive and negative factors

- A significant predictor of cardiovascular disease and type 2 diabetes.
- Is widely used in population-based and prospective studies
- Does not differentiate fat from lean body mass
- Athletes with a large amount of muscle mass can be wrongly classified into the 'moderate or high-risk' categories



Hydro densitometry

Based on the **density of the body**


D= Mass/volume

Mass= measured by scale weight

Volume= 1. hydrostatic weighing (underwater weighing)

2. volume by air displacement

Archimedes' Principle: weight loss underwater is directly proportional to the volume of water displaced by the body volume.



**ARCHIMEDES'
PRINCIPLE**



Hydro densitometry - Calculation

$$\text{Body density} = W_a / (((W_a - W_w) / D_w) - (RV + 100\text{cc}))$$

W_a = body weight in the air (kg),

W_w = body weight in water (kg),

D_w = density of water (according to temperature)

RV = residual lung volume

100cc is the correction for air trapped in the gastrointestinal tract.



NEXT →

$$\text{Siri (1956): Fat \%} = [4.950 / \text{Density} - 4.500] \times 100$$


$$\text{Brozek et al. (1963): Fat \%} = [4.570 / \text{Density} - 4.142] \times 100$$

Hydrostatic Weighing

- A most common technique used for decades
- The majority of indirect techniques have been validated against hydrostatic weighing
- Time-consuming
- Difficult to perform on the aquaphobic
- Requires measurement of residual lung volume
- Impractical to measure a large number of people



Air displacement plethysmograph



- Measure the body volume and density using **air displacement instead of water** to estimate the volume.
- Body volume is calculated by subtracting the air volume of the person inside the chamber from the volume of the empty chamber.
- The individual sits inside the small chamber (Bod Pod)
- Computerized pressure sensors determine the amount of air displaced by the person.
- After estimating the body volume is possible to predict the body density and body fat.
- Take around 5-10 minutes.



Air displacement plethysmograph



Factors to consider:

- Individuals are tested wearing minimal clothing (a swimsuit) and a swim cap to compress the hair.
- Individuals with excess body hair may affect the results (underestimating).




Skinfold Thickness

- Based on the principle that the amount of fat beneath the skin is proportional to total body fat
- Reliable measurement of the tissue gives a good indication of the percent body fat.
- A simple anthropometric procedure that estimates body fat from the close relationship between three factors:
 1. Subcutaneous fat in adipose tissue deposits directly beneath the skin
 2. Body's internal fat store
 3. Body density of the intact human body



Skinfold Thickness Measurement

- Skinfold measurement is done with pressure calipers
- Specific anatomical sites are measured, on the right side of the body, three times (average or repeated number is taken)
- The values are applied in predictive equations to estimate body fat.



- Skin fold sites

1. triceps – vertical
2. Subscapular – oblique
3. Iliac crest – oblique
4. Abdomen – vertical
5. Thigh – vertical
6. Biceps - vertical



A Triceps



B Subscapular




C Iliac



D Abdomen



E Thigh



Skinfold Thickness Formulas

<i>Authors</i>	<i>Population</i>	<i>Equations</i>
Siri (1961)	Adults	M and F: Fat (%) = 495/D - 450
Lohman <i>et al</i> (1984)	Prepubescent children	M and F: Fat (%) = 530/D - 489
Weststrate and Deurenberg (1989)	10–18 y (modification of Siri equation)	F: Fat (%) = [553 - 7.3 (Age - 10)] / D - [514 - 8 (Age - 10)] M: Fat (%) = [562 - 4.2 (Age - 2)] / D - [525 - 4.7 (Age - 2)]
Brook (1971)	1–11 y (predicted from equations for adolescents)	F: $D = 1.2063 - 0.0999$ (LOG sum of 4 skinfolds) M: $D = 1.1690 - 0.0788$ (LOG sum of 4 skinfolds)
Durnin and Rahaman (1967); Durnin and Womersley (1974)	13–15.9 y 16–19.9 y	F (13–15.9 y): $D = 1.1369 - 0.0598$ (LOG sum of 4 skinfolds) M (13–15.9 y): $D = 1.1533 - 0.0643$ (LOG sum of 4 skinfolds) F (16–19.9 y): $D = 1.1549 - 0.0678$ (LOG sum of 4 skinfolds) M (16–19.9 y): $D = 1.162 - 0.063$ (LOG sum of 4 skinfolds)
Johnston <i>et al</i> (1988)	8–14 y	F: $D = 1.144 - 0.06$ (LOG sum of 4 skinfolds) M: $D = 1.166 - 0.07$ (LOG sum of 4 skinfolds)
Deurenberg <i>et al</i> (1990)	Pubertal F: 13.1 ± 0.15 y Pubertal M: 13.8 ± 0.21 y Post-pubertal F: 16.8 ± 0.36 y Post-pubertal F: 17.5 ± 0.39 y	F pubertal: $D = 1.1074 - 0.0504$ (LOG sum of 4 skinfolds) + 1.6 (age 10 ⁻³) M pubertal: $D = 1.0555 - 0.0352$ (LOG sum of 4 skinfolds) + 3.8 (age 10 ⁻³) F post-pubertal: $D = 1.183 - 0.0813$ (LOG sum of 4 skinfolds) M post-pubertal: $D = 1.1324 - 0.0429$ (LOG sum of 4 skinfolds)
Sarría <i>et al</i> (1998)	11–16.9 y	M (11–13.9): $D = 1.1516 - 0.0658$ (LOG sum of 4 skinfolds) M (14–16.9): $D = 1.169 - 0.0693$ (LOG sum of 4 skinfolds)
Sloan <i>et al</i> (1962)	Young women	F: $D = 1.0764 - 0.00081$ suprai - 0.00088 tric
Wilmore and Behnke (1970)	Young women	F: $D = 1.06234 - 0.00068$ subsc - 0.00039 tric - 0.00025 thigh

Bioelectrical Impedance Analysis (BIA)



- Based on the principle that the fat tissue is a less-efficient conductor of an electrical current (1-10 μA).
- The easier the conductance, the leaner the individual
- Low-level electrical current is passed through the individual body and the impedance or the opposition to the flow of the current is measured with a BIA analyzer.
- It is possible to estimate body fat, lean body mass and body water



Bioelectrical Impedance Analysis (BIA)

- BIA devices are considered safe for most people

CAUTIONS:

- Anyone with an electronic medical implant
- Pregnant women

Factors that may affect the measurement

- Body weight: less accurate in obese people
- Hydration: dehydration may cause the fat-free mass (muscle and bone) to be underestimated
- Exercise: a recent exercise in high intensity may affect the accuracy
- Food and drink: recent food and drink intake may affect the accuracy. Overnight fasting is more accurate



Dual-Energy X-Ray Absorptiometry

- A high-technology procedure that quantifies fat and muscle around bone areas of the body, including regions without the bone present.
- Consists of a short exposure with low radiation dosage penetrates into the bone and soft tissue areas to a depth of about 30cm. Specialized computer software reconstructs an image of the underlying tissue.
- The computer generates a report that quantifies bone mineral content, total fat mass, and fat-free mass.



A COMPARISON OF COMMON BODY COMPOSITION METHODS IN SPORT

REFERENCE: Larson-Meyer et al. (2018); *International Journal of Sport Nutrition And Exercise Metabolism*
Slater et al. (2018); *Best Practice Protocols for Physique Assessment in Sport*

MORE INFO: Designed by Adam Virgile
Learn more here:
<https://blog.shakebot.co/> @shakebotapp

Assessment Method

Skinfolds Assessment

Compressed subcutaneous fat thickness via skinfold calipers

Bioelectrical impedance analysis

Fat mass, fat-free mass, body water via imperceptible electric current thru body

Underwater weighing

Fat mass, fat-free mass, total body volume via water displacement

Air displacement plethysmography








Fat mass, fat-free mass, total body volume via air displacement

Dual energy x-ray absorptiometry

Bone, fat mass, non-osseous lean mass via X-ray beams thru body

Ultrasound

Uncompressed subcutaneous fat thickness via imperceptible high-frequency sound waves

Assessment Method	Cost 	Technician Skill 	Accuracy % Error 	Reliability	Subject Comfort 	Regional Assessment 	Time Required 	Common Sources of Error 
Skinfolds Assessment Compressed subcutaneous fat thickness via skinfold calipers	\$	Med	Med 3-7%	High	Body touched by practitioner	Yes	<10 min	<ul style="list-style-type: none"> Formula used Inconsistent site locations Population-specific prediction equation
Bioelectrical impedance analysis Fat mass, fat-free mass, body water via imperceptible electric current thru body	\$ to \$\$\$\$\$	Low	Low 3-11%	Low	Non-invasive	Yes; but invalid	<5 min	<ul style="list-style-type: none"> Hydration status Body temperature Recent exercise Food intake
Underwater weighing Fat mass, fat-free mass, total body volume via water displacement	\$\$\$\$\$	High	Med 2-3%	High	Involves full water submersion	No	10-20 min	<ul style="list-style-type: none"> Fat-free mass fluctuations (water, minerals, proteins) Air in lungs
Air displacement plethysmography Fat mass, fat-free mass, total body volume via air displacement	\$\$\$\$\$	High	Med 2-3%	High	May involve sitting in small spaces	No	<10 min	<ul style="list-style-type: none"> Moisture on skin Hydration status Inconsistent clothing Breathing patterns
Dual energy x-ray absorptiometry Bone, fat mass, non-osseous lean mass via X-ray beams thru body	\$\$\$\$\$	High	Med 2-3%	High	Non-invasive	Yes	<10 min	<ul style="list-style-type: none"> Muscle glycogen stores Inconsistent clothing Changes in technology & software
Ultrasound Uncompressed subcutaneous fat thickness via imperceptible high-frequency sound waves	\$\$\$ to \$\$\$\$\$	High	High 1-3%	Med	Body indirectly touched with device	Yes	<10 min	<ul style="list-style-type: none"> Inconsistent site locations Technician inexperience Inconsistent interpretation

Practical application - Sport

Maximizing Fat-Free Mass



Desirable for athletes involved in strength, power and muscular endurance types of modalities in which the body weight is moved through space.

Severe weight loss




Dehydration: impairs kidney and cardiovascular function;
impairing performance

Chronic fatigue: similar symptoms of overtraining

Practical application - Sport

Problems associate with very low levels of body fat



Too little body fat is associated with impairment in **reproductive health** (low levels of testosterone and estrogen); disorders in the **immune system**; lower **bone mineral density**; increase **risk of injuries**.

In female athletes, increase the chance of the **Female Triad Syndrome**: interrelationship of menstrual dysfunction, low energy availability and decrease of bone mineral

Orthorexia Nervosa:

When healthy eating goes wrong

The foods we eat should fuel our body.
But if nutrition disrupts your life, it could be orthorexia.

POSITIVE NUTRITION



Nourishes
our body



Promotes
social bonds



Gives us
pleasure



Allows for
flexibility

PATHOLOGICAL NUTRITION



Excludes
certain foods



Harms our
health



Controls our
thoughts and
behaviors



Interferes with
relationships

Source: Jessica Setnick, MS, RD, CEDRD-S




Eating disorders are serious medical conditions.
If you need help, seek care from a physician quickly.
Visit [ohioHealth.com/FindADoctor](https://www.ohiohealth.com/FindADoctor).

Cabre HE^{1,2}, Moore SR^{1,2}, Smith-Ryan AE^{1,2,3}, Hackney AC^{2,3}

Relative Energy Deficiency in Sport (RED-S): Scientific, Clinical, and Practical Implications for the Female Athlete

*Relativer Energiemangel im Sport (RED-S): Wissenschaftliche,
klinische und praktische Implikationen für die Sportlerin*






Figure 1 A primary, secondary and tertiary prevention model of Relative Energy Deficiency in Sport (REDs). Pictures from pixabay.com.

Practical application - Sport

To consider in sport settings:

- Prioritize the body composition instead of weight
- Specific sport modality
- Sex and individual differences should be considered
- Methodological errors in body composition measurement should be considered
- A combination of diet and exercise is the best approach for optimal weight loss, for athletes with no more than 0.5 -1.0kg per week until reaching the desired body composition range.



Obrigada



carolina.paludo@fsps.muni.cz