

Měření muži

n	dynamometrie		výdrž v zákl. [sec]	skok daleký [cm]	skok dosažený [cm]	zád. dyn [N]	
	L [N]	P [N]					
1	400	480	480	116	236	35	1200
2	520	520	520	92	200	50	1350
3	580	600	600	187	230	52	1400
4	540	600	600	118	240	52	1200
5	480	560	560	151	251	45	1200
6	500	510	510	61	224	39	1350
7	600	600	600	73	238	55	1350
8	470	470	470	30	230	56	1050
9	500	600	600	132	230	55	1600
10	680	680	680	61	232	45	1200
11	450	500	500	148	220	43	1300
12	400	400	400	4	235	56	1150
13	370	380	380	30	219	51	1100
14	700	700	700	250	242	55	2350
15	550	620	620	67	262	60	1350
16	420	500	500	93	237	54	1250
17	500	420	420	164	256	59	1250
18	600	690	690	107	256	58	1700
19	420	520	520	141	246	58	1400
20	500	480	480	159	252	56	1550
21	500	510	510	120	206	46	1200
22	430	460	460	120	206	51	1200
23	420	500	500	120	240	53	1300
24	420	520	520	120	245	54	1300
25	620	600	600	85	250	56	1600
26	460	420	420	254	232	66	1550
27	440	500	500	66	264	55	2050
28	600	600	600	97	230	40	1900
29	490	500	500	153	250	51	1350
30	460	560	560	127	255	60	1700
31	680	760	760	93	247	54	155
32	480	520	520	65	258	68	1550
33	520	610	610	300	265	51	1450
34	460	580	580	60	178	35	
35	390	450	450	106	224	39	1350
36	600	620	620	78	225	70	1620
37	700	740	740	73	275	76	1850
38	500	500	500	86	235	55	1300
39	520	520	520	180	235	55	1500
40	560	560	560	112	240	50	1850
41	620	640	640	300	259	71	1800
42	600	670	670	208	269	50	1650
43	440	440	440	260	227	49	1300
44	400	500	500	150	215	51	1400
45	680	720	720	175	249	57	1750
46	380	460	460	156	233	51	1300
47	580	600	600	124	237	48	1450
48	700	760	760	250	225	50	1600
49	690	710	710	150	220	50	1650

50	510	690		242	50	1450
51	720	650	125	238	52	1850
52	550	690	300	240	52	1450
53	520	520	209	220	50	1500
54	520	600	124	228	48	1350
55	700	790	166	241	58	1750
56	490	590	90	232	53	1600
57	480	500	250	279	60	1500
58	480	580	201	282	60	1500
59	550	700	90	254	60	1700
60	600	690	118	254	55	1300
61	470	500	132	215	50	1200
62	510	500	244	260	62	1250
63	480	600	242	252	54	1100
64	500	620	132	250	53	1600
65	500	580	164	230	48	1350
66	500	600	150	247	58	1520
67	420	500	144	265	55	1500
68	510	610	64	215	50	1550
69	640	740	160	245	50	1650
70	620	740	300	249	50	1640
71	530	530	243	212	43	1600
72	520	520	64	241	59	1500

ar.půměr						
medián						
modus						
sm.odchylka						

percentil	dynamometrie		výdrž v zákl.	skok daleký	skok dosažený
	L	P			
	[N]	[N]	[sec]	[cm]	[cm]
10	420	461	64	215.4	45
20	452	500	85	225	50
30	480	503	97	230	50
40	500	520	120	235.4	51
50	505	580	127	240	53
60	520	600	150	245	55
70	557	610	160	249.7	55.7
80	600	678	201	254	58
90	680	709	250	261.8	60
100	720	790	300	282	76
průměry					

zádová dyn.
[N]
1200
1250
1300
1350
1450
1550
1600
1650
1750
2350