(VII.) Electrocardiography

Physiology


Electrocardiography

Definition: the process of recording the electrical activity of the heart

Keywords


- Specialized excitatory and conductive system of the heart
- equipment for ECG recording
- limb and chest leads
- unipolar and bipolar leads
- heart vector, electrical axis of the heart

Specialized excitatory and conductive system of the heart



Electric dipole

electrode




Electrode: records electrical potential (Φ) Elektric lead: connection of two electrodes

- Recordes voltage between electrodes
- Voltage: difference between el. potentials (V= Φ1- Φ2)


Einthoven s triangle

(standard, limb, bipolar leads)





Augmented leads

(Goldberger s, limb, unipolar leads)



Chest leads






Chest electrode: connection of chest electrode and Wilson's central terminal


Unipolar leads:

chest electrodes are active (positive) and Wilson's central terminal is indifferent (el. potential 0 mV, electrically centre of the heart)

Leads acording to Cabrera



ECG description



name	Norm
P wave	80 ms
Interval PQ (PR)	120-200 ms
Segment PQ (PR)	50-120 ms
Q	-
QRS	80-100ms
R	-
S	-
segment ST	80-120 ms
Interval QT	>= 420ms
wave T	160 ms

formula: $QTc = \frac{QT}{\sqrt{RR}}$ Is onRR interval – correction of

Electrical axis of heart

Average deviation of QRS complex in each lead

1. ORS of I,II and III lead




2. Sumation of QRS complex

l .	II	III
Q = -1	Q = - 1	Q = 0
R = 5	R = 6	R = 4
S = -1	S = 0	S = 0
3	5	4

Physiological interval: -30 - 110


3. Drawing in triangle



Diagnostic use of ECG

Arrhytmia: irregular heartbeat

Fibrillation: is the rapid, irregular, and unsynchronized activity of cardiac muscle fibers



Atrial fibrillation


(absence of P, "jagged" isolinia, irregular RR, HR 80 – 180 bpm)




Ventricular fibrillation

(heart cannot pump, brain damage after 3 – 5 min)

Atrioventricular block: conduction between the atria and ventricles of the heart is impaired









Complete heart block. Atrial rate, 107; ventricular rate, 43

Diagnostic use of ECG


Myocardial ischemia, heart-attack



hyperkalaemia



Normal tracing (plasma K+ 4-5.5 meq/L).



Hyperkalemia (plasma K⁺ \pm 7.0 meq/L).

Diagnostic use of ECG

24-hour monitoring of ECG (Holter)

