Imaging methods of the head and neck

Overview of methods

- X-ray
 - Extraoral projection
 - Intraoral projection
- CT
- MRI
- USG
- Arthroscopy


X-ray - extraoral

- OPG
- Lateral projection
- Posteroanterior projection
- Oblique posterior, semi-axial, caudally eccentric projection (according to Clementschitsch)
- Oblique posterior, semi-axial, cranially eccentric projection (according to Waters)
- Special targeted projections (eg TMJ)

X-ray - principle

- radiation
- shadow image
- superposition (summation)






1. Orthopantomography (OPG)

Panoramatic
extraoral technique

 Used to examine both jaws, TMJ, maxillary sinuses and the teeth together
on one image



 Convenient and inexpensive method with low radiation exposure

Disadvantages: inaccuracy (two-dimensional display -> summation of structures)


Patient is positioned with the Frankfort plane horizontal, bite peg between the anterior teeth and the chin positioned on the chin support


The film and the tubehead (X-ray source) rotate around the patient and produce a series of individual images on a single film



- position!prepare the patient well

reading






- 1. Coronoid Process
- 2. Sigmoid Notch
- 3. Mandibular Condyle
- 4. Condylar Neck
- 5. Mandibular Ramus
- 6. Angle of Mandible
- 7. Inferior Border of Mandible
- 8. Lingula
- 9. Mandibular Canal
- 10. Mastoid Process
- 11. External Auditory Meatus
- 12. Glenoid Fossa


- 13. Articular Eminence
- 14. Zygomatic Arch
- 15. Pterygoid Plates
- 16. Pterygomaxillary Fissure
- 17. Orbit
- 18. Inferior Orbital Rim
- 19. Infraorbital Canal
- 20. Nasal Septum
- 21. Inferior Turbinate
- 22. Medial Wall of Max. Sinus
- 23. Inferior Border of Max. Sinus
- 24. Posterolateral Wall of Max. Sinus


- 25. Malar Process
- 26. Hyoid Bone
- 27. Cervical Vertebrae 1-4
- 28. Epiglottis
- 29. Soft Tissues of Neck (Look Vertically For Corotid Artery Calcifications Here)
- 30. Auricle
- 31. Styloid Process
- 32. Oropharyngeal Air Space
- 33. Nasa Air Space
- 34. Mental Foramen
- 35. Hard Palate

Lateral projection



Posteroanterior projection





?




Oblique posterior, semi-axial, caudally eccentric projection (according to Clementschitsch)

- Middle and lower facial floor
- Examination of joints, shoulders and body of the lower jaw



Oblique posterior, semi-axial, cranially eccentric projection (according to Waters)

- Upper and middle facial floor
- Paranasal sinuses






Targeted X-ray projections




Albers-Schönbergova




Semisagit. projection (Stenvers)





Semilat. projection (Schüller)



Closed

Open

Open

Closed

X-ray - intraoral

- Complementary overall finding on OPG (targeted) - only when we ask something specific
- Different types (division according to the passage of the central beam):
 - Apical projection
 - Parodontal projection
 - Coronal projection
 - Occlusal projection



Bundle bone

= the inner portion of the bone of the alveolus that surrounds teeth and into which the collagen fibers of the periodontal ligament are embedded



Radiographically, the bundle bone is the lamina dura

Athrography X-ray picture after filling with a contrast agent Disadvantages: invasive method





Computed tomography(CT) In the axial or coronary plane, 3D reconstruction Disadvantages: availability, higher radiation dose




3D rekonstrukce

Magnetic resonance (MRI) Disadvant.: availability medical conditions of the patient -KI: PACEMAKER, COCH. IMPLANT, METAL MAT. IN THE HEAD AND NECK AREA





Ultrasonography Adv. Compared to MRi: lower examination costs less time consuming less discomfort for the patient Disadv: lower diagnostic accuracy








Arthroscopy - accurate dg of joint changes, but also the implementation of adequate surgery Endoscopic examination Disadvant: invasive method need for general anesthesia possibility of damage n. auriculotemp.







Types of arthroscopy:1. upper articular cleft2. lower articular cleft

Adhesion in ATM