



Basic staining methods in histology

How to use a light microscope









STAINING

Different cell or tissue structures are not apparent without staining. Cellular structures exhibit different affinity to staining dyes:


alkaline dyes – react with anionic structures BASOPHILIA (basophilic structures in the cell – nucleus, nucleolus, ribosomes, cytoplasm with rough ER)

acid dyes – react with cationic groups ACIDOPHILIA – (acidophilic structures in the cell – cytoplasm, smooth ER)

no or weak reaction NEUTROPHILIA

chromophilic (chromatophilic) **x** chromophobic polychromatophilic – affinity to both types of dyes

HEMATOXYLINE – EOSIN (HE)



96%

ethanol

 H_2O

eosin

 H_2O

xylen IV

xylen III

100%

ethanol

ROUTINE STAINING with HE

Hematoxyline – basic (nuclear) dye Eosin – acid (cytoplasmic) dye




Staining procedure:

- paraffin must be removed (dissolved) by xylene
- sections are rehydrated in descending series of ethanol (100% \rightarrow 96% \rightarrow 80%)
- staining with hematoxyline
- differentiation in acid ethanol and water (excess of dye is removed)
- staining with eosin
- rinsing in water (excess of dye is removed)
- dehydration in graded ethanol series (80% \rightarrow 96% \rightarrow 100%)
- clearing in xylene

Automatic slide stainer



staining set of boxes with media




TYPES of STAINING

- <u>routine</u> HE (visualization of all tissue components), Masson's trichromes: yellow - HES, blue - AZAN, green trichrome (collagen fibers)
- <u>special</u> visualization of particular structures only
 - orcein, aldehyde fuchsin, resorcin fuchsin elastic fibres
 - PAS polysaccharides
 - oil red, sudan black lipids
 - Schmorl staining
 - impregnation AgNO₃ nerve or reticular fibers

AFFIXING

 attachment of sections by albumin/gelatin to microscopic glasses ⇒ permanent slide




Hematoxyline **Eosin**

(HE)

Results of staining:

cell nuclei – blue/violet cytoplasm – pink collagen fibers – pink muscle cells – dark pink/red




2 – Apex linguae (HE)

Hematoxyline Eosin Saffron (HES)

Results of staining:

cell nuclei – blue/violet cell cytoplasm – pink collagen fibers – yellow

yellow Masson trichrom



11 – Oesophagus (HES)


Azokarmin Aniline blue Orange G (AZAN)

Results of staining:

cell nuclei – purple cell cytoplasm – pink collagen fibers – blue erythrocytes - orange




blue trichrome




Impregnation with AgNO₃

Slide 68 – lien
Staining – **impregnation**Result – **black reticular fibers**



Impregnation with AgNO₃

Slide 77 – cerebellum
Staining – impregnation
Result – black nerve
processes




Orcein

Slide 28 – elastic cartilage

Staining – **orcein**

Result – red-brown elastic fibers




Weigert-van Giesson

Slide 31 – renal cortex


Staining – Weigert-van Giesson

Result – cherry-red collagen fibers




Best carmine

Slide 49 – vagina - glycogen Staining – **Best carmine** Result – **darc pink glycogen**




Heidenhain

Slide 65 – myocardium Staining – **Heidenhain** Result – **black cardiomyocytes** (crossstriation)




Schmorl


Slide 95 – bone Staining – **Schmorl** Result – rusty brown **bone tissue**



APPEARANCE OF 3D OBJECTS IN 2D SECTIONS



Light microscope




The slide must lie on the stage (5) of LM so that the cover glass faces up to the objective lens.

Magnification: of eyepiece = 10x of objectives = 4x, 10x, 40x, immersion objective = 100x

Total magnif.: ocular magnif. multiplied by objective magnif. = 40x, 100x, 400x, 1000x

Light microscope

- Eyepieces
- Objective lens
- Stage with speciment holder
- On/Off
- Light control
- Condenser and Iris aperture
- Stage controls
- Fine focus
- Light source with diaphragm



HOW TO HANDLE A SET OF SLIDES

- Rule 1: *At the beginning* of each practice, check the set of slides and any defects (missing or broken slide) report to teacher.
- Rule 2: Only one slide can be taken out of the box and studied in LM.
- Rule 3: The slide must lie on the stage of LM so that the cover glass faces up to the objective lens.
- Rule 4: Treat the slides carefully; in case of damage of slide, inform the teacher.
- Rule 5: *At the end* of each practice, the box with slides must be open for inspection and student must wait at workplace during inspection.

Instructions

- Turn on the light.
- Start with the 4x objective.
- Put the slide on the stage cover glass must be above
- Look through the scope and focus. Use the coarse focus knob at first, until the image is more or less in focus; then switch to the fine focus.
- Adjust the light. Not too bright, not too dim.
- Adjust the oculars.
- Switch to the 10x objective. A slight adjustment with the fine focus knob should get it just right. If you lose the focus and can't see your specimen at all, go back to the 4x and start again.
- Switch to the 40x objective if you want to see more detail. Don't use the
 100x!
- When you want to look at a new slide, switch back to the 4x before changing slides.
- Only one slide is out of the box at the moment! Do not remove more!
- When you're done with the scope, switch to the 4x and turn the light all the way down before turning it off.
- At the end of lesson, the box with slides is checked in your presence before you leave your place

Basic staining methods in histology

Slides:

- HE staining: 2 Apex linguae
- HES staining: 11 Oesophagus (37. Epididymis)
- AZAN staining: 99 Funiculus umbilicalis (21. Hepar)
- Impregnation: 77 Cerebellum

Department of Histology Protocol No.: and Embryology Protocol title: UCO/Name: Study program/year: Study group: Date: List of slides (Box): List of electronograms (Atlas) Number Title of slide and used staining Number Title of electronogram Guidelines for protocol preparation 1. Protocol shall complement theoretical knowledge with real microscopic observations. As such it contains color diagrams of histological slides, or black and white diagrams of electronograms of EM atlas, and if applicable, also answers to theoretical questions.

• (Orcein: 28 – Epiglottis)