### Prosthetics I.

Rehabilitation of the masticatory apparatus
Classification of defects, dentures, abutment teeth, inlays – crown and root

### Function of dentition

- Food admission
- Trituration (comminution) of food
- Fonation
- Aesthetics psychology

### If no prosthetic rehabilitation

- Bad comminution of food bad digestion
  - irritation, diseases of the digestion apparatus.
- Bad fonation
- Psychological aspect of lost teeth
- Disorders of TMJ

# Prosthetic dentistry – replacement of

### Damaged teeth

reconstruction of the crown (inlays, crowns)

### Missing teeth

- appropriate prothesis (denture)

### **Prothesis**

- Individually made
- Diferences
- > in the type of defect, extent and location
- > in the size, shape and position of teeth
- ➤ in the quality of hard and soft tissues of the oral cavity
- > in intermaxillary relations

## Prothesis (denture)

#### Rehabilitation of:

- > Function
- > Comfort
- > Aesthetics
- > Fonation

### Fixed dentures

- Cemented on the teeth inlays
- crowns, bridges,

### Removable dentures

- Partial
- Complete (full)

# Prosthetic dentistry – replacement of

### Damaged teeth

reconstruction of the crown (inlays, crowns)

### Missing teeth

- appropriate prothesis (denture)

#### **Prothesis**

- Individually made
- Diferences
- > in the type of defect, extent and location
- > in the size, shape and position of teeth
- ➤ in the quality of hard and soft tissues of the oral cavity
- > in intermaxillary relations

## Planning of the denture

#### Complex examination

- 1. Extent and location of the defect
- 2. Damage of the involved teeth (caries, fillings atc.)
- 3. Periodontium (supportive tissues)
- 4. Shape, size, position of teeth, relationhip to the neighbours
- 5. Occlusion, articulation relationship to the antagonists
- 6. Quality of the alveolar process
- 7. The level of oral hygiene
- 8. X-ray examination
- 9. Study impressions study models
- 10. Detail evaluation of the abutment teeth (pilots) most important teeth –canines, premolars

I. Class – dental arch with gaps One or more teeth are missing Small gaps -1-2 teeth Big gaps 3 – 4 teeth at most. This big gaps must be demarcated by pilot of the best quality. (canine, 1st or second molars pilots of 1st class or their equivalents)

II. Class

Reduced (shortenened) dental arch, then last tooth is the second premolar.

With gaps
Without gaps
Bilateral
Unilateral

III. Class

Individual teeth or small groups of teeth

IV. Class

Edentulous dental arch


Pilots I. class
Canines
Molars (1st, 2nd)

Pilots II. st class Incisors - maxillary incosors, pemolars

Pilots II. st class Incisors - maxillary incosors, pemolars

Pilots III. class

Mandibular incisors, third molars, all teethe with bad biological factor



## Biological factor

- > Caries
- > Pulp vitality
- > Level of the endodontic treatment
- > Level of the resorption of the alveolar bone
- > Periodontium
- > Relationship to antagonists
- > Relationship to neihgbour teeth

## Way of the transfer of masticatory forces

- > Tooth
- > Tooth and oral mucosa
- > Oral mucosa

I. Class – fixes or removable bridges

#### III. Class -removable denture

- Tissue born denture (sometimes also tooth and tissue born denture)

II. Class removable dentures
With metal framework and tooth and tissue
borne dentures

The way of transfer of masticatory forces - tooth and oral mucosa

IV. Class – complete denture

### **Procedures**

- ➤ In dental surgery
- > In dental laboratory
- > Special instruments
- ➤ Basic (main) materials (metal alloys, ceramics, polymers)
- Auxilliary (accessory) materials (impression, carving, die, insulating investing, grinding, polishing)

## Manufacturing of dentures

Model of gypsum (plaster) – model of a denture (wax pattern).

Model of a denture (wax pattern) directly in the mouth – rarely.

Denture is formed without a wax pattern in the dental lab.

## Manufacturing of dentures


Model of gypsum (plaster) – model of a denture (wax pattern).

## Impressions of the jaw - negativ

The impression is filled with a casting material (gypsum) – poured into



Model (various purpose)



### Models

Working model – the denture is produced on this model (special procedures)

Opposing model (antagonal) - necessary for the recognition of intermaxillary relationship

Bite regitration - wax

## Manufactoring of dentures

- The denture (not the denture itself but the model of the denture) is produced on the working model.
- ➤ The model of the denture is made of the carving wax.
- ➤ The wax is replaced by the main (base) material.


### Fabrication of dentures


The model (wax) of the denture is invested


The wax is removed from the form and the base material is placed into the form.


Wax removal:


The wax is burned out (for metal alloys) or removed by hot water (for polymers)

















## Manufacturing of dentures

The method described above = indirect method

## Manufacturing of dentures

Direct method

## Manufacturing of dentures

Direct method

No impression

The model of the denture is made directly in

the mouth

For inlays only


### Fixed dentures

- Restore the form (and function)
- Cemented on (in the ) prepared teeth
- Can not be removed

### Fixed dentures


Inlays /onlays
Crowns
Bridges

# Inlay






# Onlay







## Overlay







## Partial crown








## Crown




















#### Root canal inlay









#### Wedge effect





Ferrrule effect Sörensen, Martinoff,1984

## **Post**



Schillinburg, Kessler, 1982

#### Efekt obroučky – ferrule efffect

