

# Cvičení 4.-5. deklinace

## Vyberte tvary akuzativu singuláru:

- ▶ domum, rerum, spurium, hominum, vulnus, arcus, basim, regionum, continuum, superficiem, cornu, rete, tussium, diaphragmatum, spiritum, ureterum, os, ossa, uterum, nasalium, crurum, ganglion, rem, ren

# Převed'te do singuláru nebo plurálu:

- ▶ meatum
- ▶ genuum
- ▶ carie
- ▶ fetūs
- ▶ gravidas
- ▶ graviditas
- ▶ cubitum
- ▶ capitum
- ▶ decubitum
- ▶ bicipites
- ▶ foramine nutricio
- ▶ partium
- ▶ partuum
- ▶ partibus
- ▶ morbum
- ▶ mortium

# Spojte adjektiva s vhodným tvarem substantiva z nabídky:

- ▶ *frontalia, sinistri, sinistra, simplicium, multiplices, simplicis, brachiale, dextrum, multiplicem, sanorum*
  
- ▶ *manu, articulationis, plexum, pulmonum, oculum, cornua, pulverum, genūs, fracturae, sclerosim*

# Dejte do opačného čísla:

- ▶ homines cum morbis gravibus
- ▶ remedia contra dolores
- ▶ in cavitatem dentis
- ▶ sub cortice lentis
- ▶ laesiones muscularum intercostalium
- ▶ ligamenta collateralia articulationum digitorum manuum

# Vytvořte spojení:

- ▶ **causa** – partus – praematurus
- ▶ **sine** – dolor – caput
- ▶ **propter** – pulsus – frequens
- ▶ **symptoma** – morbus – incipiens
- ▶ **symptoma** (pl.) – arthritis – rheumaticus
- ▶ **contra** – morbus (pl.) – infectiosus
- ▶ **in** – periculum – mors
- ▶ **ulcus** (pl.) – in – colon – descendens
- ▶ **sanatio** – cum – defectus
- ▶ **ad** – scatula – parvus
- ▶ **partus** – extra – murus (pl.)

mūrus, ī, m. „zed“

# Vytvořte spojení:

- ▶ trauma (pl). – gravis – columna vertebralis
- ▶ operatio – propter – fractura – gravis – ulna – sinister
- ▶ contusio – musculus – biceps – brachium
- ▶ in – status – post – infarctus – cor – recens
- ▶ propter – nephrosis – gravis
- ▶ gutta (pl.) – contra – tussis
- ▶ propter – fractura – collum – femur
- ▶ vulnus (pl.) – lacer – caput
- ▶ fractura – pars – distalis – humerus
- ▶ extractio – dens – lacteus – e – caries
- ▶ apud – aditus – larynx
- ▶ in – sinus – occipitalis

# Doplňte správné koncovky:

- ▶ Extractio dent..... molar..... cum dolor..... acr.....
- ▶ Dolor acut..... in pulmon..... dextr.....
- ▶ Medicamentum contra tuss..... in lagoen..... pro infant..... et adult.....
- ▶ Auxilium celer..... in traumat..... grav.....
- ▶ Laesio capit..... long..... muscul..... bicipit..... brachi.....
- ▶ Remedium cardinal..... et adiuvan.....
- ▶ Mors subit..... post dos..... letal.....
- ▶ Pus in vulner..... lacer.....
- ▶ Symptomat..... hepatit..... malign.....
- ▶ Status post amputation..... lob..... pulmon..... sinistr..... propter tuberculos.....

Doplňte tabulku tak, aby každý řádek obsahoval jeden výraz v různých pádech a každý sloupec různé výrazy v jednom pádě:

<b>dosis parva</b>				
		<b>nervi abducentes</b>		
	<b>genu varo</b>			
				<b>faciebus cutaneis</b>
			<b>tractuum nervosorum</b>	
<b>meatus acusticus</b>				
		<b>vasa afferentia</b>		
				<b>manibus longis</b>