

Cvičení 4.-5. deklinace

Vyberte tvary akuzativu singuláru:

- ▶ domum, rerum, spurium, hominum, vulnus, arcus, basim, regionum, continuum, superficiem, cornu, rete, tussium, diaphragmatum, spiritum, ureterum, os, ossa, uterum, nasalium, crurum, ganglion, rem, ren

Převeďte do singuláru nebo plurálu:

▶ meatum

▶ genuum

▶ carie

▶ fetūs

▶ gravidas

▶ graviditas

▶ cubitum

▶ capitum

▶ decubitum

▶ bicipites

▶ foramine nutricio

▶ partium

▶ partuum

▶ partibus

▶ morbum

▶ mortium

Spojte adjektiva s vhodným tvarem substantiva z nabídky:

- ▶ *frontalia, sinistri, sinistra, simplicium, multiplices, simplicis, brachialem, dextrum, multiplicem, sanorum*
- ▶ manu, articulationis, plexum, pulmonum, oculum, cornua, pulverum, genūs, fracturae, sclerosim

Dejte do opačného čísla:

- ▶ **homines cum morbis gravibus**
- ▶ **remedia contra dolores**
- ▶ **in cavitatem dentis**
- ▶ **sub cortice lentis**
- ▶ **laesiones musculorum intercostalium**
- ▶ **ligamenta collateralia articulationum digitorum manuum**

Vytvořte spojení:

- ▶ causa – partus – praematurus
- ▶ sine – dolor – caput
- ▶ propter – pulsus – frequens
- ▶ symptoma – morbus – incipiens
- ▶ symptoma (pl.) – arthritis – rheumaticus
- ▶ contra – morbus (pl.) – infectiosus
- ▶ in – periculum – mors
- ▶ ulcus (pl.) – in – colon – descendens
- ▶ sanatio – cum – defectus
- ▶ ad – scatula – parvus
- ▶ partus – extra – murus (pl.)

mūrus, ī, m. „zed“

Vytvořte spojení:

- ▶ trauma (pl.) – gravis – columna vertebralis
- ▶ operatio – propter – fractura – gravis – ulna – sinister
- ▶ contusio – musculus – biceps – brachium
- ▶ in – status – post – infarctus – cor – recens
- ▶ propter – nephrosis – gravis
- ▶ gutta (pl.) – contra – tussis
- ▶ propter – fractura – collum – femur
- ▶ vulnus (pl.) – lacer – caput
- ▶ fractura – pars – distalis – humerus
- ▶ extractio – dens – lacteus – e – caries
- ▶ apud – aditus – larynx
- ▶ in – sinus – occipitalis

Doplňte správné koncovky:

- ▶ Extractio dent..... molar..... cum dolor..... acr.....
- ▶ Dolor acut..... in pulmon..... dextr.....
- ▶ Medicamentum contra tuss..... in lagoen..... pro infant..... et adult.....
- ▶ Auxilium celer..... in traumat..... grav.....
- ▶ Laesio capit..... long..... muscul..... bicipit..... brachi.....
- ▶ Remedium cardinal..... et adiuvan.....
- ▶ Mors subit..... post dos..... letal.....
- ▶ Pus in vulner..... lacer.....
- ▶ Symptomat..... hepatit..... malign.....
- ▶ Status post amputation..... lob..... pulmon..... sinistr..... propter tuberculos.....

Doplňte tabulku tak, aby každý řádek obsahoval jeden výraz v různých pádech a každý sloupec různé výrazy v jednom pádě:

dosis parva				
		nervi abducentes		
	genu varo			
				faciebus cutaneis
			tractuum nervosorum	
meatus acusticus				
		vasa afferentia		
				manibus longis