

# Revision



# Revision



- What is the genitive ending of 3rd declension nouns?
  - -is
- What are the example words of the 3rd declension?
  - dolor, corpus, pelvis, rete, dosis
- What is the difference between paradigm dolor and pelvis?
  - genitive plural: dolor-um / pelv-i<sup>u</sup>m
- What is the difference between paradigm corpus and rete?
  - ablative singular: corpor-e / ret-i
  - nominative and accusative plural: corpor-a / ret-ia
  - genitive plural: corpor-um / ret-i<sup>u</sup>m

# The difference between consonant stems and i-stems

Declens.	I.			II.				III.					IV.		V.
Paradigm	vena	systole	diabetes	nervus	septum	nephros	colon	dolor	corpus	pelvis	dosis febris	rete	ductus	genu	facies
Gender	f.	f.	m.	m.	n.	m.	n.	m. + f.	n.	m. + f.	m. + f.	n.	m.	n.	f.
Singular	1. -a	-e	-es	-us/-er	-um	-os	-on	?	?	-is/-es	-(s)is/-xis/-osis	-ar/-e/-al	-us	-u	-es
	2. -ae	-es	-ae	-i	-i	-i	-i	-is	-is	-is	-is/-eos	-is	-us	-us	-ei
	4. -am	-en	-am	-um	1	-um	1	-em	1	-em	-im/-in	1	-um	1	-em
	6. -a	-e	-a	-o	-o	-o	-o	-e	-e	-e / (-i)	-i	-i	-u	-u	-e
Plural	1. -ae	-ae	-ae	-i	-a	-i	-a	-es	-a	-es	-es	-ia	-us	-ua	-es
	2. -arum	-arum	-arum	-orum	-orum	-orum	-orum	-um	-um	-ium	-ium	-ium	-uum	-uum	-erum
	4. -as	-as	-as	-os	1	-os	1	-es	1	-es	-es	1	-us	1	-es
	6. -is	-is	-is	-is	-is	-is	-is	-ibus	-ibus	-ibus	-ibus	-ibus	-ibus	-ibus	-ebus
	+ Adj. of 1st decl. F			+ Adj. of 2nd decl. M	+ Adj. of 2nd decl. N			+Compa -rative forms of adj. M+F	+ Com- parative forms of adj. N	+ Adj.▼ of 3rd decl. M + F		+ Adj. of 3rd decl. N			

# Revision



- How do we decide, whether the noun is declined according to *pelvis*?
  1. it is of masculine / feminine gender
  2. AND
    - a) it has the same number of syllables in the nominative and genitive of singular (e.g. *auris, auris, f.*)
    - b) OR its genitive stem ends in 2 consonants (e.g. *dens, dentis, m.*)
- How do we decide, whether the noun is declined according to *rete*?
  1. it is of neuter gender
  2. and in nominative singular it ends in *-e, -al, -ar*  
(*animal, alis, n., calcar, aris, n., cochlear, aris, n.*)

# Revision



- How do we decide, whether the noun is declined according to *dosis*?
  - the nominativa singular ends in *-sis*, *-xis*, *-osis*
  - *the genitive is the same*
  - the dictionary entry has the genitive ending *is* / *eos*
- What Latin nouns are declined according to *dosis*?
  - *febris*, *is*, *f.*
  - *tussis*, *is*, *f.*
  - *sitis*, *is*, *f.*
  - *pertussis*, *is*, *f.*
  - *tuberculosis*, *is*, *f.*

# DOSIS

Declens.	I.			II.				III.					IV.		V.
Paradigm	vena	systole	diabetes	nervus	septum	nephros	colon	dolor	corpus	pelvis	dosis febris	rete	ductus	genu	facies
Gender	f.	f.	m.	m.	n.	m.	n.	m. + f.	n.	m. + f.	m. + f.	n.	m.	n.	f.
Singular	1. -a	-e	-es	-us/-er	-um	-os	-on	?	?	-is/-es	-(s)is/-xis/-osis	-ar/-e/-al	-us	-u	-es
	2. -ae	-es	-ae	-i	-i	-i	-i	-is	-is	-is	-is/-eos	-is	-us	-us	-ei
	4. -am	-en	-am	-um	1	-um	1	-em	1	-em	-im/-in	1	-um	1	-em
	6. -a	-e	-a	-o	-o	-o	-o	-e	-e	-e / (-i)	-i	-i	-u	-u	-e
	1. -ae	-ae	-ae	-i	-a	-i	-a	-es	-a	-es	-es	-ia	-us	-ua	-es
	2. -arum	-arum	-arum	-orum	-orum	-orum	-orum	-um	-um	-ium	-ium	-ium	-uum	-uum	-erum
Plural	4. -as	-as	-as	-os	1	-os	1	-es	1	-es	-es	1	-us	1	-es
	6. -is	-is	-is	-is	-is	-is	-is	-ibus	-ibus	-ibus	-ibus	-ibus	-ibus	-ibus	-ebus
	+ Adj. of 1st decl. F			+ Adj. of 2nd decl. M	+ Adj. of 2nd decl. N			+Compa -rative forms of adj. M+F	+ Com -parative forms of adj. N	+ Adj. of 3rd decl. M + F		+ Adj. of 3rd decl. N			

# Join the phrases with prepositions

- auris (medius, a, um)
- psychosis (organicus, a, um)
- canalis (nutricius, a, um)
- dens (incisivus, a, um)
- febris (acus, a, um)
- sepsis (lentus, a, um)
- metastasis (isolatus, a, um)
- mors (clinicus, a, um)
- rete (venosus, a, um)



<i>In (abl.)</i>	Aure media
<i>Ante</i>	Psychosim organicam
<i>Sub (abl.)</i>	Canale nutricio
<i>In (acc.)</i>	Dentem incisivum
<i>Propter</i>	Febrim acutam
<i>Post</i>	Sepsim lentam
<i>Ex</i>	Metastasi isolata
<i>Post</i>	Mortem clinicam
<i>In (acc.)</i>	Rete venosum

# Match the nouns with the appropriate adjectives



- |               |                        |
|---------------|------------------------|
| 1) foramen    | a) perforatus, a, um   |
| 2) mors       | b) fractus, a, um      |
| 3) medulla    | c) continuus, a, um    |
| 4) injectio   | d) clinicus, a, um     |
| 5) ulcus      | e) obliquus, a, um     |
| 6) mater      | f) nutricius, a, um    |
| 7) lobus      | g) subcutaneus, a, um  |
| 8) febris     | h) flavus, a, um       |
| 9) tumor      | i) pubicus, a, um      |
| 10) symphysis | j) bonus, a, um        |
| 11) femur     | k) sinister, tra, trum |
| 12) prognosis | l) durus, a, um        |
| 13) diameter  | m) benignus, a, um     |

1f, 2d, 3h, 4g, 5a, 6l, 7k, 8c, 9m, 10i, 11b, 12j, 13e

# Fill in the missing suffixes



- partes hypophys\_
- symptomata tuberculos\_
- resectio radic\_ dent\_
- sub calcar\_ avi\_ (position)
- amputatio ped\_ dextr\_ cum narcos\_
- febris cum tuss\_
- aether pro anaesthes\_
- fractura pelv\_ cum haemorrhagi\_ in cavitat\_ abdomin\_
- cochlear plen\_ mell\_ contra tuss\_ chronic\_

# Fill in the missing suffixes



- partes hypophysis
- symptomata tuberculosis
- resectio radicis dentis
- sub calcari avis (position)
- amputatio pedis dextri cum narcosi
- febris cum tussi
- aether pro anaesthesia
- fractura pelvis cum haemorrhagia in cavitate abdominalis
- cochlear plenum mellis contra tussim chronicam

# Join the terms to form the expressions



- rete + canalis + nervus + hypoglossus, a, um
- stratum + corneus, a, um + unguis
- pars + thoracicus, a, um + systema + autonomicus, a, um
- stenosis + ostium + venosus, a, um + sinister, tra, trum

# Translate

- internal ear
- symptoms of tuberculosis
- lobes and parts of the hypophysis
- network of carpus
- in acute fever
- canine teeth
- venous network of the eyeball
- symptoms of organic psychosis
- antibiotics against the whooping cough
- symptoms of synarthrosis



- auris interna
- symptomata tuberculosis
- lobi et partes hypophysis
- rete carpi
- in febri acuta
- dentes canini
- rete venosum bulbi
- symptomata psychosis / eos organicae
- antibiotica contra pertussim
- symptomata synarthrosis / eos

# Translate /TASK 6a HANDOUT 6-7



- function of the digestive organs
  - *functio organorum digestoriorum* (organS -> plural)
- thorn wounds in the trunk of the body
  - *vulnera lacera in trunco corporis* (woundS->plural; in (position) +abl.)
- foreign body in the oral cavity
  - *corpus alienum in cavitate oris* (in (position) +abl.)
- function of the salivary glands
  - *functio glandularum salivariarum* (glandS -> plural)
- serous tunic of the gullet
  - *tunica serosa oesophagi*
- walls of the stomach
  - *parietes stomachi* (don't confuse pars, partis, f. with paries, etis, m.)
- the body of the stomach
  - *corpus stomachi*
- ulcers in the body of the stomach
  - *ulcera in corpore stomachi / ventriculi* (ulcerS->plural, ulcer is neuter-> ulcera)

# Translate /TASK 6a HANDOUT 6-7



- perforated intestines
  - *intestina perforata* (intestineS->plural, *intestinum* is neuter-> *intestina*)
- surgical therapy of perforated intestines
  - *therapia chirurgica intestinorum perforatorum* (intestineS->plural)
- symptoms of the intestine perforation
  - *symptomata perforationis intestini* (perforation is a noun; there is no adjective meaning intestine -> perforation of the intestine)
- cancer of the sigmoid colon
  - *cancer coli sigmoidei*
- right and left lobe of the liver
  - *lobus hepatis dexter et sinister*
- tumor of the head of the pancreas
  - *tumor capitis pancreatis*
- body and neck of pancreas
  - *corpus et cervix pancreatis*

# Find opposites/TASK 8 UNIT 4

- 
- Dura mater encephali
  - Tumor malignus
  - Pes dexter
  - Medulla ossium flava
  - Vitium congenitum
  - Regio parva
  - Sanatio per primam intentionem
  - Auris externa
  - Prognosis bona
  - Nephrosis chronica
  - pia
  - benignus
  - sinister
  - rubra
  - acquisitum
  - magna
  - secundam
  - interna
  - mala
  - acuta