

Cvičení 4.-5. deklinace

Vyberte tvary akuzativu singuláru:

- ▶ **domum, rerum, spurium, hominum, vulnus,
arcus, basim, regionum, continuum,
superficiem, cornu, rete, tussium,
diaphragmatum, spiritum, ureterum, os, ossa,
uterum, nasalium, crurum, ganglion, rem, ren**

Převeděte do singuláru nebo plurálu:

- ▶ **meatum**
- ▶ **genuum**
- ▶ **carie**
- ▶ **fetūs**
- ▶ **gravidas**
- ▶ **graviditas**
- ▶ **cubitum**
- ▶ **capitum**

- ▶ **decubitum**
- ▶ **bicipites**
- ▶ **foramine nutricio**
- ▶ **partium**
- ▶ **partuum**
- ▶ **partibus**
- ▶ **morbum**
- ▶ **mortium**

Spojte adjektiva s vhodným tvarem substantiva z nabídky:

- ▶ ***frontalia, sinistri, sinistra, simplicium, multiplices, simplicis, brachialem, dextrum, multiplicem, sanorum***

- ▶ ***manu, articulationis, plexum, pulmonum, oculum, cornua, pulverum, genūs, fracturae, sclerosim***

Dejte do opačného čísla:

- ▶ **homines cum morbis gravibus**
- ▶ **remedia contra dolores**
- ▶ **in cavitatem dentis**
- ▶ **sub cortice lentis**
- ▶ **laesiones musculorum intercostalium**
- ▶ **ligamenta collateralia articulationum digitorum manuum**

Vytvořte spojení:

- ▶ **causa** — partus — praematurus
- ▶ **sine** — dolor — caput
- ▶ **propter** — pulsus — frequens
- ▶ **symptoma** — morbus — incipiens
- ▶ **symptoma** (pl.) — arthritis — rheumaticus
- ▶ **contra** — morbus (pl.) — infectiosus
- ▶ **in** — periculum — mors
- ▶ **ulcus** (pl.) — in — colon — descendens
- ▶ **sanatio** — cum — defectus
- ▶ **ad** — scatula — parvus
- ▶ **partus** — extra — murus (pl.) mūrus, ī, m. „zed“

Vytvořte spojení:

- ▶ trauma (pl). — gravis — columna vertebralis
- ▶ operatio — propter — fractura — gravis — ulna — sinister
- ▶ contusio — musculus — biceps — brachium
- ▶ in — status — post — infarctus — cor — recens
- ▶ propter — nephrosis — gravis
- ▶ gutta (pl.) — contra — tussis
- ▶ propter — fractura — collum — femur
- ▶ vulnus (pl.) — lacer — caput
- ▶ fractura — pars — distalis — humerus
- ▶ extractio — dens — lacteus — e — caries
- ▶ apud — aditus — larynx
- ▶ in — sinus — occipitalis

Doplňte správné koncovky:

- ▶ Extractio dent.... molar.... **cum dolor.... acr....**
- ▶ Dolor acut.... in pulmon.... dextr....
- ▶ Medicamentum contra tuss.... in lagoen.... pro infant.... et adult....
- ▶ Auxilium celer.... in traumat.... grav....
- ▶ Laesio capit.... long.... muscul.... bicipit.... brachi....
- ▶ Remedium cardinal.... et adiuvan....
- ▶ Mors subit.... post dos.... letal....
- ▶ Pus in vulner.... lacer....
- ▶ Symptomat.... hepatit.... malign....
- ▶ Status post amputation.... lob.... pulmon.... sinistr.... propter tuberculos....

Doplňte tabulku tak, aby každý řádek obsahoval jeden výraz v různých pádech a každý sloupec různé výrazy v jednom pádě:

dosis parva				
		nervi abducentes		
	genu varo			
				facies cutaneis
			tractum nervosorum	
meatus acusticus				
		vasa afferentia		
				manibus longis