# (XI.) Digital model of aortic function (XVI.) Blood flow in veins

Physiology I – practicals

Dep. of Physiology, Fac. of Medicine, MU 2015 © Michal Pásek

### Definitions of key words and symbols

Stroke volume (SV) – volume of blood ejected from the left ventricle to the aorta during one contraction

*Heart rate (HR)* – number of heart contractions per1 minute

Peripheral vascular resistance (R) – resistance of small arteries (mainly arterioles and capillaries)

Compliance of aorta ( $C_a$ ) – ability of aorta to change its volume according to changes of blood pressure



# Arterial blood pressure in case of changing circulatory parameters and cardiac output





#### Modeled situations

**SV – increase**: hyperhydration – rapid administration of i.v. infusion, intake of large amount of water in short time; **decrease**: dehydration, loss of blood (haemorrhage)

**HR** – **increase:** activation of sympathetic nervous system – stress, physical activity; **decrease:** increase of vague tonus, adaptation of heart in sportsmen (athletic heart)

**R – increase:** predominance of vasoconstriction – e.g. in cold environment; **decrease:** predominance of vasodilation – sauna, distributive shock (anaphylaxis, adrenal crisis)

**C** – **higher values:** in children, young people; **lower values:** in elderly people, atherosclerosis, elastic fibers degeneration – isolated systolic hypertension (systolic blood pressure is higher than normal, diastolic blood pressure is predominantly at normal level)

## Mechanisms of venous return



- 1. Pressure gradient between venous system and right atrium ("a force acting from behind" – vis a tergo)
- 2. Suction effect of systole ("a force acting from in front" – vis a fronte)
- 3. Skeletal muscle contractions muscle pump
- 4. Suction effect of inspirium increased intraabdominal pressure and decreased intrathoracic pressure

5. Venous valves

# Picture sources

Slide 7 – Atlas Of Physiology, Silbernagl & Despopoulos, Georg Thieme Verlag 2003