Corticosterois	Drud dosage form
hydrocortisone	oitment, creme
	p.o. tablets
dexamethasone	eye drops
	ear drops
	i.v., p.o.
budesonide	inh.
	rectal foam/enema
	enterosolvent capsules
	orally dispersible tablets
prednisone	suppositories
	p.o. tablets
triamcinolone	oitment, creme
	intraarticular inj.

Indication	
	_
	_
	_
	_
	_

Function of GCC	

Other corticoids with the same use
triamcinolone, betametasone, prednisolone,
methylprednisolone, fluocinolone, alclomethasone,
mometasone, clobetasol
methylprednisolone + fludrocortisone
prednisolone, hydrocortisone, fluormetholone
fluocinolone
prednisone, methylprednisolone
betamethasone, beklomethasone, ciclesonide,
mometasone, fluticasone
dexamethasone, methylprednisolone
hydrocortisone, prednisolone, methylprednisolone
methylprednisolone

Indications

Addison's disease

Arthritis (autoimmune and gouty) and osteoarthrosis
Asthma bronchiale
Autoimmune diseases (MS, systemic lupus, dermatomyositis, vasculitis, hemolytic anemia, etc.)
Covid-19

Dermatological diseases (eczema, psoriasis, seborrheic dermatitis)

Brain edema

Eosinophilic esophagitis

Hemato-oncological diseases

Laryngitis in children
Otitis

Corrosion, burns, injuries, eye surgery

Prevention of transplant rejection
Premature delivery
Status asthmaticus

Severe allergies (including drug allergies) and anaphylaxis

Ulcerative colitis and Crohn's disease (anywhere in the intestine)

Ulcerative colitis of the rectum and sigmoid Vomiting after chemo- or radiotherapy