

What If server

<http://swift.cmbi.ru.nl/servers/html/index.html>

Molekula pro analýzu – pdb kód 1PW2

What If server

The WHAT IF Web Interface - Mozilla Firefox

File Edit View History Bookmarks ScrapBook Tools Help

http://swift.cmbi.ru.nl/servers/html/index.html whatif vriend

Most Visited English - Czech Dict... Neviditelný pes Britské listy Seznam Support SunSITE Czech Rep...

Classes

- [Help](#)
- [Administration](#)
- [Build/check/repair model](#)
- [Structure validation](#)
- [Analyse a residue](#)
- [Protein analysis](#)
- [2-D graphics](#)
- [3-D graphics](#)
- [Hydrogen \(bonds\)](#)
- [Accessibility](#)
- [Atomic contacts](#)
- [Coordinate manipulations](#)
- [Rotamer related](#)
- [Cysteine related](#)
- [Water](#)
- [Ions](#)
- [Docking](#)
- [Crystal symmetry](#)
- [mutation prediction](#)
- [NMR](#)
- [Other options](#)

PYTHON Powered

WHAT IF Web Interface

Nov 23-25 2007 a small WHAT IF workshop will be held at the CMBI. This workshop is meant for a few experienced WHAT IF users. The goals of the workshop are to go over a series recent WHAT IF extensions, and to discuss the next twenty years of WHAT IF development. If you want to participate, please contact Gert Vriend

Click on one of the classes in the left side column to activate those servers.

You can also read the [help page](#), or you can read about the [output formats](#) used by all servers. We also made one [page](#) with notes for people who want to make their own servers.

W A R N I N G. Results are only kept on this server till Saturday, midnight in The Netherlands. This is mainly a safety feature, but also saves us disk space. Feel free to look at the [WHAT IF](#) writeup too.

In case a server fails, first check your input PDB file "List sequence of a PDB file" server that can be found in the "Administration" section of the servers. If this server gives you a long list of administrative information, and no obvious error messages, then look at the [PDBREPORT](#) database to see if there are other obvious problems with the PDB file. If that also does not provide an answer, mail the PDB file (and other files when needed) to Gert Vriend. Please mention the server class (mentioned in the left-hand column of the server page) and the title of the actual server (you click on that in the right-hand part of the server page to get at that server).

But PLEASE, do not submit the same file over and over again! If the thing fails once, it fails twice, and if it is very slow, submitting more jobs will make it even slower. Remember that the servers run just on my private machine and not some supercomputer at a big centre....

Done

Administration

- List a residue – informace o vybraném residuu
- List a file – základní informace o residiích v souboru
- List sequence of PDB file – sekvence AK z PDB souboru – z hlavičky souboru
- Make sequence from PDB file – sekvence AK vytvořená z PDB souboru
- Renumber a PBD file from 1 – přečíslování residuí v souboru od 1

Build, check, repair model

- Homology modelling
- Template structure check
- Protein structure check
- Complete a structure
- Remove bumps from structure
- Compare a model to a solvated structure
- Prepare pdb file for docking programs
- Prepare files for Gromacs MD run

Build, check, repair model

The WHAT IF Web Interface - Mozilla Firefox

File Edit View History Bookmarks ScrapBook Tools Help

http://swift.cmbi.ru.nl/servers/html/index.html authorization mandriva

Most Visited English - Czech Dict... BL Neviditelný pes BL Britské listy S Seznam Support SunSITE Czech Rep...

The WHAT IF Web Int... X S Seznam X

Classes

- [Help](#)
- [Administration](#)
- [Build/check/repair model](#)
- [Structure validation](#)
- [Analyse a residue](#)
- [Protein analysis](#)
- [2-D graphics](#)
- [3-D graphics](#)
- [Hydrogen \(bonds\)](#)
- [Accessibility](#)
- [Atomic contacts](#)
- [Coordinate manipulations](#)
- [Rotamer related](#)
- [Cysteine related](#)
- [Water](#)
- [Ions](#)
- [Docking](#)
- [Crystal symmetry](#)
- [mutation prediction](#)
- [NMR](#)
- [Other options](#)

PYTHON Powered

Protein Model Check



Introduction

A set of WHAT IF checks will be run on the model.

Methods

Modelling proteins by homology is becoming a routine technique and many people rely on black-box like WWW based modelling servers as their only source of structural information. The fully automatic [Swiss-Model](#) server is a good example. The server listed higher up in this page is less automatic, and therefore more aimed at the experienced modeler. However, when a model is made, one needs to get an impression about the quality of the template and the quality of the model. This server checks the model for you, the previous server is meant for validation of the template structure. The difference is that in this model validation server several of the typical Xray checks (symmetry contacts; B-factors) are switched off.

Upload your file [Browse...](#)

[Send](#) [Clear Form](#)

If you have detected any error or have any question or suggestion please send an Email to Gert

Downloads fixed.pdb Clear

Done

Build, check, repair model

The WHAT IF Web Interface - Mozilla Firefox

File Edit View History Bookmarks ScrapBook Tools Help

http://swift.cmbi.ru.nl/servers/html/index.html authorization mandriva

Most Visited English - Czech Dict... Neviditelný pes Britské listy Seznam Support SunSITE Czech Rep...

The WHAT IF Web Int... Seznam

Classes

- Help
- Administration
- Build/check/repair model
- Structure validation
- Analyse a residue
- Protein analysis
- 2-D graphics
- 3-D graphics
- Hydrogen (bonds)
- Accessibility
- Atomic contacts
- Coordinate manipulations
- Rotamer related
- Cysteine related
- Water
- Ions
- Docking
- Crystal symmetry
- mutation prediction
- NMR
- Other options

PYTHON Powered

Remove bumps from a structure

Introduction

Atomic clashes (bumps) will be removed by rotating side chain torsion angles.

Methods

Side chains torsion angles will first be rotated around in steps of 120 degrees. In a second round steps of 2, 4 or 6 degrees will be used.
The rotamer that leads to the smallest overlap with the rest of the molecule will be kept.
There is no guarantee that the molecule will be 'bump-free' after this operation.
It sometimes helps to send the output of this server once again to the server.

Either Choose a pdb-file,

Or Choose your own file /home/zdenek/Desktop/1PW Browse...

If you have detected any error, or have any question or suggestion, please send an Email to Gert Vriend.
Roland Krause, Jens Erik Nielsen, [Gert Vriend](#).

Downloads fixed.pdb Clear

Done

Build, check, repair model

The WHAT IF Web Interface - Mozilla Firefox

File Edit View History Bookmarks ScrapBook Tools Help

http://swift.cmbi.ru.nl/servers/html/index.html authorization mandriva

Most Visited English - Czech Dict... Neviditelný pes Britské listy Seznam Support SunSITE Czech Rep...

The WHAT IF Web Int... Seznam

Classes

- Help
- Administration
- Build/check/repair model
- Structure validation
- Analyse a residue
- Protein analysis
- 2-D graphics
- 3-D graphics
- Hydrogen (bonds)
- Accessibility
- Atomic contacts
- Coordinate manipulations
- Rotamer related
- Cysteine related
- Water
- Ions
- Docking
- Crystal symmetry
- mutation prediction
- NMR
- Other options

PYTHON Powered

Remove bumps from a structure

Introduction

Atomic clashes (bumps) will be removed by rotating side chain torsion angles.

Methods

Side chains torsion angles will first be rotated around in steps of 120 degrees. In a second round steps of 2, 4 or 6 degrees will be used.
The rotamer that leads to the smallest overlap with the rest of the molecule will be kept.
There is no guarantee that the molecule will be 'bump-free' after this operation.
It sometimes helps to send the output of this server once again to the server.

Either Choose a pdb-file,

Or Choose your own file /home/zdenek/Desktop/1PW Browse...

If you have detected any error, or have any question or suggestion, please send an Email to Gert Vriend.
Roland Krause, Jens Erik Nielsen, [Gert Vriend](#).

Downloads fixed.pdb Clear

Done

Structure validation

- Name check
- Coarse packing quality control
- Anomalous bond lengths
- Planarity
- Fine packing quality control
- Collisions with symmetry axes
- Hand check
- Omega
- Proline puckering

Structure validation

The WHAT IF Web Interface - Mozilla Firefox

File Edit View History Bookmarks ScrapBook Tools Help

http://swift.cmbi.ru.nl/servers/html/index.html authorization mandriva

Most Visited English - Czech Dict... Neviditelný pes Britské listy Seznam Support SunSITE Czech Rep...

The WHAT IF Int... Seznam

Classes

- [Help](#)
- [Administration](#)
- [Build/check/repair model](#)
- [**Structure validation**](#)
- [Analyse a residue](#)
- [Protein analysis](#)
- [2-D graphics](#)
- [3-D graphics](#)
- [Hydrogen \(bonds\)](#)
- [Accessibility](#)
- [Atomic contacts](#)
- [Coordinate manipulations](#)
- [Rotamer related](#)
- [Cysteine related](#)
- [Water](#)
- [Ions](#)
- [Docking](#)
- [Crystal symmetry](#)
- [mutation prediction](#)
- [NMR](#)
- [Other options](#)

PYTHON Powered

Ramachandran plot evaluation.

Prolines with funny puckers:

Date= 2009-02-23 13:30:32
Ramachandran Z-score : -0.355
The score expressing how well the backbone conformations of all residues are corresponding to the known allowed areas in the Ramachandran plot is within expected ranges for well-refined structures.

Ramachandran Z-score : -0.355

See also the Ramachandran plot server in the 2D-graphic class.

If you have detected any error, or have any question or suggestion, please send an Email to Gert Vriend.
Roland Krause, Jens Erik Nielsen, [Gert Vriend](#).

Last modified Mon Feb 23 13:30:37 2009

Downloads fixed.pdb Clear

Done

Structure validation

The WHAT IF Web Interface - Mozilla Firefox

File Edit View History Bookmarks ScrapBook Tools Help

http://swift.cmbi.ru.nl/servers/html/index.html authorization mandriva

Most Visited English - Czech Dict... Neviditelný pes Britské listy Seznam Support SunSITE Czech Rep...

The WHAT IF Int... Seznam

Classes

- [Help](#)
- [Administration](#)
- [Build/check/repair model](#)
- [**Structure validation**](#)
- [Analyse a residue](#)
- [Protein analysis](#)
- [2-D graphics](#)
- [3-D graphics](#)
- [Hydrogen \(bonds\)](#)
- [Accessibility](#)
- [Atomic contacts](#)
- [Coordinate manipulations](#)
- [Rotamer related](#)
- [Cysteine related](#)
- [Water](#)
- [Ions](#)
- [Docking](#)
- [Crystal symmetry](#)
- [mutation prediction](#)
- [NMR](#)
- [Other options](#)

PYTHON Powered

Coarse Packing Quality Control

The packing quality control per amino acid:

Date= 2009-02-23 13:33:18

1	MET	(1)	:	-3.553
2	GLU	(2)	:	-2.469
3	ASN	(3)	:	-0.423
4	PHE	(4)	:	2.892
5	GLN	(5)	:	-1.131
6	LYS	(6)	:	-1.653
7	VAL	(7)	:	-3.049
8	GLU	(8)	:	0.161
9	LYS	(9)	:	-3.525
10	ILE	(10)	:	-2.501
11	GLY	(11)	:	-1.549
12	GLU	(12)	:	-4.363
13	GLY	(13)	:	-0.159
14	THR	(14)	:	-3.767
15	TYR	(15)	:	-3.946
16	GLY	(16)	:	-0.380
17	VAL	(17)	:	0.351
18	VAL	(18)	:	2.007
19	TYR	(19)	:	4.388
20	LYS	(20)	:	0.865
21	ALA	(21)	:	5.908
22	ARG	(22)	:	2.815
23	ASN	(23)	:	2.948
24	LYS	(24)	:	-4.026
25	LEU	(25)	:	-6.293
26	THR	(26)	:	-1.280
27	GLY	(27)	:	0.811
28	GLU	(28)	:	0.085
29	VAL	(29)	:	0.601

Downloads fixed.pdb Clear

Done

Structure validation

The WHAT IF Web Interface - Mozilla Firefox

File Edit View History Bookmarks ScrapBook Tools Help

http://swift.cmbi.ru.nl/servers/html/index.html authorization mandriva

Most Visited English - Czech Dict... | BL Neviditelný pes BL Britské listy S Seznam Support SunSITE Czech Rep...

The WHAT IF Web Int... X S Seznam

Classes

- [Help](#)
- [Administration](#)
- [Build/check/repair model](#)
- [Structure validation](#)
- [Analyse a residue](#)
- [Protein analysis](#)
- [2-D graphics](#)
- [3-D graphics](#)
- [Hydrogen \(bonds\)](#)
- [Accessibility](#)
- [Atomic contacts](#)
- [Coordinate manipulations](#)
- [Rotamer related](#)
- [Cysteine related](#)
- [Water](#)
- [Ions](#)
- [Docking](#)
- [Crystal symmetry](#)
- [mutation prediction](#)
- [NMR](#)
- [Other options](#)

PYTHON Powered

Anomalous bond lengths.

Bond lengths that deviate more than 4 sigma:

Date= 2009-02-23 13:34:45

All bond lengths are in agreement with standard bond lengths using a tolerance of 4 sigma (both standard values and sigma for amino acid residues have been taken from Engh and Huber [REF], for DNA/RNA from Parkinson et al [REF]). Bond lengths were found to deviate less than normal from the mean Engh and Huber [REF] and/or Parkinson et al [REF] standard bond lengths. The RMS Z-score given below is expected to be around 1.0 for a normally restrained data set. The fact that it is lower than 0.667 in this structure might indicate that too-strong constraints have been used in the refinement. This can only be a problem for high resolution X-ray structures.

RMS Z-score for bond lengths: 0.259
RMS-deviation in bond distances: 0.006
Comparison of bond distances with Engh and Huber [REF] standard values for protein residues and Parkinson et al [REF] values for DNA/RNA does not show significant systematic deviations.

If you have detected any error, or have any question or suggestion, please send an Email to Gert Vriend.
Roland Krause, Jens Erik Nielsen, [Gert Vriend](#).

Last modified Mon Feb 23 13:34:47 2009

Downloads fixed.pdb Clear

Done

Structure validation

The WHAT IF Web Interface - Mozilla Firefox

File Edit View History Bookmarks ScrapBook Tools Help

http://swift.cmbi.ru.nl/servers/html/index.html authorization mandriva

Most Visited English - Czech Dict... Neviditelný pes Britské listy Seznam Support SunSITE Czech Rep...

The WHAT IF Web Int... Seznam

Classes

- [Help](#)
- [Administration](#)
- [Build/check/repair model](#)
- [Structure validation](#)
- [Analyse a residue](#)
- [Protein analysis](#)
- [2-D graphics](#)
- [3-D graphics](#)
- [Hydrogen \(bonds\)](#)
- [Accessibility](#)
- [Atomic contacts](#)
- [Coordinate manipulations](#)
- [Rotamer related](#)
- [Cysteine related](#)
- [Water](#)
- [Ions](#)
- [Docking](#)
- [Crystal symmetry](#)
- [mutation prediction](#)
- [NMR](#)
- [Other options](#)

PYTHON Powered

Fine Packing Quality Control

The packing quality control per amino acid:

Date= 2009-02-23 13:37:15

Residue	State	AllAll	BB-BB	BB-SC	SC-BB	SC-SC
1 MET (1) A	2	0.000	0.000	0.000	0.000	0.000
2 GLU (2) A	3	-0.498	-0.594	0.727	-0.619	-0.967
3 ASN (3) A	3	-0.989	-0.269	0.233	-1.920	-1.054
4 PHE (4) A	3	-0.240	0.003	-0.842	0.697	-0.677
5 GLN (5) A	1	0.000	0.000	0.000	0.000	0.000
6 LYS (6) A	3	-0.441	-0.775	-1.169	-0.756	1.378
7 VAL (7) A	3	-0.320	-0.248	-1.370	0.834	-0.091
8 GLU (8) A	1	0.000	0.000	0.000	0.000	0.000
9 LYS (9) A	3	1.081	-0.162	0.645	-0.033	3.297
10 ILE (10) A	3	0.677	-0.032	-0.320	1.610	0.698
11 GLY (11) A	3	-0.873	-0.424	-0.905	0.000	0.000
12 GLU (12) A	3	-0.552	-0.964	0.096	-1.166	0.753
13 GLY (13) A	3	-1.295	-1.024	-0.812	0.000	0.000
14 THR (14) A	3	-1.325	-1.161	-0.517	-2.072	0.047
15 TYR (15) A	3	-0.570	-0.841	-0.115	-0.692	0.486
16 GLY (16) A	3	-0.001	-0.600	0.846	0.000	0.000
17 VAL (17) A	3	-1.332	-0.328	-1.163	-2.148	-1.012
18 VAL (18) A	1	0.000	0.000	0.000	0.000	0.000
19 TYR (19) A	1	0.000	0.000	0.000	0.000	0.000
20 LYS (20) A	1	0.000	0.000	0.000	0.000	0.000
21 ALA (21) A	1	0.000	0.000	0.000	0.000	0.000
22 ARG (22) A	1	0.000	0.000	0.000	0.000	0.000
23 ASN (23) A	3	1.773	2.106	0.233	1.347	0.388
24 LYS (24) A	3	-0.247	-0.493	-1.566	1.352	-0.924
25 LEU (25) A	3	-1.806	-1.409	-1.325	-1.076	-0.843
26 THR (26) A	3	0.859	0.391	0.453	0.698	1.635
27 GLY (27) A	3	1.252	0.772	1.078	0.800	0.800

Downloads fixed.pdb Clear

Done

Structure validation

The WHAT IF Web Interface - Mozilla Firefox

File Edit View History Bookmarks ScrapBook Tools Help

http://swift.cmbi.ru.nl/servers/html/index.html authorization mandriva

Most Visited English - Czech Dict... | BL Neviditelný pes BL Britské listy S Seznam Support SunSITE Czech Rep...

The WHAT IF Web Int... X S Seznam

Classes

- [Help](#)
- [Administration](#)
- [Build/check/repair model](#)
- [Structure validation](#)
- [Analyse a residue](#)
- [Protein analysis](#)
- [2-D graphics](#)
- [3-D graphics](#)
- [Hydrogen \(bonds\)](#)
- [Accessibility](#)
- [Atomic contacts](#)
- [Coordinate manipulations](#)
- [Rotamer related](#)
- [Cysteine related](#)
- [Water](#)
- [Ions](#)
- [Docking](#)
- [Crystal symmetry](#)
- [mutation prediction](#)
- [NMR](#)
- [Other options](#)

PYTHON Powered

Omega.

Omega validation results:

Date= 2009-02-23 13:39:19
Omega average and std. deviation= 179.926 1.141
Significant deviations from expected 5.5!!!
The omega angles for trans-peptide bonds in a structure are expected to give a gaussian distribution with the average around +178 degrees and a standard deviation around 5.5 degrees. These expected values were obtained from very accurately determined structures. Many protein structures are too tightly constrained. This seems to be the case with the current structure too, as the observed standard deviation is below 4.0 degrees.

Standard deviation of omega values : 0.207

If you have detected any error, or have any question or suggestion, please send an Email to Gert Vriend.
Roland Krause, Jens Erik Nielsen, [Gert Vriend](#).

Last modified Mon Feb 23 13:39:22 2009

Downloads fixed.pdb Clear

Done

Structure validation

The WHAT IF Web Interface - Mozilla Firefox

File Edit View History Bookmarks ScrapBook Tools Help

http://swift.cmbi.ru.nl/servers/html/index.html authorization mandriva

Most Visited English - Czech Dict... BL Neviditelný pes BL Britské listy S Seznam Support SunSITE Czech Rep...

The WHAT IF Int... S Seznam

Classes

- [Help](#)
- [Administration](#)
- [Build/check/repair model](#)
- [Structure validation](#)
- [Analyse a residue](#)
- [Protein analysis](#)
- [2-D graphics](#)
- [3-D graphics](#)
- [Hydrogen \(bonds\)](#)
- [Accessibility](#)
- [Atomic contacts](#)
- [Coordinate manipulations](#)
- [Rotamer related](#)
- [Cysteine related](#)
- [Water](#)
- [Ions](#)
- [Docking](#)
- [Crystal symmetry](#)
- [mutation prediction](#)
- [NMR](#)
- [Other options](#)

PYTHON Powered

Anomalous bond angles.

Bond angles that deviate more than 4 sigma:

Date= 2009-02-23 13:40:44

The bond angles listed in the table below were found to deviate more than 4 sigma from standard bond angles (both standard values and sigma for protein residues have been taken from Engh and Huber [REF], for DNA/RNA from Parkinson et al [REF]). In the table below for each strange angle the bond angle and the number of standard deviations it differs from the standard values is given. Please note that disulphide bridges are neglected. Atoms starting with "-" belong to the previous residue in the sequence.

20 LYS (20) A N CA C 98.63 -4.5

Bond angles were found to deviate less than normal from the standard bond angles (normal values for protein residues were taken from Engh and Huber [REF], for DNA/RNA from Parkinson et al [REF]). The RMS Z-score given below is expected to be around 1.0 for a normally restrained data set. More common values are around 1.55. The fact that it is lower than 0.667 in this structure might indicate that too-strong constraints have been used in the refinement. This can only be a problem for high resolution X-ray structures.

RMS Z-score for bond angles: 0.601
RMS-deviation in bond angles: 1.310

If you have detected any error, or have any question or suggestion, please send an Email to Gert Vriend.
Roland Krause, Jens Erik Nielsen, [Gert Vriend](#).

Downloads fixed.pdb Clear

Done

Analyse a residue

- Residue accessibility
- List a residue
- Distance dependent contact of one residue with polar residues

Protein analysis

- Secondary structure, symmetry and accessibility
- Torsion angles
- Accessible polar fraction
- Check for short interatomic distances (bumps)
- Relative surface exposure
- Analyse protein-cofactor contacts
- Analyse protein-DNA/RNA contacts
- Bond angles

Protein analysis

The WHAT IF Web Interface - Mozilla Firefox

File Edit View History Bookmarks ScrapBook Tools Help

http://swift.cmbi.ru.nl/servers/html/index.html authorization mandriva

Most Visited English - Czech Dict... BL Neviditelný pes BL Britské listy S Seznam Support SunSITE Czech Rep...

The WHAT IF Int... X Seznam X

Classes

- [Help](#)
- [Administration](#)
- [Build/check/repair model](#)
- [Structure validation](#)
- [Analyse a residue](#)
- [Protein analysis](#)
- [2-D graphics](#)
- [3-D graphics](#)
- [Hydrogen \(bonds\)](#)
- [Accessibility](#)
- [Atomic contacts](#)
- [Coordinate manipulations](#)
- [Rotamer related](#)
- [Cysteine related](#)
- [Water](#)
- [Ions](#)
- [Docking](#)
- [Crystal symmetry](#)
- [mutation prediction](#)
- [NMR](#)
- [Other options](#)

PYTHON Powered

Protein analysis

- [Secondary Structure, symmetry and accessibility](#)

The secondary structure according to DSSP will be listed. Residues that make a symmetry contact in the crystal and residues that are clearly accessible to solvent (this time not taking crystal contacts into account) will be indicated.

This is a secondary structure determination from 3D coordinates, and **NOT** a secondary structure prediction.
- [Torsion angles](#)

The torsion angles in all amino acids in the PDB file will be tabulated. Angles will be in degrees. A torsion angle of 999 degrees indicates that this torsion angle does not exist (e.g. phi of the N-terminal residue), or that there is something wrong with at least one of the atoms involved.
- [Accessible Polar Fraction](#)

Using this service you can calculate the scores described by Bowie, Luthy and Eisenberg.
- [Check for Short Interatomic Distances](#)

Downloads fixed.pdb 1PW2_had... Clear

http://swift.cmbi.ru.nl/servers/html/calc.html

Protein analysis

The WHAT IF Web Interface - Mozilla Firefox

File Edit View History Bookmarks ScrapBook Tools Help

http://swift.cmbi.ru.nl/servers/html/index.html authorization mandriva

Most Visited English - Czech Dict... BL Neviditelný pes BL Britské listy S Seznam Support SunSITE Czech Rep...

The WHAT IF Web Int... X S Seznam X

Classes

- [Help](#)
- [Administration](#)
- [Build/check/repair model](#)
- [Structure validation](#)
- [Analyse a residue](#)
- [Protein analysis](#)
- [2-D graphics](#)
- [3-D graphics](#)
- [Hydrogen \(bonds\)](#)
- [Accessibility](#)
- [Atomic contacts](#)
- [Coordinate manipulations](#)
- [Rotamer related](#)
- [Cysteine related](#)
- [Water](#)
- [Ions](#)
- [Docking](#)
- [Crystal symmetry](#)
- [mutation prediction](#)
- [NMR](#)
- [Other options](#)

PYTHON Powered

Secondary Structure, symmetry and accessibility

Listed fromn top to bottom are the residue number, the secondary structure, every residue involved in symmetry contacts is labeled with an asterix. Every residue that is clearly solvent accessible is labeled with a capital A.

Date= 2009-02-23 13:42:47

10	20	30
1 - 36 MENFQKVEKIGEGTYGVYKARNKL TGEVVALKKIR		
1 - 36 TTSSSSSSSSS TTTSSSSSSTTT SSSSS		
1 - 36 **** * *** **		
1 - 36 AAA AAAAAA A A A AAA AA A A		
40	50	60 70 80 90
37 - 96 TEGVPSTAIREISLLKELNHNPNIKVLLDVIHTEENKLVLVFELHQDLKKFDASAL TGIP		
37 - 96 T HHHHHHHHHHHHTT TT SSSSSSTSSSSSS TSSHHHHHHHHTTT		
37 - 96 * * * * * **** * * * * * * * * * *		
37 - 96 AA AAAA AAA AA AA AAA A AA AAAAAA A A AA AA AAA A		
100 110 120 130 140 150		
97 - 156 LPLIKSYLFQLLQLGAFCHSHRVLRHDLKPQNLLINTEGAIKLADGLARAFGVPRVTYT		
97 - 156 HHHHHHHHHHHHHHHHHHHHHHHHTT T 333SSS TTT SSS TTHHHHT T TT		
97 - 156 * * * * * * * * * *		
97 - 156 AA A A AAA A A AA A A AA AAA AA		
160 170 180 190 200 210		
157 - 216 HEVTLWYRAPEILLGCKYYSTAVDIWSLGCIFAEMVTRRALFPGDSEIDQLFRIFRTLG		
157 - 216 TT HHHHTT TT THHHHHHHHHHHHHHHHHHTT T TTHHHHHHHHHHHHHHHHH		

Downloads fixed.pdb Clear

Done

Protein analysis

The WHAT IF Web Interface - Mozilla Firefox

File Edit View History Bookmarks ScrapBook Tools Help

http://swift.cmbi.ru.nl/servers/html/index.html authorization mandriva

Most Visited English - Czech Dict... BL Neviditelný pes BL Britské listy S Seznam Support SunSITE Czech Rep...

The WHAT IF Int... S Seznam

Classes

- [Help](#)
- [Administration](#)
- [Build/check/repair model](#)
- [Structure validation](#)
- [Analyse a residue](#)
- [Protein analysis](#)
- [2-D graphics](#)
- [3-D graphics](#)
- [Hydrogen \(bonds\)](#)
- [Accessibility](#)
- [Atomic contacts](#)
- [Coordinate manipulations](#)
- [Rotamer related](#)
- [Cysteine related](#)
- [Water](#)
- [Ions](#)
- [Docking](#)
- [Crystal symmetry](#)
- [mutation prediction](#)
- [NMR](#)
- [Other options](#)

PYTHON Powered

Check for Short Interatomic Distances

The list of all bumps

Date= 2009-02-23 13:44:15

The pairs of atoms listed in the table below have an unusually short distance.

The contact distances of all atom pairs have been checked. Two atoms are said to 'bump' if they are closer than the sum of their Van der Waals radii minus 0.40 Angstrom. For hydrogen bonded pairs a tolerance of 0.55 Angstrom is used. The first number in the table tells you how much shorter that specific contact is than the acceptable limit. The second distance is the distance between the centers of the two atoms. Although we believe that two water atoms at 2.4 Å distance are too close, we only report water pairs that are closer than this rather short distance.

The last text-item on each line represents the status of the atom pair. The text 'INTRA' means that the bump is between atoms that are explicitly listed in the PDB file. 'INTER' means it is an inter-symmetry bump. If the final column contains the text 'HB', the bump criterium was relaxed because there could be a hydrogen bond. Similarly relaxed criteria are used for 1--3 and 1--4 interactions (listed as 'B2' and 'B3', respectively). If the last column is 'BF', the sum of the B-factors of the atoms is higher than 80, which makes the appearance of the bump somewhat less severe because the atoms probably aren't there anyway.

Bumps between atoms for which the sum of their occupancies is lower than one are not reported. In any case, each bump is listed in only one direction. If the MODEL number doesn't exist (like in most X-ray files), an underscore is printed instead.

Downloads fixed.pdb Clear

Done

Protein analysis

The WHAT IF Web Interface - Mozilla Firefox

File Edit View History Bookmarks ScrapBook Tools Help

http://swift.cmbi.ru.nl/servers/html/index.html authorization mandriva

Most Visited English - Czech Dict... | BL Neviditelný pes BL Britské listy S Seznam Support SunSITE Czech Rep...

The WHAT IF Int... S Seznam

Classes

- [Help](#)
- [Administration](#)
- [Build/check/repair model](#)
- [Structure validation](#)
- [Analyse a residue](#)
- [Protein analysis](#)
- [2-D graphics](#)
- [3-D graphics](#)
- [Hydrogen \(bonds\)](#)
- [Accessibility](#)
- [Atomic contacts](#)
- [Coordinate manipulations](#)
- [Rotamer related](#)
- [Cysteine related](#)
- [Water](#)
- [Ions](#)
- [Docking](#)
- [Crystal symmetry](#)
- [mutation prediction](#)
- [NMR](#)
- [Other options](#)

PYTHON Powered

Torsion angles

Torsion angles in degrees (phi,psi,omega and chi1 till chi5)

Date= 2009-02-23 13:46:03

Amino acid	Int.	Phi	Psi	Omega	Chi1-5		
1 MET	(1) A	999.9	177.6	-179.3	-176.7	178.0	-102.5
2 GLU	(2) A	-74.0	-17.8	-179.5	-54.0	67.6	63.8
3 ASN	(3) A	-81.1	-1.3	-179.2	-69.8	-64.2	
4 PHE	(4) A	-132.2	136.6	178.0	-57.0	79.6	
5 GLN	(5) A	-102.2	117.6	-179.5	63.7	156.3	-55.2
6 LYS	(6) A	-70.9	107.7	179.9	-66.6	-175.2	-64.2
7 VAL	(7) A	-68.5	-48.5	180.0	175.4		
8 GLU	(8) A	-172.5	169.0	179.5	74.2	-170.3	-52.2
9 LYS	(9) A	-85.8	120.4	179.8	-179.3	169.3	-64.0
10 ILE	(10) A	-77.5	-31.0	179.8	-76.2	-179.5	
11 GLY	(11) A	156.0	-170.6	179.7			
12 GLU	(12) A	-97.6	125.4	179.7	-42.4	-67.0	-48.8
13 GLY	(13) A	-95.5	179.1	179.6			
14 THR	(14) A	-67.1	-38.7	-177.7	-62.6		
15 TYR	(15) A	-103.6	-16.0	-179.4	-50.2	-67.0	
16 GLY	(16) A	171.6	-179.8	-179.4			
17 VAL	(17) A	-61.5	146.5	178.9	-169.8		
18 VAL	(18) A	-118.3	126.4	-179.4	179.5		
19 TYR	(19) A	-120.9	148.8	174.9	-73.4	-64.9	
20 LYS	(20) A	-91.6	131.9	-179.3	175.5	173.4	-173.5
21 ALA	(21) A	-145.8	164.6	-179.9			
22 ARG	(22) A	-118.2	133.4	178.9	-175.0	-174.8	-53.4
23 ASN	(23) A	-76.8	116.6	-178.9	-172.3	-46.7	
24 LYS	(24) A	-69.1	12.4	179.6	-62.2	178.5	-176.9
25 LEU	(25) A	-124.7	-48.5	179.0	-78.7	174.2	
26 THR	(26) A	-91.5	-18.7	-179.9	59.5		
27 GLY	(27) A	-77.7	-9.2	178.0			

Downloads fixed.pdb Clear

Done

Protein analysis

The WHAT IF Web Interface - Mozilla Firefox

File Edit View History Bookmarks ScrapBook Tools Help

http://swift.cmbi.ru.nl/servers/html/index.html authorization mandriva

Most Visited English - Czech Dict... Neviditelný pes Britské listy Seznam Support SunSITE Czech Rep...

The WHAT IF Int... Seznam

Classes

- [Help](#)
- [Administration](#)
- [Build/check/repair model](#)
- [Structure validation](#)
- [Analyse a residue](#)
- [Protein analysis](#)
- [2-D graphics](#)
- [3-D graphics](#)
- [Hydrogen \(bonds\)](#)
- [Accessibility](#)
- [Atomic contacts](#)
- [Coordinate manipulations](#)
- [Rotamer related](#)
- [Cysteine related](#)
- [Water](#)
- [Ions](#)
- [Docking](#)
- [Crystal symmetry](#)
- [mutation prediction](#)
- [NMR](#)
- [Other options](#)

PYTHON Powered

Accessible Molecular Surface

Accessibility values and some statistics as function of the amino acid distribution

Date= 2009-02-23 13:50:55

When applicable, 0, B, or OB is added at the end of the line to indicate that the residue contains atoms with an occupancy (0) lower than 0.5, or a B-factor (B) higher than 80.0.

Res# Number of the residue
Res Residue type
PDB# Name of the residue in the PDB file
Tot.Acc. Total accessibility of the residue
Back. Accessibility of the backbone of this residue
Side. Accessibility of the sidechain of this residue
(Back. + Side. = Tot.Acc.)!

Res#	Res	PDB#	Tot. Acc.	Back.	Side.
1	MET	(1) A	21.4092	10.6593	10.7499
2	GLU	(2) A	38.6979	4.5239	34.1741
3	ASN	(3) A	16.8788	0.3495	16.5294
4	PHE	(4) A	5.7514	2.4313	3.3201
5	GLN	(5) A	22.0947	1.3979	20.6968
6	LYS	(6) A	37.0271	8.2075	28.8196
7	VAL	(7) A	19.7610	8.2280	11.5330
8	GLU	(8) A	26.0431	3.1454	22.8978
9	LYS	(9) A	31.9067	6.8889	25.0179
10	ILE	(10) A	22.4232	8.7932	13.6299
11	GLY	(11) A	7.3392	7.3392	0.0000
12	GLU	(12) A	18.0983	5.0185	13.0798
13	GLY	(13) A	3.4949	3.4949	0.0000
14	THR	(14) A	6.6742	2.7349	3.9393
15	TYR	(15) A	9.1675	2.0958	7.0717
16	GLY	(16) A	0.7346	0.7346	0.0000
17	VAL	(17) A	2.6666	0.0000	2.6666

Downloads fixed.pdb Clear

Done

Protein analysis

The WHAT IF Web Interface - Mozilla Firefox

File Edit View History Bookmarks ScrapBook Tools Help

http://swift.cmbi.ru.nl/servers/html/index.html authorization mandriva

Most Visited English - Czech Dict... BL Neviditelný pes BL Britské listy S Seznam Support SunSITE Czech Rep...

The WHAT IF Int... S Seznam

Classes

- [Help](#)
- [Administration](#)
- [Build/check/repair model](#)
- [Structure validation](#)
- [Analyse a residue](#)
- [Protein analysis](#)
- [2-D graphics](#)
- [3-D graphics](#)
- [Hydrogen \(bonds\)](#)
- [Accessibility](#)
- [Atomic contacts](#)
- [Coordinate manipulations](#)
- [Rotamer related](#)
- [Cysteine related](#)
- [Water](#)
- [Ions](#)
- [Docking](#)
- [Crystal symmetry](#)
- [mutation prediction](#)
- [NMR](#)
- [Other options](#)

PYTHON Powered

Accessible Polar Fraction

This is the WHAT IF output

Date= 2009-02-23 13:47:50

Accessible Polar Fraction Score. For a reference see:
A Method to Identify Protein Sequences That Fold into a Known
Three-Dimensional Structure. Science, Vol 253, pp 164-170, (1991).

For every residue you this polar fraction score is shown.

1	MET	(1) A	0.6242
2	GLU	(2) A	0.8312
3	ASN	(3) A	0.5041
4	PHE	(4) A	0.2965
5	GLN	(5) A	0.5905
6	LYS	(6) A	0.6705
7	VAL	(7) A	0.7225
8	GLU	(8) A	0.7162
9	LYS	(9) A	0.7429
10	ILE	(10) A	0.5934
11	GLY	(11) A	0.6857
12	GLU	(12) A	0.7614
13	GLY	(13) A	0.5546
14	THR	(14) A	0.3814
15	TYR	(15) A	0.3816
16	GLY	(16) A	0.6335
17	VAL	(17) A	0.4608
18	VAL	(18) A	0.4523
19	TYR	(19) A	0.5387
20	LYS	(20) A	0.4752
21	ALA	(21) A	0.4010
22	ARG	(22) A	0.7417
23	ASN	(23) A	0.6368
24	LYS	(24) A	0.8151
25	LEU	(25) A	0.9561
26	TUR	(26) A	0.8267

Downloads fixed.pdb Clear

Done

3-D graphics

The WHAT IF Web Interface - Mozilla Firefox

File Edit View History Bookmarks ScrapBook Tools Help

http://swift.cmbi.ru.nl/servers/html/index.html whatif vriend

Most Visited English - Czech Dict... Neviditelný pes Britské listy Seznam Support SunSITE Czech Rep...

Classes

- [Help](#)
- [Administration](#)
- [Build/check/repair model](#)
- [Structure validation](#)
- [Analyse a residue](#)
- [Protein analysis](#)
- [2-D graphics](#)
- [3-D graphics](#)
- [Hydrogen \(bonds\)](#)
- [Accessibility](#)
- [Atomic contacts](#)
- [Coordinate manipulations](#)
- [Rotamer related](#)
- [Cysteine related](#)
- [Water](#)
- [Ions](#)
- [Docking](#)
- [Crystal symmetry](#)
- [mutation prediction](#)
- [NMR](#)
- [Other options](#)

PYTHON Powered

3-D graphics

- [C-alpha trace](#)
This server will display an alpha carbon trace.
- [The molecule coloured by B-factor](#)
This server will display your entire molecule. The atoms are coloured linearly as function of the B-factor.
- [The molecule coloured by B-factor](#)
This server will display your entire molecule. The atoms are coloured **non**-linearly as function of the B-factor.
- [Backbone with hydrogen bonds](#)
The backbone will be displayed and inter-backbone hydrogen bonds will be added.
- [An arrow and cylinder drawing](#)
This server will display your molecule as an arrow and cylinder plot.

If you have detected any error, or have any question or suggestion, please send an Email to Gert

http://swift.cmbi.ru.nl/servers/html/graph3d.html

3-D graphics – arrows and cylinders

The WHAT IF Web Interface - Mozilla Firefox

File Edit View History Bookmarks ScrapBook Tools Help

http://swift.cmbi.ru.nl/servers/html/index.html whatif vriend

Most Visited English - Czech Dict... BL Neviditelný pes BL Britské listy S Seznam Support SunSITE Czech Rep...

Classes

- [Help](#)
- [Administration](#)
- [Build/check/repair model](#)
- [Structure validation](#)
- [Analyse a residue](#)
- [Protein analysis](#)
- [2-D graphics](#)
- [3-D graphics](#)
- [Hydrogen \(bonds\)](#)
- [Accessibility](#)
- [Atomic contacts](#)
- [Coordinate manipulations](#)
- [Rotamer related](#)
- [Cysteine related](#)
- [Water](#)
- [Ions](#)
- [Docking](#)
- [Crystal symmetry](#)
- [mutation prediction](#)
- [NMR](#)
- [Other options](#)

PYTHON Powered

Done

3-D graphics – backbone with H-bonds

The WHAT IF Web Interface - Mozilla Firefox

File Edit View History Bookmarks ScrapBook Tools Help


http://swift.cmbi.ru.nl/servers/html/index.html whatif vriend

Most Visited English - Czech Dict... Neviditelný pes Britské listy Seznam Support SunSITE Czech Rep...

Classes

- [Help](#)
- [Administration](#)
- [Build/check/repair model](#)
- [Structure validation](#)
- [Analyse a residue](#)
- [Protein analysis](#)
- [2-D graphics](#)
- [3-D graphics](#)
- [Hydrogen \(bonds\)](#)
- [Accessibility](#)
- [Atomic contacts](#)
- [Coordinate manipulations](#)
- [Rotamer related](#)
- [Cysteine related](#)
- [Water](#)
- [Ions](#)
- [Docking](#)
- [Crystal symmetry](#)
- [mutation prediction](#)
- [NMR](#)
- [Other options](#)

PYTHON Powered





Done


3-D graphics – B-factor coloring

A screenshot of a Mozilla Firefox browser window. The title bar reads "The WHAT IF Web Interface - Mozilla Firefox". The menu bar includes "File", "Edit", "View", "History", "Bookmarks", "ScrapBook", "Tools", and "Help". The toolbar contains standard icons for back, forward, search, and refresh. The address bar shows the URL "http://swift.cmbi.ru.nl/servers/html/index.html". The bookmarks bar lists "Most Visited", "English - Czech Dict...", "Neviditelny pes", "Britské listy", "Seznam", "Support", "SunSITE Czech Rep...", and "The WHAT IF Int...". The main content area has a pink header with the title "Classes" and a sidebar with a list of links. The main content area displays a 3D ribbon diagram of a protein structure against a black background.

Ramachandran plot



2-D graphics – Ramachandran plot



Hydrogen (bonds)

The WHAT IF Web Interface - Mozilla Firefox

File Edit View History Bookmarks ScrapBook Tools Help

http://swift.cmbi.ru.nl/servers/html/index.html authorization mandriva

Most Visited English - Czech Dict... BL Neviditelný pes BL Britské listy S Seznam Support SunSITE Czech Rep...

The WHAT IF Int... X Seznam X

Classes

- [Help](#)
- [Administration](#)
- [Build/check/repair model](#)
- [Structure validation](#)
- [Analyse a residue](#)
- [Protein analysis](#)
- [2-D graphics](#)
- [3-D graphics](#)
- [Hydrogen \(bonds\)](#)
- [Accessibility](#)
- [Atomic contacts](#)
- [Coordinate manipulations](#)
- [Rotamer related](#)
- [Cysteine related](#)
- [Water](#)
- [Ions](#)
- [Docking](#)
- [Crystal symmetry](#)
- [mutation prediction](#)
- [NMR](#)
- [Other options](#)

PYTHON Powered

Hydrogen (bonds)

- [Hydrogen bonded pairs in DNA/RNA](#)
This server lists the pairs of nucleic acids that are connected by hydrogen bonds.
- [Potential Hydrogen Bonds](#)
This module computes all possible hydrogen bonds in your molecule. It will not determine which bonds would be most favorable; you can use the "Optimal Hydrogen Bonds" server for that purpose.
- [Optimal Hydrogen Bonding Network](#)
This server will compute the best possible hydrogen bond network.
- [Add Protons to the Structure](#)
All missing protons will be added to the structure.
- [IUPAC atom name validation](#)
This server will read your PDB file, list all atoms and indicate deviations from the IUPAC nomenclature rules. A PDB file with the corrected nomenclature will be made.

Downloads fixed.pdb 1PW2_had... Clear

http://swift.cmbi.ru.nl/servers/html/hbonds.html

Hydrogen (bonds)

The WHAT IF Web Interface - Mozilla Firefox

File Edit View History Bookmarks ScrapBook Tools Help

http://swift.cmbi.ru.nl/servers/html/index.html authorization mandriva

Most Visited English - Czech Dict... Neviditelný pes Britské listy Seznam Support SunSITE Czech Rep...

The WHAT IF Web Int... Seznam

Classes

- [Help](#)
- [Administration](#)
- [Build/check/repair model](#)
- [Structure validation](#)
- [Analyse a residue](#)
- [Protein analysis](#)
- [2-D graphics](#)
- [3-D graphics](#)
- [Hydrogen \(bonds\)](#)
- [Accessibility](#)
- [Atomic contacts](#)
- [Coordinate manipulations](#)
- [Rotamer related](#)
- [Cysteine related](#)
- [Water](#)
- [Ions](#)
- [Docking](#)
- [Crystal symmetry](#)
- [mutation prediction](#)
- [NMR](#)
- [Other options](#)

PYTHON Powered

Potential Hydrogen Bonds

For each hydrogen bond the four geometric parameters will be shown, together with the corresponding hydrogen coordinates.

WARNING. These are not the hydrogen bonds in the molecule(s), but the hydrogen bonds that could potentially be observed. Some of these hydrogen bonds only exist for a very small fraction of the time, or contribute only minimally to the stability of the molecule. The 'best' hydrogen bonds, i.e., the ones that we believe are there most of the time, and that contribute to the stability of the (macro) molecule are determined by another server.

Date= 2009-02-23 14:02:27

Hydrogen bond related parameters

Maximal donor - acceptor distance	3.50
Maximal hydrogen - acceptor distance	2.50
Maximal angular error donor - H - acceptor ...	60.00
Maximal angular error H - acceptor - xxx	90.00

4 PHE (4) A N <-> 1 MET (1) A O
D(DA)= 3.40 D(HA)= 2.44 A(H)= 19.5 A(A)= 71.9 H= 23.38 59.44 21.62
3 ASN (3) A ND2 <-> 1 MET (1) A SD
D(DA)= 3.08 D(HA)= 2.23 A(H)= 38.5 A(A)= 34.9 H= 26.77 58.18 17.88
24 LYS (24) A N <-> 3 ASN (3) A O
D(DA)= 2.96 D(HA)= 1.98 A(H)= 11.3 A(A)= 31.5 H= 20.19 60.89 18.28
5 GLN (5) A N <-> 22 ARG (22) A O
D(DA)= 3.07 D(HA)= 2.09 A(H)= 16.1 A(A)= 35.7 H= 19.05 60.08 22.22
22 ARG (22) A N <-> 5 GLN (5) A O
D(DA)= 3.05 D(HA)= 2.11 A(H)= 23.9 A(A)= 44.6 H= 16.80 58.67 22.44
7 VAL (7) A N <-> 20 LYS (20) A O
D(DA)= 2.75 D(HA)= 1.98 A(H)= 47.9 A(A)= 45.5 H= 15.72 57.71 26.04
8 GLU (8) A N <-> 20 LYS (20) A O
D(DA)= 2.22 D(HA)= 2.27 A(H)= 10.1 A(A)= 17.0 H= 14.51 55.27 20.01

Downloads fixed.pdb 1PW2_had... Clear

Done

Hydrogen (bonds)

The WHAT IF Web Interface - Mozilla Firefox

File Edit View History Bookmarks ScrapBook Tools Help

http://swift.cmbi.ru.nl/servers/html/index.html authorization mandriva

Most Visited English - Czech Dict... Neviditelný pes Britské listy Seznam Support SunSITE Czech Rep...

The WHAT IF Int... Seznam

Classes

- [Help](#)
- [Administration](#)
- [Build/check/repair model](#)
- [Structure validation](#)
- [Analyse a residue](#)
- [Protein analysis](#)
- [2-D graphics](#)
- [3-D graphics](#)
- [Hydrogen \(bonds\)](#)
- [Accessibility](#)
- [Atomic contacts](#)
- [Coordinate manipulations](#)
- [Rotamer related](#)
- [Cysteine related](#)
- [Water](#)
- [Ions](#)
- [Docking](#)
- [Crystal symmetry](#)
- [mutation prediction](#)
- [NMR](#)
- [Other options](#)

PYTHON Powered

Add Protons to the Structure



Introduction

All missing protons will be added to the structure.

Methods

The protons will be placed such that an optimal hydrogen bonding network will result.
WARNING. When using files with many waters, please be prepared for a looooong waiting time.

Either Choose a pdb-file,

Or Choose your own file [Browse...](#)

[Send](#) [Clear Form](#)

If you have detected any error, or have any question or suggestion, please send an Email to Gert Vriend.
Roland Krause, Jens Erik Nielsen, [Gert Vriend](#).

Last modified Wed Jan 21 19:41:58 2009

Downloads fixed.pdb 1PW2_had... Clear

Done

Hydrogen (bonds)

The WHAT IF Web Interface - Mozilla Firefox

File Edit View History Bookmarks ScrapBook Tools Help

http://swift.cmbi.ru.nl/servers/html/index.html authorization mandriva

Most Visited English - Czech Dict... BL Neviditelný pes BL Britské listy S Seznam Support SunSITE Czech Rep...

The WHAT IF Web Int... X S Seznam X

Classes

- Help
- Administration
- Build/check/repair model
- Structure validation
- Analyse a residue
- Protein analysis
- 2-D graphics
- 3-D graphics
- Hydrogen (bonds)
- Accessibility
- Atomic contacts
- Coordinate manipulations
- Rotamer related
- Cysteine related
- Water
- Ions
- Docking
- Crystal symmetry
- mutation prediction
- NMR
- Other options

PYTHON Powered

Optimal Hydrogen Bonding Network

This is the WHAT_IF output. See: *Positioning hydrogen atoms by optimizing hydrogen-bond networks in protein structures.*
R.W.W.Hooft, C.Sander, G.Vriend, PROTEINS (1996) 26, 363-376.
for an explanation of the scores and penalties used.

Date= 2009-02-23 13:58:35

	3 ASN	(3) A	ND2	->	1 MET	(1) A	SD	Sym=	1 Val=	0.107	DA=	3.08	DHA=	38.50
4 PHE	(4) A	N	->	1 MET	(1) A	0	Sym=	1 Val=	0.479	DA=	3.40	DHA=	19.46	
5 GLN	(5) A	N	->	22 ARG	(22) A	0	Sym=	1 Val=	0.772	DA=	3.07	DHA=	16.09	
7 VAL	(7) A	N	->	20 LYS	(20) A	0	Sym=	1 Val=	0.584	DA=	2.75	DHA=	47.92	
7 VAL	(7) A	N	->	5 GLN	(5) A	0	Sym=	1 Val=	0.269	DA=	3.08	DHA=	81.44	
8 GLU	(8) A	N	->	20 LYS	(20) A	0	Sym=	1 Val=	0.663	DA=	3.33	DHA=	18.12	
10 ILE	(10) A	N	->	18 VAL	(18) A	0	Sym=	1 Val=	0.560	DA=	2.75	DHA=	37.97	
11 GLY	(11) A	N	->	18 VAL	(18) A	0	Sym=	1 Val=	0.522	DA=	3.35	DHA=	26.58	
13 GLY	(13) A	N	->	16 GLY	(16) A	0	Sym=	1 Val=	0.469	DA=	2.85	DHA=	45.73	
15 TYR	(15) A	OH	->	148 PHE	(152) A	0	Sym=	1 Val=	0.561	DA=	2.96	DHA=	24.80	
18 VAL	(18) A	N	->	11 GLY	(11) A	0	Sym=	1 Val=	0.614	DA=	2.99	DHA=	22.32	
19 TYR	(19) A	N	->	32 LEU	(32) A	0	Sym=	1 Val=	0.783	DA=	2.84	DHA=	6.83	
20 LYS	(20) A	N	->	8 GLU	(8) A	0	Sym=	1 Val=	0.714	DA=	2.80	DHA=	13.03	
21 ALA	(21) A	N	->	30 VAL	(30) A	0	Sym=	1 Val=	0.745	DA=	2.93	DHA=	13.91	
22 ARG	(22) A	N	->	5 GLN	(5) A	0	Sym=	1 Val=	0.645	DA=	3.05	DHA=	23.91	
22 ARG	(22) A	NE	->	5 GLN	(5) A	OE1	Sym=	1 Val=	0.090	DA=	3.37	DHA=	62.67	
22 ARG	(22) A	NH1	->	27 GLY	(27) A	0	Sym=	1 Val=	0.474	DA=	3.22	DHA=	33.44	
23 ASN	(23) A	N	->	28 GLU	(28) A	0	Sym=	1 Val=	0.770	DA=	2.82	DHA=	9.43	
24 LYS	(24) A	N	->	3 ASN	(3) A	0	Sym=	1 Val=	0.706	DA=	2.96	DHA=	11.26	
25 LEU	(25) A	N	->	23 ASN	(23) A	OD1	Sym=	1 Val=	0.644	DA=	2.79	DHA=	43.06	
26 THR	(26) A	N	->	26 THR	(26) A	OG1	Sym=	1 Val=	0.257	DA=	2.90	DHA=	82.32	
26 THR	(26) A	N	->	23 ASN	(23) A	OD1	Sym=	1 Val=	0.212	DA=	3.32	DHA=	20.88	
27 GLY	(27) A	N	->	23 ASN	(23) A	0	Sym=	1 Val=	0.509	DA=	2.72	DHA=	48.58	
29 GLU	(29) A	N	->	26 TUP	(26) A	OC1	Sym=	1 Val=	0.745	DA=	3.36	DHA=	13.02	

Downloads fixed.pdb 1PW2_had... Clear Done

Accessibility

The WHAT IF Web Interface - Mozilla Firefox

File Edit View History Bookmarks ScrapBook Tools Help

http://swift.cmbi.ru.nl/servers/html/index.html authorization mandriva

Most Visited English - Czech Dict... BL Neviditelný pes BL Britské listy S Seznam Support SunSITE Czech Rep...

The WHAT IF Int... S Seznam

Classes

- [Help](#)
- [Administration](#)
- [Build/check/repair model](#)
- [Structure validation](#)
- [Analyse a residue](#)
- [Protein analysis](#)
- [2-D graphics](#)
- [3-D graphics](#)
- [Hydrogen \(bonds\)](#)
- [Accessibility](#)
- [Atomic contacts](#)
- [Coordinate manipulations](#)
- [Rotamer related](#)
- [Cysteine related](#)
- [Water](#)
- [Ions](#)
- [Docking](#)
- [Crystal symmetry](#)
- [mutation prediction](#)
- [NMR](#)
- [Other options](#)

PYTHON Powered

Accessibility

- [Accessibility](#)**
Calculate the accessible molecular surface. Output per atom.
- [Buried surface.](#)**
Calculate the surface buried relative to the residue in vacuum.
- [Accessible Molecular Surface](#)**
Calculate the accessible molecular surface. Output per residue.
- [Relative Surface exposure.](#)**
Often normal accessibility calculations exaggerate things. This server calculates for every residue what its accessibility would be if you would have mutated it into an alanine.
- [Surface buried by a ligand.](#)**
This server calculates the molecular surface area that is buried because a ligand is bound to a macromolecule.

Downloads fixed.pdb 1PW2_had... Clear

Done

Accessibility

The WHAT IF Web Interface - Mozilla Firefox

File Edit View History Bookmarks ScrapBook Tools Help

http://swift.cmbi.ru.nl/servers/html/index.html authorization mandriva

Most Visited English - Czech Dict... | Neviditelný pes Britské listy Seznam Support SunSITE Czech Rep...

The WHAT IF Int... Seznam

Classes

- [Help](#)
- [Administration](#)
- [Build/check/repair model](#)
- [Structure validation](#)
- [Analyse a residue](#)
- [Protein analysis](#)
- [2-D graphics](#)
- [3-D graphics](#)
- [Hydrogen \(bonds\)](#)
- [Accessibility](#)
- [Atomic contacts](#)
- [Coordinate manipulations](#)
- [Rotamer related](#)
- [Cysteine related](#)
- [Water](#)
- [Ions](#)
- [Docking](#)
- [Crystal symmetry](#)
- [mutation prediction](#)
- [NMR](#)
- [Other options](#)

PYTHON Powered

Accessibility

This is the WHAT_IF output:

Date= 2009-02-23 14:11:43

Residue:	1	MET	(1)	A	(Prp=	0.00			
Atom	X	Y	Z	Acc	B	WT	VdW	Colr	AtOK	Val	
N	25.6	56.2	23.7	5.6	66.5	1.0	1.7	340	+	37.00	N
CA	26.6	57.1	23.0	1.9	65.8	1.0	1.8	240	+	40.00	CA
C	26.0	58.6	22.9	1.2	63.8	1.0	1.8	240	+	31.00	C
O	24.9	58.8	23.4	1.9	64.8	1.0	1.4	120	+	30.00	O
CB	26.8	56.6	21.6	0.5	67.1	1.0	1.8	240	+	37.00	CB
CG	27.8	57.5	20.8	0.3	69.4	1.0	1.8	240	+	33.00	CG
SD	28.1	56.9	19.1	3.2	72.8	1.0	2.0	180	+	34.00	SD
CE	29.7	56.1	19.3	6.6	70.7	1.0	1.8	240	+	27.00	CE

Residue:	2	GLU	(2)	A	(Prp=	0.00			
Atom	X	Y	Z	Acc	B	WT	VdW	Colr	AtOK	Val	
N	26.8	59.5	22.4	0.0	62.3	1.0	1.7	340	+	31.00	N
CA	26.4	60.9	22.3	2.4	60.1	1.0	1.8	240	+	32.00	CA
C	25.3	61.1	21.2	0.2	58.4	1.0	1.8	240	+	37.00	C
O	24.6	62.1	21.2	1.9	57.7	1.0	1.4	120	+	31.00	O
CB	27.6	61.7	21.9	7.3	60.1	1.0	1.8	240	+	24.00	CB
CG	28.8	61.6	22.8	11.4	60.6	1.0	1.8	240	+	17.00	CG
CD	29.4	60.2	22.7	3.3	61.4	1.0	1.8	240	+	19.00	CD
OE1	29.9	59.9	21.6	5.6	60.8	1.0	1.4	120	+	16.00	OE1
OE2	29.4	59.5	23.7	6.6	62.1	1.0	1.4	120	+	16.00	OE2

Residue:	3	ASN	(3)	A	(Prp=	0.00			
Atom	X	Y	Z	Acc	B	WT	VdW	Colr	AtOK	Val	
N	25.1	60.1	20.3	0.0	55.8	1.0	1.7	340	+	40.00	N
CA	24.1	60.2	19.3	0.3	54.0	1.0	1.8	240	+	48.00	CA
C	22.7	59.8	19.8	0.0	53.0	1.0	1.8	240	+	50.00	C
O	21.7	59.0	19.0	0.0	52.0	1.0	1.4	120	-	44.00	O

Downloads fixed.pdb 1PW2_had... Clear

Done

Accessibility

The WHAT IF Web Interface - Mozilla Firefox

File Edit View History Bookmarks ScrapBook Tools Help

http://swift.cmbi.ru.nl/servers/html/index.html authorization mandriva

Most Visited English - Czech Dict... Neviditelný pes Britské listy Seznam Support SunSITE Czech Rep...

The WHAT IF Int... Seznam

Classes

- [Help](#)
- [Administration](#)
- [Build/check/repair model](#)
- [Structure validation](#)
- [Analyse a residue](#)
- [Protein analysis](#)
- [2-D graphics](#)
- [3-D graphics](#)
- [Hydrogen \(bonds\)](#)
- [Accessibility](#)
- [Atomic contacts](#)
- [Coordinate manipulations](#)
- [Rotamer related](#)
- [Cysteine related](#)
- [Water](#)
- [Ions](#)
- [Docking](#)
- [Crystal symmetry](#)
- [mutation prediction](#)
- [NMR](#)
- [Other options](#)

PYTHON Powered

Buried surface.

This is the WHAT_IF output:

Date= 2009-02-23 14:06:53

Residue: 1 MET (1) A (Prp= 0.00)
Phi= 999.9 Psi= 177.6 Omega=-179.3
Atom X Y Z Acc B WT VdW Colr OK Use Vac. %
N 25.6 56.2 23.7 5.6 66.5 1.0 1.7 340 + - 16.7 33.6
CA 26.6 57.1 23.0 1.9 65.8 1.0 1.8 240 + - 4.2 45.8
C 26.0 58.6 22.9 1.2 63.8 1.0 1.8 240 + - 1.9 63.6
O 24.9 58.8 23.4 1.9 64.8 1.0 1.4 120 + - 6.6 29.0
CB 26.8 56.6 21.6 0.5 67.1 1.0 1.8 240 + - 7.0 7.5
CG 27.8 57.5 20.8 0.3 69.4 1.0 1.8 240 + - 3.3 10.5
SD 28.1 56.9 19.1 3.2 72.8 1.0 2.0 180 + - 19.4 16.7
CE 29.7 56.1 19.3 6.6 70.7 1.0 1.8 240 + - 21.7 30.6
21.4 80.7 26.5

Residue: 2 GLU (2) A (Prp= 0.00)
Phi= -74.0 Psi= -17.8 Omega=-179.5
Atom X Y Z Acc B WT VdW Colr OK Use Vac. %
N 26.8 59.5 22.4 0.0 62.3 1.0 1.7 340 + - 0.5 0.0
CA 26.4 60.9 22.3 2.4 60.1 1.0 1.8 240 + - 2.6 93.3
C 25.3 61.1 21.2 0.2 58.4 1.0 1.8 240 + - 0.9 20.0
O 24.6 62.1 21.2 1.9 57.7 1.0 1.4 120 + - 7.4 25.7
CB 27.6 61.7 21.9 7.3 60.1 1.0 1.8 240 + - 8.2 89.4
CG 28.8 61.6 22.8 11.4 60.6 1.0 1.8 240 + - 11.4 100.0
CD 29.4 60.2 22.7 3.3 61.4 1.0 1.8 240 + - 3.3 100.0
OE1 29.9 59.9 21.6 5.6 60.8 1.0 1.4 120 + - 9.2 60.9
OE2 29.4 59.5 23.7 6.6 62.1 1.0 1.4 120 + - 6.7 98.4
38.7 50.1 77.2

Residue: 3 ASN (3) A (Prp= 0.00)
Phi= 999.9 Psi= 177.6 Omega=-179.3

Downloads fixed.pdb 1PW2_had... Clear

Done

Atomic contacts

The WHAT IF Web Interface - Mozilla Firefox

File Edit View History Bookmarks ScrapBook Tools Help

http://swift.cmbi.ru.nl/servers/html/index.html authorization mandriva

Most Visited English - Czech Dict... Neviditelný pes Britské listy Seznam Support SunSITE Czech Rep...

The WHAT IF Web Int... Seznam

Classes

- [Help](#)
- [Administration](#)
- [Build/check/repair model](#)
- [Structure validation](#)
- [Analyse a residue](#)
- [Protein analysis](#)
- [2-D graphics](#)
- [3-D graphics](#)
- [Hydrogen \(bonds\)](#)
- [Accessibility](#)
- [Atomic contacts](#)
- [Coordinate manipulations](#)
- [Rotamer related](#)
- [Cysteine related](#)
- [Water](#)
- [Ions](#)
- [Docking](#)
- [Crystal symmetry](#)
- [mutation prediction](#)
- [NMR](#)
- [Other options](#)

PYTHON Powered

Atomic contacts

- Interatomic bumps.**
Check for (too) short interatomic distances (bumps).
- Residue contact diagonal plot**
A two dimensional plot is generated. The sequence is placed along each of the axes. Little squares indicate that the corresponding residues on the two axes make at least one atomic contact in the PDB file.
- Interatomic contacts.**
This server calculates contacts between all atoms in your PDB file, including water. All contacts are listed only once. Symmetry contacts are excluded. Contact distance 0.25 Ångstrom.
- Interatomic contacts.**
This server calculates contacts between all atoms in your PDB file, including water. All contacts are listed only once. Symmetry contacts are excluded. Contact distance 1.0 Ångstrom.

Downloads fixed.pdb 1PW2_had... Clear

http://swift.cmbi.ru.nl/servers/html/contac.html

Atomic contacts

The WHAT IF Web Interface - Mozilla Firefox

File Edit View History Bookmarks ScrapBook Tools Help

http://swift.cmbi.ru.nl/servers/html/index.html authorization mandriva

Most Visited English - Czech Dict... | Neviditelný pes Britské listy Seznam Support SunSITE Czech Rep...

The WHAT IF Web Int... Seznam

Classes

- Help
- Administration
- Build/check/repair model
- Structure validation
- Analyse a residue
- Protein analysis
- 2-D graphics
- 3-D graphics
- Hydrogen (bonds)
- Accessibility
- Atomic contacts
- Coordinate manipulations
- Rotamer related
- Cysteine related
- Water
- Ions
- Docking
- Crystal symmetry
- mutation prediction
- NMR
- Other options

PYTHON Powered

Interatomic contacts.

The list of contacting atom pairs:

Date= 2009-02-23 14:41:21

Calculate contacts 1 - 295 -> 1 - 295 d= 0.250

	1	MET	(1)	A	C	<>	3	ASN	(3)	A	N	D=	3.17	H-ene=	--	0	Sym=	(B-B)							
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27			
ND2	SD	CE	C	O	O	CG	ND2	CA	CB	CG	CE1	C	O	O	CA	CD1	CD1	CD1	CD	CE	C	CD	CD2	CE2	O	O	O		
D=	3.08	66	4	<>	24	295	295	<>	32	32	66	7	7	21	21	3.62	3.84	3.57	3.07	3.50	22	22	19	19	20	20	2.75	3.36	
H-ene=	0.11	ILE	PHE	<>	LYS	HOH	HOH	<>	LEU	LEU	ILE	VAL	VAL	ALA	ALA	3.68	3.16	3.16	3.32	3.34	ARG	LEU	LEU	TYR	TYR	LYS	LYS	0.58	0.58
--	0)))))))))))))))	0	0	0	0	0))))))	0	0
Sym=	(S-S)	(S-S)	(B-B)	(B-B)	(B-B)	(S-W)	(S-W)	(B-B)	(S-S)	(S-S)	(S-S)	(B-B)	(B-B)	(B-S)	(B-S)	(B-B)	(S-S)	(S-S)	(S-S)	(S-S)	(B-B)								

Downloads NAS200_V1... Clear

Done

Coordinate manipulation

The WHAT IF Web Interface - Mozilla Firefox

File Edit View History Bookmarks ScrapBook Tools Help

http://swift.cmbi.ru.nl/servers/html/index.html authorization mandriva

Most Visited English - Czech Dict... Neviditelný pes Britské listy Seznam Support SunSITE Czech Rep...

The WHAT IF Web Int... Seznam

Classes

- [Help](#)
- [Administration](#)
- [Build/check/repair model](#)
- [Structure validation](#)
- [Analyse a residue](#)
- [Protein analysis](#)
- [2-D graphics](#)
- [3-D graphics](#)
- [Hydrogen \(bonds\)](#)
- [Accessibility](#)
- [Atomic contacts](#)
- [Coordinate manipulations](#)
- [Rotamer related](#)
- [Cysteine related](#)
- [Water](#)
- [Ions](#)
- [Docking](#)
- [Crystal symmetry](#)
- [mutation prediction](#)
- [NMR](#)
- [Other options](#)

PYTHON Powered

Coordinate manipulations

- [Center a structure](#)
Put the center of gravity of a structure in the origin.
- [Center of a structure](#)
Determines the center of gravity.

If you have detected any error, or have any question or suggestion, please send an Email to Gert Vriend.
Roland Krause, Jens Erik Nielsen, [Gert Vriend](#).

Last modified Wed Jan 21 19:41:58 2009

Downloads NAS200_V1... center.pdb Clear

http://swift.cmbi.ru.nl/servers/html/coords.html

Crystal symmetry

The WHAT IF Web Interface - Mozilla Firefox

File Edit View History Bookmarks ScrapBook Tools Help

http://swift.cmbi.ru.nl/servers/html/index.html authorization mandriva

Most Visited English - Czech Dict... Neviditelný pes Britské listy Seznam Support SunSITE Czech Rep...

The WHAT IF Int... Sarkozy vyznamenal...

Classes

- Help
- Administration
- Build/check/repair model
- Structure validation
- Analyse a residue
- Protein analysis
- 2-D graphics
- 3-D graphics
- Hydrogen (bonds)
- Accessibility
- Atomic contacts
- Coordinate manipulations
- Rotamer related
- Cysteine related
- Water
- Ions
- Docking
- Crystal symmetry
- mutation prediction
- NMR
- Other options

PYTHON Powered

Crystal symmetry

- [Contacts with symmetry related molecules in a crystal](#)
This server calculates contacts between pairs of atoms. Pairs of atoms are analysed only if both atoms sit in different asymmetric units. The contact cutoff is 0.5 Ångstrom.
- [Contacts with symmetry related molecules in a crystal](#)
This server calculates contacts between pairs of atoms. Pairs of atoms are analysed only if both atoms sit in different asymmetric units. The contact cutoff is 2.5 Ångstrom.
- [Contacts with symmetry related molecules in a crystal](#)
This server calculates contacts between pairs of atoms. Pairs of atoms are analysed only if both atoms sit in different asymmetric units. The contact cutoff is 5.0 Ångstrom.
- [Add shell of symmetry related residues](#)
This server will add a 1.0 Ångstrom shell of symmetry related residues around the molecule read from the PDB file.
- [Add shell of symmetry related residues](#)
This server will add a 5.0 Ångstrom shell of symmetry related residues around the molecule read from the PDB file.

http://swift.cmbi.ru.nl/servers/html/symmetry.html

Crystal symmetry

The WHAT IF Web Interface - Mozilla Firefox

File Edit View History Bookmarks ScrapBook Tools Help

authorization mandriva

Most Visited English - Czech Dict... Neviditelny pes Britské listy Seznam Support SunSITE Czech Rep...

The WHAT IF Web Int... Sarkozy vyznamenal...

Classes

- [Help](#)
- [Administration](#)
- [Build/check/repair model](#)
- [Structure validation](#)
- [Analyse a residue](#)
- [Protein analysis](#)
- [2-D graphics](#)
- [3-D graphics](#)
- [Hydrogen \(bonds\)](#)
- [Accessibility](#)
- [Atomic contacts](#)
- [Coordinate manipulations](#)
- [Rotamer related](#)
- [Cysteine related](#)
- [Water](#)
- [Ions](#)
- [Docking](#)
- [Crystal symmetry](#)
- [mutation prediction](#)
- [NMR](#)
- [Other options](#)

PYTHON Powered

Contacts with symmetry related molecules in a crystal

The list of contacting atom pairs:

Date= 2009-02-23 15:26:00

You are prompted for the first range

Calculate contacts 1 - 295 -> 1 - 295 d= 2.500

Atom	Residue	Atom	Residue	Distance (Å)	H-ene	Sym	(S-S)				
1	MET	(1) A	CG	175	TYR	(179) A	CB	D= 5.39	H-ene= - - 0	Sym= 9	(S-S)
2	MET	(1) A	CG	175	TYR	(179) A	CG	D= 5.72	H-ene= - - 0	Sym= 9	(S-S)
3	MET	(1) A	CG	175	TYR	(179) A	CD1	D= 5.68	H-ene= - - 0	Sym= 9	(S-S)
4	MET	(1) A	SD	175	TYR	(179) A	N	D= 5.94	H-ene= - - 0	Sym= 9	(S-B)
5	MET	(1) A	SD	175	TYR	(179) A	CA	D= 4.62	H-ene= - - 0	Sym= 9	(S-B)
6	MET	(1) A	SD	175	TYR	(179) A	C	D= 4.84	H-ene= - - 0	Sym= 9	(S-B)
7	MET	(1) A	SD	175	TYR	(179) A	O	D= 5.34	H-ene= - - 0	Sym= 9	(S-B)
8	MET	(1) A	SD	175	TYR	(179) A	CB	D= 3.64	H-ene= - - 0	Sym= 9	(S-S)
9	MET	(1) A	SD	175	TYR	(179) A	CG	D= 4.15	H-ene= - - 0	Sym= 9	(S-S)
10	MET	(1) A	SD	175	TYR	(179) A	CD1	D= 4.37	H-ene= - - 0	Sym= 9	(S-S)
11	MET	(1) A	SD	175	TYR	(179) A	CD2	D= 5.05	H-ene= - - 0	Sym= 9	(S-S)
12	MET	(1) A	SD	175	TYR	(179) A	CE1	D= 5.39	H-ene= - - 0	Sym= 9	(S-S)
13	MET	(1) A	SD	175	TYR	(179) A	CE2	D= 5.96	H-ene= - - 0	Sym= 9	(S-S)
14	MET	(1) A	SD	175	TYR	(179) A	CZ	D= 6.10	H-ene= - - 0	Sym= 9	(S-S)
15	MET	(1) A	CE	175	TYR	(179) A	CA	D= 5.10	H-ene= - - 0	Sym= 9	(S-B)
16	MET	(1) A	CE	175	TYR	(179) A	C	D= 4.85	H-ene= - - 0	Sym= 9	(S-B)
17	MET	(1) A	CE	175	TYR	(179) A	O	D= 4.98	H-ene= - - 0	Sym= 9	(S-B)
18	MET	(1) A	CE	175	TYR	(179) A	CB	D= 4.19	H-ene= - - 0	Sym= 9	(S-S)
19	MET	(1) A	CE	175	TYR	(179) A	CG	D= 5.10	H-ene= - - 0	Sym= 9	(S-S)
20	MET	(1) A	CE	175	TYR	(179) A	CD1	D= 5.69	H-ene= - - 0	Sym= 9	(S-S)
21	MET	(1) A	CE	175	TYR	(179) A	CD2	D= 5.83	H-ene= - - 0	Sym= 9	(S-S)
22	MET	(1) A	CG	176	TYR	(180) A	O	D= 5.23	H-ene= - - 0	Sym= 9	(S-B)
23	MET	(1) A	SD	176	TYR	(180) A	N	D= 5.00	H-ene= - - 0	Sym= 9	(S-B)
24	MET	(1) A	SD	176	TYR	(180) A	CA	D= 5.77	H-ene= - - 0	Sym= 9	(S-B)
25	MET	(1) A	SD	176	TYR	(180) A	C	D= 5.18	H-ene= - - 0	Sym= 9	(S-B)

Other options

The WHAT IF Web Interface - Mozilla Firefox

File Edit View History Bookmarks ScrapBook Tools Help

http://swift.cmbi.ru.nl/servers/html/index.html authorization mandriva

Most Visited English - Czech Dict... BL Neviditelný pes BL Britské listy S Seznam Support SunSITE Czech Rep...

The WHAT IF Int... X S Seznam

Classes

- [Help](#)
- [Administration](#)
- [Build/check/repair model](#)
- [Structure validation](#)
- [Analyse a residue](#)
- [Protein analysis](#)
- [2-D graphics](#)
- [3-D graphics](#)
- [Hydrogen \(bonds\)](#)
- [Accessibility](#)
- [Atomic contacts](#)
- [Coordinate manipulations](#)
- [Rotamer related](#)
- [Cysteine related](#)
- [Water](#)
- [Ions](#)
- [Docking](#)
- [Crystal symmetry](#)
- [mutation prediction](#)
- [NMR](#)
- [Other options](#)

PYTHON Powered

Average B factors

Residue with secondary structure, averaged B factor for backbone, side chain, and all (heavy) atoms:

Date= 2009-02-23 14:55:20

	Residue	Chain	B-factors averaged over:	Backbone	Side chain	All
1	MET	(1) A		64.9725	69.7275	67.4750
2	GLU	(2) A	T	59.3700	60.7980	60.2744
3	ASN	(3) A	T	53.6350	52.0100	52.9475
4	PHE	(4) A	S	50.3975	42.3129	45.3436
5	GLN	(5) A	S	50.3000	59.4240	55.4800
6	LYS	(6) A	S	48.8750	50.7200	50.0111
7	VAL	(7) A	S	47.7400	45.4633	46.9071
8	GLU	(8) A	S	46.2275	50.8820	48.9244
9	LYS	(9) A	S	47.0050	49.6160	48.5667
10	ILE	(10) A	S	48.0375	47.0900	47.6888
11	GLY	(11) A	S	47.5375	-1.0000	47.5375
12	GLU	(12) A	S	45.4225	53.7880	50.1811
13	GLY	(13) A		38.9275	-1.0000	38.9275
14	THR	(14) A	T	35.6600	37.1467	36.4400
15	TYR	(15) A	T	31.0475	32.5175	32.1108
16	GLY	(16) A	T	27.7700	-1.0000	27.7700
17	VAL	(17) A	S	28.6475	32.2900	30.3514
18	VAL	(18) A	S	27.0100	26.8700	27.0929
19	TYR	(19) A	S	25.7900	45.1838	38.8025
20	LYS	(20) A	S	24.5725	25.5140	25.2067
21	ALA	(21) A	S	26.4075	25.9700	26.5200
22	ARG	(22) A	S	32.2350	35.0171	34.0964
23	ASN	(23) A	S	41.6075	43.5675	42.7125
24	LYS	(24) A	T	48.5050	47.2500	47.9189
25	LEU	(25) A	T	52.7225	55.7525	54.3625
26	THR	(26) A	T	50.7900	52.4533	51.6457

Downloads NAS200_V1... center.pdb Clear Done

Residue contacts

The WHAT IF Web Interface - Mozilla Firefox

File Edit View History Bookmarks ScrapBook Tools Help

http://swift.cmbi.ru.nl/servers/html/index.html authorization mandriva

Most Visited English - Czech Dict... | BL Neviditelný pes BL Britské listy S Seznam Support SunSITE Czech Rep...

The WHAT IF Web Int... X S Seznam X

Classes

- [Help](#)
- [Administration](#)
- [Build/check/repair model](#)
- [Structure validation](#)
- [Analyse a residue](#)
- [Protein analysis](#)
- [2-D graphics](#)
- [3-D graphics](#)
- [Hydrogen \(bonds\)](#)
- [Accessibility](#)
- [Atomic contacts](#)
- [Coordinate manipulations](#)
- [Rotamer related](#)
- [Cysteine related](#)
- [Water](#)
- [Ions](#)
- [Docking](#)
- [Crystal symmetry](#)
- [mutation prediction](#)
- [NMR](#)
- [Other options](#)


PYTHON Powered

Residue contact diagonal plot

Residue-residue contact plot.

If you have detected any error, or have any question or suggestion, please send an Email to Gert Vriend.
Roland Krause, Jens Erik Nielsen, [Gert Vriend](#).

Last modified Mon Feb 23 14:38:58 2009



Downloads NAS200_V1... Clear

Úkoly:

- Vykreslete Ramachandranův diagram pro molekulu s PDB kódem 3S2P
- Zjistěte kontakty residui této molekuly s ligandem
- Vypište sekvenci AK v proteinu
- Vytvořte graf kontaktů mezi residui v proteinu