

SYNTHETIC ROUTE DESIGN AND SELECTION











- Academia vs. Industry (even more coordinated approach involving large numbers of chemists and supporting personnel towards a common goal);
- Moreover, "in the meantime", under high time pressure and stress, process people need to continually improve their expertise and capability for the effective design of new synthetic routes;
- Plan \rightarrow Do \rightarrow Audit cycle $\rightarrow \rightarrow \rightarrow$ Select
- Understand sources, available time, limitations, priorities, risks, quality, quantity, budget, ...



SELECT CRITERIA



Butters, M. et al Chem. Rev. 106, 3002 (2006)



SELECT CRITERIA

Criteria	Subcriteria	Potential Issues
SAFETY	Process, health	Thermal risk, carcinogens, sensitisers
ENVIRONMENTAL	Waste, environmental hazard	Inceneration of solvents, aquatic toxins, ozone depleting chemicals
LEGAL	Intellectual property	Indication, compound protection, process
ECONOMICS	Cost of goods, production cost, concentration	Length of the synthesis, cost of operations
CONTROL	Control of quality parameters, P-CH parameters	Meeting specifications, GMP requirements
THROUGHPUT	Time scale of manufacture	Continuity of steps, operations, transfer, availability of chemicals


Butters, M. et al Chem. Rev. 106, 3002 (20(6))

S

Ε

Ε

С



SI SI ENVIRONM

Ε


SELECT CRITERIA

\bigcirc

ENVIRONMENTAL

Very difficult to develop totally sustainable process with a low environmental impact

Always depends on the production volume and particular hazard




LEGAL H


SELECT CRITERIA

In civilized countries the development and commercialisation of API must be performed without breaking laws or infringing valid intellectual property;

Legal issues can arise any time and patent litigations are pretty common;

- Regulated or banned substances
- Using unacceptable quantities
- Transportation of hazardous materials
- Materials with third-party restrictions
- Patent infrigment





SELECT CRITERIA

The key factors determining the economic viability:

ECONOMICS · Cost of goods (CoG)

- Price of the product
- Marketing costs
- Product and/or technology licensing
- Investment

CoG – the total cost involved in manufacture of a drug product (API manufacturing, formulation, packaging) expressed as a percentage of the selling price of the drug

SELECT CRITERIA

Compliance with valid guidelines of authorities for particular region (FDA, EMEA, ASEAN, ICH)

Specification that defines the acceptable quality – a
must for the registration process;

CONTROL

Impurities – known, unknown Mutagenic impurities – ICH M7 guideline Solvates, stability (DVS, TGA) Stability tests, enforced degradation studies Polymorphism, Heavy metals DoE, QbD, PAT



SELECT CRITERIA



The amount of material that can be manufactured in unit time;

Usually identified in the late stage of development for already established procedure;

THROUGHPUT

• Chemical yield

E

- Number, capacity and availability of vessels
- Reaction, work-up time

- Limiting concentration
- Number of steps
- Convergency
- Usage of special equipment






- Chemical yield often can be improved through a deeper undestanding of kinetics and mechanism;
- Reducing the number or the length of the most time consuming operations will improve throughput – telescoping;
- Poor solubility could be a problem;

THROUGHPUT


Ε


• Protecting – deprotecting sequences;

SELECT CRITERIA - THROUGHPUT




9






ESOMEPRAZOLE








PhC(CH₃)₂OOH Ti(O*i*Pr)₄, (*S*,*S*)-DET


> iPr_2NEt H₂O, toluene



ESOMEPRAZOLE

92% conversion > 94% ee


0



CLINICAL PHASES

Phase 1 – safety screening (20-80 healthy volunteers) – safe dosing is determined and possible side effects identified;

- **Phase 2** testing protocol is formulated (100-300 patients) efficacy determination and further details about safety ;
- Phase 3 Final testing (1000-3000 patients) desired effect confirmed, monitoring of side effects, comparison with known similar drugs; after successful completion of this phase a drug is usually approved and registered.
- Phase 4 Following studies after approval gathering further pieces of information about risks, advantages and optimal dosing




Bristol-Myers Squibb Highly selective thromboxane A2 receptor antagonist (antithrombotic and anti-ischemic properties) Mueller, R.H. *Process Chemistry in the Pharmaceutical Industry*, p.37, Marcel Dekker Inc. **1999**, ISBN 0-82







Potential new drug candidates:

9









Large supply of the product made in Kilo Lab, but at the same time first candidate SQ-28668 failed in the clinical studies;

Next drug candidate was chosen (SQ-30741) – but exhibited extensive first-pass metabolism in clinic and further work was halted;

17 kg of the product still remained unutilized;

Finally, BMS-180291 selected as promising drug candidate (the product proved very useful for the start in Kilo Lab campaign).





SUMMARY (so far):

23 steps, synthesis is convergent but the longest linear sequence consists of 16 steps;

Overall yield < 3%

10 steps involve oxidation stage adjustment


Resolution process

BMS-18029 seemed to be promising drug candidate in preliminary tests

"Quick-fixes" in original route to get more material (20 kg by a combination of Kilo Lab and Pilot Plant efforts);

In the meantime Process Research activities started to identify a better route


Model alternative Diels-Alder approach:




Would require synthetic approach to starting propargylic derivative


a avaid recolution).

Stereoselective approaches (to avoid resolution):






More efficient than the original synthetic pathway; Safety concerns; The yield in the Grignard to lactone conversion was lower than practical



Relatively inexpensive chiral auxiliary *S*-methylbenzylamine provided selectivity 94 : 6 (>99 : 1 after crystallization) in 89% yield. Serine derived chiral auxiliaries gave lower yields and stere selectivity.





Still improving efficiency:

