


RecType	ExcelTime	Comment	CO2r	CO2a	CO2d	H2Or	H2Oa	H2Od
M	44635.51762		258.4	234.2	-24.2	17	20.65	3.65
M	44635.51774		258.4	234.1	-24.3	17	20.68	3.68
M	44635.51787		258.3	234	-24.3	17	20.7	3.7
M	44635.51931		202.3	179.6	-22.7	17	20.99	3.99
M	44635.51944		202.6	179.9	-22.7	17	21.03	4.03
M	44635.51958		202.6	179.9	-22.7	17	21.04	4.04
M	44635.52098		174.2	152.8	-21.4	17.1	21.41	4.31
M	44635.52112		174.2	152.9	-21.3	17.1	21.38	4.28
M	44635.52125		174	152.9	-21.1	17	21.28	4.28
M	44635.52266		143.2	124	-19.2	17.1	21.59	4.49
M	44635.52279		143.2	124.2	-19	17.1	21.6	4.5
M	44635.52292		143	124.1	-18.9	17.1	21.61	4.51
M	44635.52433		110.4	94.4	-16	17	21.75	4.75
M	44635.52446		110.6	94.5	-16.1	17	21.77	4.77
M	44635.52458		111	94.8	-16.2	17.1	21.9	4.8
M	44635.526		78.8	66.5	-12.3	17	22.05	5.05
M	44635.52612		78.8	66.6	-12.2	17	22.08	5.08
M	44635.52626		78.8	66.7	-12.1	17	22.1	5.1
M	44635.52766		45.9	38.2	-7.7	17	22.33	5.33
M	44635.5278		45.9	38.2	-7.7	17	22.36	5.36
M	44635.52793		45.9	38.3	-7.6	17	22.38	5.38
M	44635.52934		3.1	2.4	-0.7	17	22.59	5.59
M	44635.52947		3	2.3	-0.7	17	22.62	5.62
M	44635.52959		3	2.4	-0.6	17	22.63	5.63
M	44635.53297		248.4	231.8	-16.6	16.7	20.97	4.27
M	44635.5331		248.8	230	-18.8	16.9	21.36	4.46
M	44635.53323		249.8	229.2	-20.6	17	21.52	4.52
M	44635.53464		298.3	278.4	-19.9	17	20.9	3.9
M	44635.53477		298	277.8	-20.2	17	20.82	3.82
M	44635.5349		297.6	277.6	-20	17	20.76	3.76
M	44635.53631		339.4	319.2	-20.2	17.1	20.2	3.1
M	44635.53644		339.1	318.8	-20.3	17	20.06	3.06
M	44635.53657		338.9	318.5	-20.4	17	20.01	3.01
M	44635.53799		410.2	389.4	-20.8	17.1	19.54	2.44
M	44635.53811		410	389.2	-20.8	17.1	19.5	2.4
M	44635.53824		409.6	388.7	-20.9	17.1	19.47	2.37
M	44635.53965		468.3	446	-22.3	17.1	19.19	2.09
M	44635.53978		468.3	446.2	-22.1	17.1	19.17	2.07
M	44635.53991		468.1	446	-22.1	17.1	19.17	2.07

PARi	PARe	Red	Green	Blue	White	Tamb	Tcuv	Tleaf	Aleaf	Flow
1801	38	38	37	25	0	28.1	25.2	27.9	2.5	299
1800	38	38	37	25	0	28.1	25.2	27.9	2.5	300
1799	39	38	37	25	0	28.2	25.3	28	2.5	300
1799	39	38	37	25	0	28.1	25.2	27.8	2.5	299
1801	39	38	37	25	0	28.1	25.2	27.8	2.5	300
1800	39	38	37	25	0	28.1	25.2	27.8	2.5	300
1801	40	38	37	25	0	28.1	25.1	27.7	2.5	300
1800	40	38	37	25	0	28.1	25	27.6	2.5	300
1800	40	38	37	25	0	28.1	25	27.6	2.5	299
1800	40	38	37	25	0	28.1	24.9	27.4	2.5	299
1800	40	38	37	25	0	28.2	24.9	27.4	2.5	299
1800	39	38	37	25	0	28.2	24.9	27.4	2.5	300
1801	39	38	37	25	0	28.1	24.9	27.4	2.5	299
1800	39	38	37	25	0	28.1	24.9	27.3	2.5	300
1800	39	38	37	25	0	28.1	24.9	27.3	2.5	299
1800	40	38	37	25	0	28.1	24.9	27.2	2.5	300
1800	40	38	37	25	0	28.1	24.9	27.2	2.5	300
1800	40	38	37	25	0	28.2	24.9	27.2	2.5	299
1800	40	38	37	25	0	28.1	24.9	27.1	2.5	300
1801	41	38	37	25	0	28.1	24.9	27.2	2.5	300
1800	40	38	37	25	0	28.1	24.9	27.1	2.5	300
1801	40	38	37	25	0	28.2	24.9	27.1	2.5	300
1800	40	38	37	25	0	28.1	24.9	27.1	2.5	300
1800	40	38	37	25	0	28.1	24.9	27.1	2.5	299
1800	41	38	37	25	0	28.2	25	27.5	2.5	300
1800	41	38	37	25	0	28.2	25	27.6	2.5	300
1800	41	38	37	25	0	28.2	25	27.6	2.5	300
1801	41	38	37	25	0	28.2	25	28	2.5	299
1800	41	38	37	25	0	28.2	25	28	2.5	300
1800	41	38	37	25	0	28.2	25	28.1	2.5	299
1800	42	38	37	25	0	28.3	25	28.2	2.5	300
1800	42	38	37	25	0	28.3	25	28.2	2.5	300
1800	42	38	37	25	0	28.3	25	28.3	2.5	300
1801	42	38	37	25	0	28.3	25	28.3	2.5	300
1800	42	38	37	25	0	28.3	25	28.4	2.5	299
1800	42	38	37	25	0	28.3	25	28.3	2.5	299
1800	41	38	37	25	0	28.2	25	28.3	2.5	300
1799	41	38	37	25	0	28.3	25	28.4	2.5	300
1801	41	38	37	25	0	28.2	25	28.4	2.5	300

Patm	RH	Ci	gs	VPD	A	E	WUE	rb	StomataR	Tsensor	Tcontrol
1000	64.41	48	182	1.69	20.1	3.11	6.46	0.28	50 IR	CT	
1000	64.51	48	184	1.69	20.2	3.15	6.41	0.28	50 IR	CT	
1000	64.19	49	185	1.71	20.2	3.16	6.39	0.28	50 IR	CT	
1000	65.47	27	207	1.64	18.7	3.41	5.48	0.28	50 IR	CT	
1000	65.6	29	212	1.63	18.8	3.46	5.43	0.28	50 IR	CT	
1000	65.63	30	212	1.63	18.8	3.47	5.42	0.28	50 IR	CT	
1000	67.18	26	237	1.57	17.7	3.71	4.77	0.28	50 IR	CT	
1000	67.49	27	237	1.56	17.6	3.68	4.78	0.28	50 IR	CT	
1000	67.17	29	237	1.57	17.3	3.67	4.71	0.28	50 IR	CT	
1000	68.56	22	261	1.49	15.7	3.85	4.08	0.28	50 IR	CT	
1000	68.59	23	262	1.49	15.5	3.86	4.02	0.28	50 IR	CT	
1000	68.62	23	263	1.49	15.5	3.89	3.98	0.28	50 IR	CT	
1000	69.07	17	285	1.48	12.9	4.08	3.16	0.28	50 IR	CT	
1000	69.13	18	291	1.45	13	4.12	3.16	0.28	50 IR	CT	
1000	69.54	18	293	1.44	13	4.13	3.15	0.28	50 IR	CT	
1000	70.02	14	319	1.4	9.7	4.37	2.22	0.28	50 IR	CT	
1000	70.12	16	324	1.4	9.5	4.4	2.16	0.28	50 IR	CT	
1000	70.18	16	323	1.4	9.5	4.4	2.16	0.28	50 IR	CT	
1000	70.91	11	352	1.35	5.6	4.62	1.21	0.28	50 IR	CT	
1000	71.01	11	352	1.37	5.6	4.65	1.2	0.28	50 IR	CT	
1000	71.07	12	358	1.35	5.5	4.66	1.18	0.28	50 IR	CT	
1000	71.74	5	379	1.33	-0.4	4.85	-0.08	0.28	50 IR	CT	
1000	71.83	5	383	1.32	-0.4	4.88	-0.08	0.28	50 IR	CT	
1000	71.86	5	383	1.32	-0.4	4.87	-0.08	0.28	50 IR	CT	
1000	66.2	134	236	1.57	13.2	3.67	3.6	0.28	50 IR	CT	
1000	67.43	124	251	1.56	15.1	3.84	3.93	0.28	50 IR	CT	
1000	67.93	115	255	1.54	16.7	3.9	4.28	0.28	50 IR	CT	
1000	65.97	137	197	1.69	16.1	3.33	4.83	0.28	50 IR	CT	
1000	65.72	130	192	1.7	16.5	3.27	5.05	0.28	50 IR	CT	
1000	65.53	127	185	1.73	16.3	3.21	5.08	0.28	50 IR	CT	
1000	63.77	121	142	1.8	16.7	2.62	6.37	0.28	50 IR	CT	
1000	63.32	117	140	1.82	16.7	2.59	6.45	0.28	50 IR	CT	
1000	63.17	110	137	1.85	16.9	2.55	6.63	0.28	50 IR	CT	
1000	61.68	112	104	1.89	17.3	2.03	8.52	0.28	50 IR	CT	
1000	61.56	105	102	1.92	17.3	1.99	8.69	0.28	50 IR	CT	
1000	61.46	101	101	1.9	17.4	1.97	8.83	0.28	50 IR	CT	
1000	60.58	87	87	1.93	18.8	1.72	10.93	0.28	50 IR	CT	
1000	60.51	86	85	1.95	18.6	1.7	10.94	0.28	50 IR	CT	
1000	60.51	83	85	1.95	18.7	1.7	11	0.28	50 IR	CT	

Control	PLC	Status
LED	U	
LED	U	
LED	U	
LED	U	
LED	U	
LED	U	
LED	U	
LED	U	
LED	U	
LED	U	
LED	U	
LED	U	
LED	U	
LED	U	
LED	U	
LED	U	
LED	U	
LED	U	
LED	U	
LED	U	
LED	U	
LED	U	
LED	U	
LED	U	Stored Diff Bal CO2 out of range.
LED	U	Stored Diff Bal CO2 out of range.
LED	U	Stored Diff Bal CO2 out of range.
LED	U	
LED	U	
LED	U	
LED	U	
LED	U	
LED	U	
LED	U	
LED	U	
LED	U	
LED	U	
LED	U	
LED	U	
LED	U	
LED	U	
LED	U	
LED	U	
LED	U	
LED	U	

Ci	A
	48
	20.1
	48
	20.2
	49
	20.2
	27
	18.7
	29
	18.8
	30
	18.8
	26
	17.7
	27
	17.6
	29
	17.3
	22
	15.7
	23
	15.5
	23
	15.5
	17
	12.9
	18
	13
	18
	13
	14
	9.7
	16
	9.5
	16
	9.5
	11
	5.6
	11
	5.6
	12
	5.5
	5
	-0.4
	5
	-0.4
	5
	-0.4
	13.2
	15.1
	115
	16.7
	137
	16.1
	130
	16.5
	127
	16.3
	121
	16.7
	117
	16.7
	110
	16.9
	112
	17.3
	105
	17.3
	101
	17.4
	87
	18.8
	86
	18.6
	83
	18.7



Název grafu

