





AMINOKYSELINY




L-alanin




D-alanin




L isomer



D isomer



ACIDOBAZICKÉ VLASTNOSTI


















Izoelektrický bod $pI = \frac{pK_{\text{COOH}} + pK_{\text{NH}_2}}{2}$


Tabulka pK

Skupina	pK	Skupina	pK	Skupina	pK
$\alpha\text{ COOH}$	1.8 - 2.5	$\beta\text{ COOH}$	3.9	$\gamma\text{ COOH}$	4.1
$\alpha\text{ NH}_2$	9 - 10	$\epsilon\text{ NH}_2$	10.8	guanidin	12.5
imidazol	6.0	SH	8.3	OH	10.1

TABLE 3.1 Typical pK_a values of ionizable groups in proteins


Group	Acid	\rightleftharpoons	Base	Typical pK_a^*
Terminal α -carboxyl group		\rightleftharpoons		3.1
Aspartic acid Glutamic acid		\rightleftharpoons		4.1
Histidine		\rightleftharpoons		6.0
Terminal α -amino group		\rightleftharpoons		8.0
Cysteine		\rightleftharpoons		8.3
Tyrosine		\rightleftharpoons		10.9
Lysine		\rightleftharpoons		10.8
Arginine		\rightleftharpoons		12.5

* pK_a values depend on temperature, ionic strength, and the microenvironment of the ionizable group.



a) aminokys. s nepolárním R ve vzorci:



Název	Zkratka	R
1. GLYCIN	Gly G	- H
2. ALANIN	Ala A	- CH ₃
3. VALIN	Val V	- CH^{CH ₃} _{CH₃}
4. LEUCIN	Leu L	- CH ₂ -CH^{CH ₃} _{CH₃}
5. ISOLEUCIN	Ile I	- CH-CH ₂ -CH ₃
6. FENYLALANIN	Phe F	- CH ₂ - ^{CH ₃} O
7. PROLIN	Pro P	

b) s polární skupinou v R:


1. SERIN	Ser	S	-CH ₂ OH
2. THREONIN	Thr	T	-CH-CH ₃ OH
3. TYROSIN	Tyr	Y	-CH ₂ -<O>-OH
4. CYSTEIN	Cys (SH)	C	-CH ₂ SH
5. METHIONIN	Met	M	-CH ₂ -CH ₂ S-CH ₃
6. ASPARAGIN	Asn	N	-CH ₂ -CONH ₂

7. GLUTAMIN	Gln	Q	-CH ₂ -CH ₂ CONH ₂
8. TRYPTOFAN	Try	W	-CH ₂ - 





c) s ionisovanou skupinou v R:

1. KYS. ASPARAGOVA'	Asp	D	-CH ₂ COOH
2. KYS. GLUTAMOVA'	Glu	E	-CH ₂ CH ₂ COOH
3. ARGININ	Arg	R	-CH ₂ CH ₂ CH ₂ NH-C(=O)-NH ₂
4. LYSIN	Lys	K	-CH ₂ CH ₂ CH ₂ CH ₂ -NH ₂
5. HISTIDIN	His	H	-CH ₂ - 


Glycine
(Gly, G)



Alanine
(Ala, A)




Glycine
(Gly, G)




Alanine
(Ala, A)


Valine
(**Val, V**)












Leucine
(**Leu, L**)



Isoleucine
(**Ile, I**)



Methionine
(**Met, M**)






Valine
(**Val, V**)



Leucine
(**Leu, L**)




Isoleucine
(**Ile, I**)

Methionine
(**Met, M**)




Proline
(**Pro, P**)













**Lysine
(Lys, K)**



**Arginine
(Arg, R)**



**Histidine
(His, H)**



**Lysine
(Lys, K)**

**Arginine
(Arg, R)**

**Histidine
(His, H)**




TABLE 3.2 Abbreviations for amino acids

Amino acid	Three-letter abbreviation	One-letter abbreviation	Amino acid	Three-letter abbreviation	One-letter abbreviation
Alanine	Ala	A	Methionine	Met	M
Arginine	Arg	R	Phenylalanine	Phe	F
Asparagine	Asn	N	Proline	Pro	P
Aspartic Acid	Asp	D	Serine	Ser	S
Cysteine	Cys	C	Threonine	Thr	T
Glutamine	Gln	Q	Tryptophan	Trp	W
Glutamic Acid	Glu	E	Tyrosine	Tyr	Y
Glycine	Gly	G	Valine	Val	V
Histidine	His	H	Asparagine or aspartic acid	Asx	B
Isoleucine	Ile	I	Glutamine or glutamic acid	Glx	Z
Leucine	Leu	L			
Lysine	Lys	K			

AMK	Symboly		AMK	Symboly	
glycin	Gly	G	methionin	Met	M
alanin	Ala	A	glutamová k.	Glu	E
valin	Val	V	asparagin	Asn	N
leucin	Leu	L	glutamin	Gln	Q
izoleucin	Ile	I	lysin	Lys	K
serin	Ser	S	arginin	Arg	R
threonin	Thr	T	tyrosin	Tyr	Y
cystein	Cys	C	fenylalanin	Phe	F
histidin	His	H	tryptofan	Trp	W
prolin	Pro	P	asparagová k.	Asp	D

β alanin

ornitin a citrulin

γ aminomáselná

antibiotika - azaserin, cykloserin, chloramfenikol

nervové mediátory - DOPA, dopamin, adrenalin


hormony - thyroxin, trijodthyronin




β alanin




γ aminomáselná kyselina




DOPA




dopamin



noradrenalin




adrenalin





tyroxin
(3,5,3',5'-tetrajodthyronin)






k. aminocyklopropyl-karboxylová




k. azetidinkarboxylová




k. pipakolinová




ANTIBIOTIKA:



cykloserin




chloramfamikol



penicilin

Schéma analyzátoru aminokyselin



1. Úplná hydrolýza - kyselá - 6 M HCl, 100 - 120 °C, 10 - 100 hod.
- bazická - 2 - 4 M NaOH, 100 °C, 4 - 8 hod.
- enzymová - Pronasa