

LESSON 5: THE ATOM AND BONDING

Task 1: Identify the concepts defined below:

- the smallest unit of all matter that has all the chemical properties of a particular element. It consists of a nucleus that is made of protons which are positive, and neutrons, which are neutral
- the amount or type of electrical force that something holds or carries
- a chemical substance that consists of two or more elements that together form a molecule
- one of the forms of a chemical element that have the same atomic number (=the same number of protons) but a different number of neutrons, and therefore have a different mass
- the number of protons and neutrons in an atomic nucleus (=the nucleon number)
- the central part of an atom, consisting of protons and neutrons, and containing most of its mass
- an extremely small piece of matter e.g. an electron


Task 2: Listening - Jiggling atoms

Watch the video and note down the examples Richard Feynman uses to describe atoms.

(<https://www.youtube.com/watch?v=v3pYRn5j7oI>)

Task 3: Models of the Atom

a) Give answers for the blanks.



b) Now read the excerpts and match them with the models above.

1. The hydrogen atom is the simplest atom, which is why _____ chose it for study. Its nucleus is a single proton, and _____'s theory assumes that its one electron revolves around the nuclear proton in a circular orbit – in much the same way as a satellite orbits the Earth or a planet orbits the Sun.
2. _____ studied electrical discharges in tubes of low pressure gas. He discovered that when high voltage was applied to the tube, a “ray” was produced at the negative electrode and sped to the positive electrode. Unlike electromagnetic radiation, the ray was deflected by electric and magnetic fields. _____ concluded that the ray consisted of a stream of negatively charged particles, now called electrons. ... _____'s model conceived of the atom as a sphere of positive charge in which negatively charged electrons were embedded.
3. This is a very sophisticated, highly mathematical model that treats the electron as a wave and can explain more data and predict more accurately. This model is harder to visualise than the previous models. The location of a specific electron becomes more vague and can be given only in terms of probability. However, the important point is that this model enables us to determine accurately the energy of the electrons in multielectron atoms. For scientists, knowing the electron's energy is much more important than knowing its precise location.
4. _____'s major hypothesis was that each chemical element is composed of tiny, indivisible particles called atoms, which are identical for that element but different (particularly in their masses and chemical properties) from atoms of other elements. _____ thought of atoms as essentially featureless, indivisible spheres of uniform density.
5. _____ discovered that 99.97% of the mass of an atom is concentrated in a very tiny core called the nucleus. _____'s model of the atom pictured the electrons as circulating in some way in the otherwise empty space around this very tiny, positively charged core. Yet, even this model has undergone modification.

(adapted from Shipman, J.T.; Wilson, J.D.; Todd, A.W. *An Introduction to Physical Science*. Houghton Mifflin, 2006.

For more information go to: http://profmokeur.ca/chemistry/history_of_the_atom.htm)

After you read: Collocations**In the excerpts above, find collocations for these words:**

- Theory
- Ray
- Electron
- Atom
- Model

Task 4: LISTENING: Bonding

Available at <http://bcs.whfreeman.com/thelifewire/content/chp02/02020.html> (Click on ANIMATION – NARRATED)

1. COVALENT BONDS

a) **Watch the animation and answer the question: What elements or compounds are mentioned?**

b) **Listen again and fill in the gaps:**

A covalent bond results when two atoms share electrons. In the case of two _____, each shares its single electron with the other. This sharing allows each to fill its electron shell with two electrons. The pair of shared electrons _____ a covalent single bond.

Let's now consider _____, an atom with eight electrons. Two electrons fill the _____, and the other six electrons reside in the next shell. This outer shell needs two more electrons to complete it (the _____). Two _____ atoms form a covalent double bond by sharing two electron pairs from their outer shells.

Carbon is perhaps the most _____ on Earth, in large part because it contains only four electrons in a shell that can _____ eight. To fill its outer shell, carbon forms four covalent bonds with up to four other atoms.

In a molecule of _____, carbon shares electrons with _____, forming four covalent single bonds. Although this molecule is relatively simple, carbon often forms _____ of large, complex molecules. With each carbon atom able to bond to four other atoms, _____ molecules are incredibly diverse.


Triple bonds are rare, but nitrogen gas molecules (the most abundant molecule in _____) form triple bonds. The two nitrogen atoms share three pairs of electrons, allowing each to have eight electrons in its _____ electron shell.

Now answer these questions:

- What is a covalent bond?
- Which element forms a single covalent bond?
- What is the most versatile element?
- What is the most abundant molecule in the air?
- What kind of bonds does it form?

2. IONIC BONDS

- Watch the animation and note down key words.
- Watch it again and make notes of the main points.
- Work with your neighbour. With the help of the pictures, describe ionic bonds.



<http://bcs.whfreeman.com/thelifewire/content/chp02/02020.html> (Click on ANIMATION – NARRATED)

Task 5: Reading: Fastest View of Molecular Motion

1. Read the first part of the text (until the headline "Ultra-fast process") and try to answer the following questions:

- What was the timescale that the researchers watched molecules on?
- Where could the study be used in the future?
- Where was the study published?
- What instrument was used in the experiment?

2. Read the whole text and give the English equivalents of the following Czech expressions:

- | | |
|------------------------------|---------------------------------|
| a) vědci provedli pozorování | d) uvolní se rentgenové paprsky |
| b) pochopení podstaty | e) řízení chemických reakcí |
| c) vynalézt novou techniku | f) provádět testování |

Fastest view of molecular motion

Scientists have made the fastest ever observations of motion in a molecule.

1 The electron is then drawn back to the molecule, and when it collides a very short burst of x-rays is released. **8**

They "watched" parts of a molecule moving on an attosecond timescale - where one attosecond equals one billion-billionth of a second.

2 "That has encoded information within it about the state of the molecule at the point of re-collision, and can give us information about the motion of the protons in this molecule," Dr Tisch told the BBC News website. **9**

The researchers say the study gives a new in-depth understanding of chemical processes and could be used in future technologies such as quantum computing.

3 The process is ultra-fast, and the team was able to observe the effect the laser had on motion in the molecules with an accuracy of 100 attoseconds - the fastest ever recorded.

The study, which relies on short pulses of light from a specially built laser, was published in the journal Science.

4 The team said being able to see detailed molecular motion would help scientists understand how molecules behaved in chemical processes, thus providing possibilities for controlling molecules. **10**

"Understanding how something changes in time means really understanding its essence, and we are now looking at changes on a very, very fast timescale," said team member Dr John Tisch, of Imperial College London, UK.

5 "Control of this kind underpins future technologies, such as control of chemical reactions, quantum computing and high brightness x-ray light sources for material processing," said Professor Jon Marangos, another Imperial College author on the Science paper. **11**

Ultra-fast process

The researchers devised a new technique to "see" the motion of protons, one of the building blocks of an atom, in molecules of hydrogen and methane.

6 "We now have a much clearer insight into what is happening within molecules and this allows us to carry out more stringent testing of theories of molecular structure and motion." **12**

Article Available at
 ©<http://news.bbc.co.uk/2/hi/science/nature/4766842.stm>

The technique involves firing a very short but intense laser pulse at a molecule, which rips an electron away, leaving the molecule in an excited ionised state.

From The BBC News

7 **13**

Vocabulary – Atom and Bonding

covalent single bond (adj+adj+n)	jednoduchá kovalentní vazba
double bond (adj+n)	dvojná vazba
triple bond (adj+n)	trojná vazba
versatile (adj)	všestranný
backbone (n)	páteř
incredibly diverse (adv+adj)	neuvěřitelně rozmanitý
to result (v)	být výsledkem
to constitute (v)	vytvářet
to consider (v)	považovat za, uvažovat o
to reside (v)	sídlit, spočívat v
carbon-based molecules (adj+n)	molekuly na bázi uhlíku
scientists make observations	vědci provádějí pozorování
to observe (v)	pozorovat
motion (n)	pohyb
to move (v)	pohybovat se
researchers (n)	výzkumníci
scientists (n)	vědci
to publish a study (v+n)	publikovat studii
to release x-rays (v+n)	uvolnit rentgenové paprsky
to behave (n̄ v)	chovat se
behaviour (n)	chování
effect (n)	vliv
to affect (v)	mít vliv
excited ionised state (adj+adj+n)	excitovaný ionizovaný stav
timescale (n)	časová škála
encoded information (adj+n)	zakódovaná informace
understanding the essence (n+n)	pochopení podstaty
accuracy (n)	přesnost
to fire a laser pulse	vypálit laserový impuls
to devise a new technique	vynalézt novou techniku
to rip an electron away	odtrhnout elektron
to draw back (v)	vtáhnout zpět
to collide (v)	srazit se, kolidovat
collision (n)	srážka, kolize
to provide (v)	poskytnout
to rely on (v)	záviset na
control of chemical reactions	řízení chemických reakcí
carry out testing (v+n)	provádět testování
to collide (v)	srážet se, kolidovat