

INSPIRE data specifications visualization

3) If you are not lucky at all, like the SR theme

11.1 Layers to be provided by INSPIRE view services

Layer Name	Layer Title	Spatial object type(s)	Keywords
SR SeaArea	Sea Area	SeaArea	Sea, Ocean
SR Sea	Sea	Sea	Sea, Ocean
SR MarineCirculationZone	Marine Circulation Zone	MarineCirculationZone	Sea, Ocean
SR InterTidalArea	Intertidal Area	InterTidalArea	Sea, Ocean, Tide, Tidal
SR MarineContour	Marine Contour	MarineContour	Sea, Ocean
SR Shoreline	Shoreline	Shoreline	Sea, Ocean, Coast, Shore, Coastline, Shoreline
SR Coastline	Coastline	CoastLine	Sea, Ocean, Coast, Shore, Coastline, Shoreline
SR SeaSurfaceArea	Sea surface area	SeaSurfaceArea	Sea, Ocean
SR SeaBedArea	Sea bed area	SeaBedArea	Sea, Ocean

11.1.1 Layers organisation

None

11.2 Styles required to be supported by INSPIRE view services


None

Laboratory on Geoinformatics and Cartography



"Final" visualization

- Anyway, even if you are lucky, you may have such results




Laboratory on Geoinformatics and Cartography



Definition of a cartographic style

- Definition of portrayal for a specified content
 - Defined on the level of layer
- The same possibilities as "traditional" cartography
 - Bertin (1967)
 - graphic variables
- A style may be customized to the user's needs



Laboratory on Geoinformatics and Cartography



Definition of a cartographic style (SLD)

```
<StyleLayerDescriptor version="1.0.0" xmlns="http://www.opengis.net/sld" xmlns:ogc="http://www.opengis.net/ogc"
xmlns:xlink="http://www.w3.org/1999/xlink" xmlns:esri="http://www.w3.org/2001/XMLSchema-instance"
xmlns:schemalocation="http://www.opengis.net/sld http://schemas.opengis.net/sld/1.0.0/StyleLayerDescriptor.xsd">
```


Style name	Testing style
Geometry	polygon
Fill (RGB)	#dbc0da
Opacity	0,1 (tj. 10%)
Outline	#db8ad8
Outline width	2 pixels

```
<Name>france_VDC/Name</Name>
<BaseStyle>
<Name>france_VDC/Name</Name>
<Title>france_vojensko_0jesdc/Title</Title>
<FeatureTypeStyle>Rule</FeatureTypeStyle>
<PolygonSymbolizer>
<Fill>
<CssParameter name="fill">#dbc0da</CssParameter>
<CssParameter name="fill-opacity">0.1</CssParameter>
</Fill>
<Stroke>
<CssParameter name="stroke">#db8ad8</CssParameter>
<CssParameter name="stroke-width">2</CssParameter>
</Stroke>
</PolygonSymbolizer>
</Rule>
</FeatureTypeStyle>
</BaseStyle>
</NameLayer>
</StyleLayerDescriptor>
</StyleLayerDescriptor>
```

Laboratory on Geoinformatics and Cartography



Reaching cartographic interoperability





Laboratory on Geoinformatics and Cartography



Reaching cartographic interoperability

```
http://URL_adresa_serveru?SERVICE=WMS&version=1.1.1&REQUEST=GetMap&Layers=1&srs=EPSG:4326&BBOX=16.34,49.22,16.57,49.93&WIDTH=701&HEIGHT=386&FORMAT=png&STYLES=style1
```



Laboratory on Geoinformatics and Cartography



Reaching cartographic interoperability

`http://URL_adresa_serveru?SERVICE=WMS&version=1.1.1&REQUEST=GetMap&Layers=1&srs=EPSG:4326&BBOX=16.34,49.22,16.57,49.93&WIDTH=701&HEIGHT=386&FORMAT=image/png&STYLES=style2`

Laboratory on Geoinformatics and Cartography LGC

Reaching cartographic interoperability

`http://URL_adresa_serveru?SERVICE=WMS&version=1.1.1&REQUEST=GetMap&Layers=1&srs=EPSG:4326&BBOX=16.34,49.22,16.57,49.93&WIDTH=701&HEIGHT=386&FORMAT=image/png&STYLES=style3`

Laboratory on Geoinformatics and Cartography LGC

Map compositions

- OGC Web Map Context (WMC) implementation specification
 - Latest version 1.1.0 since 2005
 - Addition to the OGC WMS implementation specification
- Composes of: **Sounds that similar to you?**
 - information about the server(s) providing layer(s) in the overall map
 - the bounding box and map
 - sufficient operational metadata for Client software to reproduce the map, and ancillary metadata used to annotate or describe the maps

Laboratory on Geoinformatics and Cartography LGC

Map compositions

Laboratory on Geoinformatics and Cartography server 4 LGC

Map compositions

Laboratory on Geoinformatics and Cartography server 4 LGC

Saving a map composition...the easy way

Laboratory on Geoinformatics and Cartography LGC

Map composition – the XML encoding


```
<?xml version="1.0"?>
<!DOCTYPE wmts SYSTEM "http://www.w3.org/2001/XMLSchema-instance" xsi:schemaLocation="http://www.opengis.net/context
http://schemas.opengis.net/context/1.1.0/context.xsd id="54197c0b-8c24-4647-987c-392bca80137" version="1.1.0"
xmlns="http://www.opengis.net/context"/>
<General>
  <@width height="472" width="948"/>
  <@boundingBox SRS="EPSG:10267" maxy="-84855.922514799987" maxx="89563.5901356609975" miny="-1332044.0748520002" minx="
1064236.40984239937"/>
  <@title Test / Title>
  <@keywords />
  <Abstract> This is for tests only </Abstract>
  <ContactInformation>
    <ContactPerson>
      <ContactPersonName />
      <ContactPersonRole />
      <ContactPersonType />
      <ContactAddress>
        <AddressType />
        <City />
        <StateOrProvince />
        <PostalCode />
        <Country />
      </ContactAddress>
      <ContactInformationURL />
    </ContactPerson>
    <@maxAllowedScale maxScale="92000.000000000000" minScale="23000.000000000000" miny="-1266700.00000000000" minx="
92000.000000000000" minz="0" timeStamp="http://www.opengis.net/context"/>
    <@timeStamp xmlns:xs="http://www.w3.org/2001/XMLSchema-instance" xsi:schemaLocation="http://www.w3.org/2001/XMLSchema-instance"
    http://schemas.xmlsoap.org/soap/envelope/" 2014-09-17T14:20:28</timeStamp>
    <@language xmlns:xs="http://www.w3.org/2001/XMLSchema-instance" xsi:schemaLocation="http://www.w3.org/2001/XMLSchema-instance"
    http://schemas.xmlsoap.org/soap/envelope/">
    <@layerStructure xmlns:xs="http://www.w3.org/2001/XMLSchema-instance" xsi:schemaLocation="http://www.w3.org/2001/XMLSchema-instance"
    http://schemas.xmlsoap.org/soap/envelope/">
    <@name="Katastrální mapy" type="layer", 1: [{"name": "Katastrální mapy/Katastr nemovitosti", type="layer"}, 2:
    [{"name": "Katastrální mapy/Duřiční body parcel", type="layer"}, 3: [{"name": "Katastrální mapy/Pozemkový
    katastr", type="layer"}], 4: [{"name": "topo_cosmic", type="layer"}, 5: [{"name": "dmu", type="layer"}, 6: [{"name": "orto_30s", type="layer"}, 7: [{"name": "orto_cosmic", type="layer"}, 8:
    [{"name": "military_11ind", type="layer"}, 9: [{"name": "military_11ind", type="layer"}, 10:
    [{"name": "military_11ind", type="layer"}, 11: [{"name": "road_map", type="layer"}];
    </layerStructure>
  </General>
  <LayersList />
</Context>
```

Laboratory on Geoinformatics and Cartography



Discovering map compositions

- Some geoportals enable to search also for the map compositions...even if it is not explicitly required under INSPIRE



Laboratory on Geoinformatics and Cartography

