

BIOMARKERS AND TOXICITY MECHANISMS 08 – Mechanisms Signalling and regulation

Luděk Bláha, PřF MU, RECETOX www.recetox.cz

Tento projekt je spolufinancován Evropským sociálním fondem a státním rozpočtem České republiky.









INVESTICE DO ROZVOJE VZDĚLÁVÁNÍ

Cell communication & regulation: a target for toxicants

... especially sensitively regulated processes are highly susceptible to toxicants

→ toxicity to REGULATIONS & SIGNALLING

Hierarchy in signalling

- **systems**: neuronal $\leftarrow \rightarrow$ endocrine
- cell-to-cell

hormonal & neuronal signal transmission contact channels

- intracellular signal transduction




INTER-cellular signals


Overview



Cell to cell communication & regulation: a target for toxicants




Cell to cell communication (1)






Cell to cell communication (2)





Cell to cell communication (3)






INTER-cellular signals


Hormones





Endocrine system:

1. Pineal gland, 2. Pituitary gland, 3. Thyroid gland, 4. Thymus, 5. Adrenal gland, 6. Pancreas, 7. Ovary, 8. Testis



FUNCTIONS OF HORMONES

- * stimulation or inhibition of growth
- * mood swings
- * induction or suppression of apoptosis (programmed cell death)
- * activation or inhibition of the immune system
- * regulation of metabolism
- * preparation for fighting, fleeing, mating ...
- * preparation for a new phase of life (puberty, caring for offspring, and menopause)
- * control of the reproductive cycle

.... etc.



Centrum pro vý toxických látek v prostředí Chemicals interfering with various hormonal functions → diverse impacts (effects)

System regulation = HORMONES & ENDOCRINE SYSTEM

FATE OF HORMONES: target for toxicants

Toxic compounds can affect "hormone signalling" at various levels (highligted):

- 1. **Biosynthesis** of a particular hormone in a particular tissue
- 2. Storage and secretion of the hormone
- 3. <u>Transport</u> of the hormone to the target cell(s)

4. **Recognition of the hormone** by an associated cell membrane or intracellular receptor protein.

5. Relay and **amplification of the received hormonal signal** via a signal transduction process -> cellular response.

6. The reaction of the target cells is recognized by the original hormone-producing cells (**negative feedback loop**)

7. Degradation and metabolism of the hormone

More details will be discussed in the lectures dedicated to nuclear receptors



Toxicity to hormone regulation = ENDOCRINE DISRUPTION

ED & EDCs (endocrine disrupting compounds)

= major problem in environmental toxicology

Effects at **all levels of hormonal action** have been demonstrated → synthesis, transport, site of action


Multiple effects due to ED (! Not only "xenoestrogenicity" & feminization)
→ immunotoxicity, developmental toxicity

(ED - WILL ALSO BE DISCUSSED FURTHER)

Example of ED - Intersex roach testis

containing both oocytes and spermatozoa, caused by exposure to environmental oestrogens






Types of hormones in vertebrates

Amine-derived hormones

structure: derivatives of the amino acids tyrosine and tryptophan. Examples - catecholamines and thyroxine.

(small molecules - similar to organic toxicants \rightarrow TOXIC EFFECTS)



Types of hormones in vertebrates

Peptide hormones

structure: chains of amino acids.

- small peptides: TRH and vasopressin;
- <u>large proteins</u>: insulin, growth hormone, luteinizing hormone, folliclestimulating hormone and thyroid-stimulating hormone etc.

Large molecules; receptors on surfaces of the cells (Interactions with toxic chemicals **less likely**)


Example - insulin





Types of hormones (signal molecules) in vertebrates

Lipid derived "hormones" (1) - from linoleic acid, arachidonic acid - prostaglandins



Types of hormones in vertebrates

Lipid derived hormones 2 - steroid hormones


* Small molecules - similar to organic toxicants:
→ several compounds interfere with steroid hormones → toxicity !!!

Derived from cholesterol


Examples: testosterone, cortisol, estradiol ...



Centrum pro výzkum toxických látek v prostředí



INTRACELLULAR signals





Intracellular signal transduction: target of toxicants

Regulation of cell life = control of major cell functions

- metabolism
- proliferation
- differentiation
- death (apoptosis)

- Regulation controlled by complex signalling

- "network" of general pathways
- similar in all cells / different cell-specific effects



Intracellular signal transduction: target of toxicants

- Consequences of signalling disruption

- unwanted changes in "homeostatic" rates among proliferation / differentiation / apoptosis
- \rightarrow cell transformation (carcinogenicity)
- \rightarrow embryotoxicity
- \rightarrow immunotoxicity
- \rightarrow reproduction toxicity
 - and other chronic types of toxicity



Signal transduction - principles

Two major signalling processes

– protein-(de)phosphorylation

ProteinKinases - PKs, ProteinPhosphatases - PPases

- secondary messengers

cAMP / IP3, PIP2, DAG, Ca2+, AA

Three major types of signalling

1: Membrane receptors (G-protein, kinases) → activation of protein kinase A (PKA): major messenger: cAMP, <u>MAPKs</u>

2: Membrane receptors


→ activation of membrane lipases → and later proteinkinase C IP3, PIP2, DAG, Ca2+, AA


3: Cytoplasmic (nuclear) receptors (discussed in detail in other sections)



Signalling mechanism 1

 \rightarrow Activation of adenylate cyclase \rightarrow cAMP \rightarrow PKA






a number of signalling events and following

←Including modulation


Mitogen Activated Protein Kinases (MAPKs) & dependent effects




Signalling mechanism 2


Activation of Phospholipase C

- → release of PIPs → DAG → PKC / arachidonic acid
- + IP3 \rightarrow activation of Ca²⁺ signalling






Different "types" of signalling crosstalk \rightarrow networks



G-proteins & G-protein coupled receptors – GPCRs Involved in many functions → triggering different downstream events

G PROTEIN-COUPLED RECEPTORS

prostřed




Biological functions

smell and taste (~1000 types of receptors) perception of light neurotransmission function of endocrine and exocrine glands chemotaxis exocytosis control of blood pressure embryogenesis development cell growth and differentiation HIV infection oncogenesis

Disruption of intracellular signaling - EXAMPLES

Cholera toxin Vibrio cholerae


- CT acts as adenylate cyclase enzyme
- → increasing cAMP levels
- → TOXICITY





Example: Lipopolysaccharides (LPS) from cell walls

→ hyperactivation of intracellular signals → immunotoxicity







Immunomodulatory Potency of Microcystin, an Important Water-Polluting Cyanobacterial Toxin

Ondrej Adamovsky,^{*,†} Zdena Moosova,[†] Michaela Pekarova,[‡] Amrita Basu,[†] Pavel Babica,[†] Lenka Svihalkova Sindlerova,[‡] Lukas Kubala,[‡] and Ludek Blaha[†]

