



CEITEC

Central European Institute of Technology
BRNO | CZECH REPUBLIC



**Modern Genomic Technologies
(LF:DSMGT01)**

Lecture 6 : Single Cell RNA-seq analysis


Vojta Bystry
vojtech.bystry@ceitec.muni.cz

RNA-seq types


- Bulk RNA-seq



- SC-RNA-seq



- Spatially resolved RNA-seq



Bulk RNA-seq vs. SC-RNA-seq

- Bulk RNA-seq
 - Several samples
 - Difference in RNA levels between predetermined set of samples (conditions)
- SC-RNA-seq
 - Hundreds to thousand cells
 - Distinguish (cluster) cells based on the difference in RNA levels

SC-RNA-seq primary analysis

- In principle similar to the bulk RNA-seq
 - Map to genomic reference, demultiplex and count reads per gene
- For 10x Genomics tool from the company - Cell Ranger
- Cell Ranger - report example

SC-RNA-seq primary analysis results

- per gene (feature) per cell read count

	AAACATACAACCAC-1	AAACATTGAGCTAC-1	AAACATTGATCAGC-1	AAACCGTGCTTCCG-1	AAACCGTGTATGCG-1	AAACGCACTGGTAC-1	AAACGCTGACCAGT-1	AAACGCTGGTTCTT-1
AL627309.1	0	0	0	0	0	0	0	0
AP006222.2	0	0	0	0	0	0	0	0
RP11-206L10.2	0	0	0	0	0	0	0	0
RP11-206L10.9	0	0	0	0	0	0	0	0
LINC00115	0	0	0	0	0	0	0	0
NOC2L	0	0	0	0	0	0	0	0
KLHL17	0	0	0	0	0	0	0	0
PLEKHN1	0	0	0	0	0	0	0	0
RP11-5407.17	0	0	0	0	0	0	0	0
HES4	0	0	0	0	0	0	0	0
RP11-5407.11	0	0	0	0	0	0	0	0
ISG15	0	0	1	9	0	1	0	0
AGRN	0	0	0	0	0	0	0	0
C1orf159	0	0	0	0	0	0	0	0
TNFRSF18	0	2	0	0	0	0	0	0
TNFRSF4	0	0	0	0	0	0	0	0
SDF4	0	0	1	0	0	0	0	0
B3GALT6	0	0	0	0	0	0	1	0
FAM132A	0	0	0	0	0	0	0	0
UBE2J2	0	0	0	0	0	0	0	0




Pre-processing workflow

- Filtering of cells based on QC metrics
- Detection and filtering of highly variable features
- Data normalization and scaling

	AAACATACAACCAC-1	AAACATTGAGCTAC-1	AAACATTGATCAGC-1	AAACCGTGCTCCG-1	AAACCGTGATGCG-1	AAACGCACTGGTAC-1	AAACGCTGACCAGT-1	AAACGCTGGTTCTT-1
AL627309.1	0	0	0	0	0	0	0	0
AP006222.2	0	0	0	0	0	0	0	0
RP11-206L10.2	0	0	0	0	0	0	0	0
RP11-206L10.9	0	0	0	0	0	0	0	0
LINC00115	0	0	0	0	0	0	0	0
NOC2L	0	0	0	0	0	0	0	0
KLHL17	0	0	0	0	0	0	0	0
PLEKHN1	0	0	0	0	0	0	0	0
RP11-5407.17	0	0	0	0	0	0	0	0
HES4	0	0	0	0	0	0	0	0
RP11-5407.11	0	0	0	0	0	0	0	0
ISG15	0	0	1	9	0	1	0	0
AGRN	0	0	0	0	0	0	0	0
C1orf159	0	0	0	0	0	0	0	0
TNFRSF18	0	2	0	0	0	0	0	0
TNFRSF4	0	0	0	0	0	0	0	0
SDF4	0	0	1	0	0	0	0	0
B3GALT6	0	0	0	0	0	0	1	0
FAM132A	0	0	0	0	0	0	0	0
UBE2J2	0	0	0	0	0	0	0	0



Filtering of cells QC

- Number of genes
- Number of reads
- % of mitochondrial RNA
 - Sign of dying cells






- Example filtering:
 - filter cells that have unique feature counts over 2,500 or less than 200
 - filter cells that have >5% mitochondrial counts

Identification of highly variable features



Determine the 'dimensionality' of the dataset


- How many clusters (cell types) is in the experiment (we want to explore)
- Analysis of PCA results



- Better to choose higher value then smaller



Cluster the cells

- graph-based algorithms
- UMAP/tSNE visualization




Analysing clusters

- Finding differentially expressed features (cluster biomarkers)



Assigning cell type identity to clusters


Cluster ID	Markers	Cell Type
0	IL7R, CCR7	Naive CD4+ T
1	CD14, LYZ	CD14+ Mono
2	IL7R, S100A4	Memory CD4+
3	MS4A1	B
4	CD8A	CD8+ T
5	FCGR3A, MS4A7	FCGR3A+ Mono
6	GNLY, NKG7	NK
7	FCER1A, CST3	DC
8	PPBP	Platelet



Advanced analysis


- Cell state/development directions
 - Pseudo-time
 - Velocity

Pseudotime




- does not provide information about directionality of dynamics


Velocity



clusters



clusters





CEITEC



@CEITEC_Brno

Thank you for your attention!

