

M U N I
M E D

M U N I
M E D

2


The hierarchy and the logic of nervous system evolution

Evolutionary approach

Evolution is not revolution



The role of nervous system



The logic of evolution of the nervous system


Input → Integration → Output

Four basic types of tissue

- ✓ **Epithelial**
- ✓ **Connective**
- ✓ **Muscular**
- ✓ **Nervous**

The logic of evolution of the nervous system

Input → Integration → Output



A. Myoepithelium:
contractile epithelial cells
responding to stimulation and
interconnected by electrical
synapses (gap junctions)


Gerald Schneider. 9.14 Brain Structure and Its Origins, Spring 2014. (Massachusetts Institute of Technology:
MIT OpenCourseWare), <http://ocw.mit.edu> (Accessed). License:Creative Commons BY-NC-SA

Four basic types of tissue

- ✓ **Epithelial**
- ✓ **Connective**
- ✓ **Muscular**
- ✓ **Nervous**

The logic of evolution of the nervous system

Input → Integration → Output



A. Myoepithelium:
contractile epithelial cells
responding to stimulation and
interconnected by electrical
synapses (gap junctions)




B. Protomyocytes separate
from sensory epithelium,
all connected by electrical
synapses

Gerald Schneider. 9.14 Brain Structure and Its Origins, Spring 2014. (Massachusetts Institute of Technology:
MIT OpenCourseWare), <http://ocw.mit.edu> (Accessed). License:Creative Commons BY-NC-SA

The logic of evolution of the nervous system


Input → Integration → Output



A. Myoepithelium:
contractile epithelial cells
responding to stimulation and
interconnected by electrical
synapses (gap junctions)



B. Protomyocytes separate
from sensory epithelium,
all connected by electrical
synapses




C. Protoneurons appear,
sensory and connected to
separate contractile cells

Gerald Schneider. 9.14 Brain Structure and Its Origins, Spring 2014. (Massachusetts Institute of Technology:
MIT OpenCourseWare), <http://ocw.mit.edu> (Accessed). License:Creative Commons BY-NC-SA

The logic of evolution of the nervous system


Input → Integration → Output




A. Myoepithelium:
contractile epithelial cells
responding to stimulation and
interconnected by electrical
synapses (gap junctions)



B. Protomyocytes separate
from sensory epithelium,
all connected by electrical
synapses




C. Protoneurons appear,
sensory and connected to
separate contractile cells



D. Neurons appear, separate
from both neurosensory cells
and contractile cells.
Chemical synapses appear.



The logic of evolution of the nervous system



Gerald Schneider. 9.14 Brain Structure and Its Origins, Spring 2014. (Massachusetts Institute of Technology:
MIT OpenCourseWare), <http://ocw.mit.edu> (Accessed). License:Creative Commons BY-NC-SA


The logic of evolution of the nervous system

- Polyp
 - Reticular NS
 - Nonspecific reaction on irritation



The logic of evolution of the nervous system


- Polyp
 - Reticular NS
 - Nonspecific reaction on irritation
- Jellyfish
 - Around propulsion part is nervous system into the ring
 - Coordinated contraction – coordinated movement



The logic of evolution of the nervous system


- Polyp
 - Reticular NS
 - Nonspecific reaction on irritation
- Jellyfish
 - Around propulsion part is nervous system into the ring
 - Coordinated contraction – coordinated movement

FOTORECEPTION



The logic of evolution of the nervous system


- Worms
 - Segmented nervous system
 - Left – right coordination
 - Ganglia
 - „Brain“ ganglion – head – forward locomotion – food intake



<https://en.wikipedia.org/wiki/Earthworm>

The logic of evolution of the nervous system


- Insect
 - „Sophisticated“ NS
 - Coordinated movement
 - „Developed“ senses
 - Communication skills (bee)
 - Social structures



<http://bilingualbiology10.blogspot.cz/2013/08/topic-11b-arthropods-izeltlabuak.html>


The logic of evolution of the nervous system

- Vertebrates
 - Cartilaginous or bony protection of CNS
 - Real brain
 - Very sophisticated NS
 - Coordinated movement
 - Senses
 - Social structures
 - Intelligence
 - ✓ Fishes (intelligence)
 - ✓ Amphibians
 - ✓ Reptiles (emotions)
 - ✓ Birds and mammals (the top of evolution)




Northcutt RG, Noback CR, Kallen B. Nervous system (vertebrate). Access Science [Internet]. 2020 [cited 2021 Sep 17]; Available from: <https://www.accessscience.com/content/nervous-system-vertebrate/449300>
Copyright © McGraw Hill

The logic of evolution of the nervous system



Evolution is shaped by environment



<http://www.upsetwaterbird/mimesis.htm>

Basics of behavior enabling survival

- **Multipurpose movements**
 - The most basic actions of individual organisms
 - **Locomotion:** to approach or to avoid something
 - **Orienting:** towards or away from something
 - **Exploring/foraging/seeking** (includes the first two plus motivation)

[Home](#) » [Courses](#) » [Brain and Cognitive Sciences](#) » [Brain Structure and Its Origins](#)

Brain Structure and Its Origins

[COURSE HOME](#)



[SYLLABUS](#)

[THIS COURSE AT MIT](#)

[READINGS AND STUDY QUESTIONS](#)


[LECTURE NOTES](#)

[AUDIO LECTURES](#)

[ASSIGNMENTS](#)

[EXAMS](#)

[STUDY MATERIALS](#)



Instructor(s)
Prof. Gerald E. Schneider
MIT Course Number
9.14

As Taught In
Spring 2014

Level
Undergraduate

[CITE THIS COURSE](#)

Drawing of the left hemisphere of the human brain together with the brainstem, dissected to reveal the course of axons that descend to the brainstem and spinal cord. (Courtesy of MIT Press. Used with permission. Figure 22.8 from Schneider, G. E. [Brain Structure and Its Origins: In the Development and in Evolution of Behavior and the Mind](#). MIT Press, 2014.)

Course Features

- > [Audio lectures](#)
- > [Lecture notes](#)
- > [Exams and solutions](#)
- > [This Course at MIT](#)
- > [Subtitles/transcript](#)
- > [Assignments \(no solutions\)](#)
- > [Instructor insights](#)

MIT - Brain Structure and Its Origins

<http://ocw.mit.edu/courses/brain-and-cognitive-sciences/9-14-brain-structure-and-its-origins-spring-2014/#>

MUNI
MED

Basics of behavior enabling survival

- **Multipurpose movements**
 - The most basic actions of individual organisms
 - **Locomotion:** to approach or to avoid something
 - **Orienting:** towards or away from something
 - **Exploring/foraging/seeking** (includes the first two plus motivation)
- **Background (maintenance) activity**
 - respiration, temperature regulation, postural reflexes

[Home](#) » [Courses](#) » [Brain and Cognitive Sciences](#) » [Brain Structure and Its Origins](#)

Brain Structure and Its Origins

[COURSE HOME](#)



[SYLLABUS](#)

[THIS COURSE AT MIT](#)

[READINGS AND STUDY QUESTIONS](#)


[LECTURE NOTES](#)

[AUDIO LECTURES](#)

[ASSIGNMENTS](#)

[EXAMS](#)

[STUDY MATERIALS](#)



Instructor(s)
Prof. Gerald E. Schneider
MIT Course Number
9.14

As Taught In
Spring 2014

Level
Undergraduate

[CITE THIS COURSE](#)

Drawing of the left hemisphere of the human brain together with the brainstem, dissected to reveal the course of axons that descend to the brainstem and spinal cord. (Courtesy of MIT Press. Used with permission. Figure 22.8 from Schneider, G. E. [Brain Structure and Its Origins: In the Development and in Evolution of Behavior and the Mind](#). MIT Press, 2014.)

Course Features

- > [Audio lectures](#)
- > [Lecture notes](#)
- > [Exams and solutions](#)
- > [This Course at MIT](#)
- > [Subtitles/transcript](#)
- > [Assignments \(no solutions\)](#)
- > [Instructor insights](#)

MIT - Brain Structure and Its Origins

<http://ocw.mit.edu/courses/brain-and-cognitive-sciences/9-14-brain-structure-and-its-origins-spring-2014/#>

MUNI
MED

Basics of behavior enabling survival

- **Multipurpose movements**
 - The most basic actions of individual organisms
 - **Locomotion:** to approach or to avoid something
 - **Orienting:** towards or away from something
 - **Exploring/foraging/seeking** (includes the first two plus motivation)
- **Background (maintenance) activity**
 - respiration, temperature regulation, postural reflexes
- **Motivation**

[Home](#) » [Courses](#) » [Brain and Cognitive Sciences](#) » [Brain Structure and Its Origins](#)

Brain Structure and Its Origins

[COURSE HOME](#)



[SYLLABUS](#)

[THIS COURSE AT MIT](#)

[READINGS AND STUDY QUESTIONS](#)


[LECTURE NOTES](#)

[AUDIO LECTURES](#)

[ASSIGNMENTS](#)

[EXAMS](#)

[STUDY MATERIALS](#)



Instructor(s)
Prof. Gerald E. Schneider
MIT Course Number
9.14

As Taught In
Spring 2014

Level
Undergraduate

[CITE THIS COURSE](#)

Drawing of the left hemisphere of the human brain together with the brainstem, dissected to reveal the course of axons that descend to the brainstem and spinal cord. (Courtesy of MIT Press. Used with permission. Figure 22.8 from Schneider, G. E. [Brain Structure and Its Origins: In the Development and in Evolution of Behavior and the Mind](#). MIT Press, 2014.)

Course Features

- [Audio lectures](#)
- [Lecture notes](#)
- [Exams and solutions](#)
- [This Course at MIT](#)
- [Subtitles/transcript](#)
- [Assignments \(no solutions\)](#)
- [Instructor insights](#)

MIT - Brain Structure and Its Origins

<http://ocw.mit.edu/courses/brain-and-cognitive-sciences/9-14-brain-structure-and-its-origins-spring-2014/#>

MUNI
MED

Basics of behavior enabling survival

- Multipurpose movements

- The most basic actions of individual organisms

- **Locomotion:** to approach or move away

- **Orienting:** toward or away from stimulus

- **Exploring:** to find food, shelter, plus more

- Background

- respiration, heart rate, reflexes

- Motivation

Locomotion influenced development of

- **Sensory analyzing mechanisms**

- Connected to inputs from cranial nerves

- **Associated motor apparatus**

- For directing the receptors (orienting movements)

- For controlling alterations in posture and locomotion under guidance from these receptors

Courses » Brain and Cognitive Sciences » Brain Structure and Its Origins


Brain Structure and Its Origins

Instructor(s)
Prof. Gerald E. Schneider
MIT Course Number
9.14

As Taught In
Spring 2014

Level
Undergraduate

CITE THIS COURSE



with
ascend
ture

script
ments (no solutions)
Instructor insights

MIT - Brain Structure and Its Origins

<http://ocw.mit.edu/courses/brain-and-cognitive-sciences/9-14-brain-structure-and-its-origins-spring-2014/#>

Evolution of the brain

- Neural tube
- Locomotion
- Rostral receptors





Fig. 4-1

Evolution of the brain


- **Expansion of hindbrain**
(Rhombencephalon - Medula oblongata, pons Varoli, cerebellum)
- Input
 - Information from head sensors
- Output
 - Motor system
(Fixed action pattern - reflex/instinct behavior)



Gerald Schneider. 9.14 Brain Structure and Its Origins, Spring 2014. (Massachusetts Institute of Technology: MIT OpenCourseWare), <http://ocw.mit.edu> (Accessed).
License: Creative Commons BY-NC-SA

Evolution of the brain


- **Expansion of forebrain 1**
(Prosencephalon - diencephalon,
telencephalon)
(simultaneously with hindbrain)
- Input
 - Olfaction (Approach/avoidance)
- Output
 - Motor system
(via corpus striatum)



Gerald Schneider. 9.14 Brain Structure and Its Origins, Spring 2014. (Massachusetts Institute of Technology: MIT OpenCourseWare), <http://ocw.mit.edu> (Accessed). License:Creative Commons BY-NC-SA

Evolution of the brain


- **Expansion of forebrain 1**
(Prosencephalon - diencephalon,
telencephalon)
(simultaneously with hindbrain)
- Input
 - Olfaction (Approach/avoidance)
- Output
 - Motor system
(via corpus striatum)



Gerald Schneider. 9.14 Brain Structure and Its Origins, Spring 2014. (Massachusetts Institute of Technology: MIT OpenCourseWare), <http://ocw.mit.edu> (Accessed). License:Creative Commons BY-NC-SA

Evolution of the brain

- Expansion of midbrain
- Input
 - Vision, sense of hearing (distant senses)
- Output
 - Motor system
 - (Approach – contralateral m.)
 - (Avoidance – ipsilateral m.)
- Advantage
 - Speed
 - Acuity




Gerald Schneider. 9.14 Brain Structure and Its Origins, Spring 2014.

(Massachusetts Institute of Technology: MIT OpenCourseWare), <http://ocw.mit.edu> (Accessed). License:Creative Commons BY-NC-SA


Evolution of the brain

- Expansion of forebrain 2
(Prosencephalon - diencephalon, telencephalon)
- Input
 - Nonolfactory systems connected to forebrain
 - Mainly vision and hearing
- Advantage
 - Plastic connections of forebrain
- Thalamus
 - Gating
(Corpus striatum and cortex)





Gerald Schneider. 9.14 Brain Structure and Its Origins, Spring 2014.

(Massachusetts Institute of Technology: MIT OpenCourseWare), <http://ocw.mit.edu> (Accessed). License:Creative Commons BY-NC-SA




<http://www.slideshare.net/CsillaEgri/presentations>

28 Hierarchy and evolution of nervous system



Evolution of the brain

- Expansion of forebrain 3
- Neocortex expansion
- Simultaneous expansion of
 - Neostiratum
 - Neocerebellum
- Advantage
 - „High resolution“ information processing
 - Anticipation





Gerald Schneider. 9.14 Brain Structure and Its Origins, Spring 2014.

(Massachusetts Institute of Technology: MIT
OpenCourseWare), <http://ocw.mit.edu> (Accessed). License:Creative Commons
BY-NC-SA

Thalamus and neocortex


Gating

- Thalamic nuclei
 - Nonspecific
 - Specific
- Reciprocal connections between thalamus and neocortex




Cerebellum

Coordination




<http://www.slideshare.net/HarshshaH103/cerebellum-its-function-and-relevance-in-psychiatry>

Hierarchy of central nervous system




Hierarchy of central nervous system



<https://rajugurusamy.files.wordpress.com/2007/11/memories1.gif?w=497>

Hierarchy of nervous system



<https://userscontent2.emaze.com/images/be175f0a-afae-4d7c-944c-f6376cf09fba/60c3e8a3-a6b9-4a3d-943d-1841136a3ccf.png>

M U N I
M E D