

Patofyziologie poruch endokrinního systému – nadledviny, štítná žláza

Mezibuněčná komunikace

- Neurokrinní - neuroendokrinní
- Endokrinní (hormony)
- Parakrinní (cytokiny)
- Autokrinní (různé)

Hormones


- Proteins / peptides
 - Preprohormone (ER, GA, secretion granules)
- Steroids
 - Cholesterol
- Amines
 - Tyrosine

Endocrine regulation


- Negative feedback
- Positive feedback

- Production (endocrine gland)
- Transport (binding proteins in plasma)
- Target tissue (receptors on cells)

Endokrinní systém




HORMONES



Hypothalamus

- Neural regulation of the autonomic nervous system - adrenal medulla
- Production of ADH and oxytocin
- Regulation of the pituitary



Hypothalamus

- Liberins
 - CRH (ACTH), TRH (TSH), GHRH (GH), GnRH (LH, FSH), Salsolinol (PRL)
- Statins
 - Somatostatin (GH), Dopamine (PRL)

Endokrinní hypotalamus

Uvolňovací faktory pro

Růstový hormon
(GHRH)
Štítnou žlázu (TRH)
Kortikotropin (CRH)
Pohlavní hormony
(FSH RH, LH RH)

Blokující faktory pro

Prolaktin (PIF)
Růstový hormon

Pro přední lalok
hypofýzy

Hormony

Vasopresin (ADH)
Oxytocin

Pro zadní lalok
hypofýzy



Hypothalamus - poruchy


Příčiny: ↑ tu, ↓ trauma, kongenitální změny, poruchy prokrvení, autoimunita

Hypersekrece: jednotlivé hormony – typické příznaky

Hyposekrece:

hypotalamický panhypopituitarismus = snížení sekrece všech hormonů hypofýzy kromě prolaktinu

- porucha sexuálního vyžívání, spermatogeneze a menstruačního cyklu (FSH, LH)
- snížená odpověď na zátěž (stres) (CRH)
- hypotyreóza (TRH)
- poruchy růstu (GHRH)




Hypothalamus


- Hypothalamic - pituitary axis
- Control of the production and release of pituitary hormones
- Pulsatile secretion
- Specific membrane receptors
- Second messenger
- Autoregulation

Pituitary

- Anterior pituitary
 - Adenohypophysis
 - ACTH, TSH, FSH, LH, PRL, GH, MSH
 - Endocrine regulation
- Posterior pituitary
 - Neurohypophysis
 - ADH, Oxytocin
 - Neural regulation of hormone release



Hypofýza



Hypopituitarism

- General
- Selective

- Infections, infarctions, cysts, tumors, injuries, iatrogenic, Sheehan syndrome
- Fertility, Growth ...
- Therapy - supplementation

Poruchy rústového hormonu


- GH overproduction

- Gigantism

- Before puberty

- Acromegaly

- After puberty



Poruchy růstového hormonu - akromegalie



Age 9



Age 16



Age 33



Age 52




Poruchy sekrece ADH


- ADH insufficiency
 - Diabetes insipidus
 - Polydipsia, polyuria
- Overproduction ADH
 - Syndrome of IADH
 - Hypoosmolarity of plasma, hyponatremia, oliguria


Adrenal glands



- Cortex
 - Zona glomerulosa (mineralocorticoids)
 - Zona fasciculata (glucocorticoids)
 - Zona reticularis (androgens)
- Medulla
 - catecholamines







Disorders of the adrenal glands

- Insufficiency
 - Primary – Addison's disease
 - Autoimmune, tuberculosis, hemorrhage (Waterhouse-Friderichsen syndrome in meningococcal infections)
 - Secondary – pituitary disorders, discontinuation of glucocorticoid therapy

Addison's disease


- Aldosterone insufficiency
 - Hypotension, hyponatremia, hyperkalemia
- Skin pigmentation
 - Pro-Opioid-Melanocyte-Stimulating-Hormone
- ACTH increased (differs from secondary adrenal insufficiency)



Conn's disease


- Primary hyperaldosteronism
 - Mostly unilateral endocrine active tumor

- Hypertension
- Hypernatremia
- Hypokalemia




Cushing's syndrome

- **Hypercortisolism**
 - Primary
 - Adrenal adenoma
 - Secondary
 - Cushing's disease - overproduction of AC
 - Ectopic production - lung ca
 - Iatrogenic



Cushing's syndrome


- Central obesity
- Hypertension
- Osteoporosis
- Reduced growth
- Mental changes



- Hirsutism, acne, oligomenorrhea


Thyroid gland – physiology

- Actions of the thyroid
 - Controls body temperature
 - How body burns calories
 - Controls how fast food moves through digestive tract
 - Muscle strength
- Thyroid hormones
 - T4-thyroxine
 - T3-triiodothyronine
 - Calcitonin




Thyroid


- Iodine is rare
- Ubiquitary receptors
- Highly potent action
- Very common disorders
 - 5% women
 - 0,5% men




Thyroid hormones




Tyrosine



Thyroxine (T4)




Triiodothyronine (T3)




**"Reverse T3"
(inactive)**


Thyroid gland




a) Anterior view



b) Posterior view





c) Thyroid follicle cells





©2009 WebMD, LLC.

Factors that Affect Thyroid Function










Repression of TR

- Depression
- Loss of vision
- Heart problems
- Weight gain
- Fatigue
- Hearing loss
- Sensitivity to cold
- Weakness
- Issues with digestion
- Cognitive impairment



Hyperthyroidism vs hypothyroidism

Hypothyroidism **Hyperthyroidism**


<u>Symptoms:</u>	<u>Signs:</u>	<u>Symptoms:</u>	<u>Signs:</u>
Extreme Tiredness/Lethargy/ Lack of Stamina/Motivation	Sparse Eyebrows Especially outer ends	Protusion of one or both eyeballs (exophthalmos)	Protruding Eyes (exophthalmos)
Memory Loss/'Brain Fog'	Swelling of the Face Especially around Eyes (Oedema)	Breathlessness	Hair Loss
Depression/ Mood Swings	Changes at the back of the Eye (at Fundus Oculi)	Nervousness	Staring Gaze
Hearing Loss	Wasting of Tongue	Difficulty Sleeping/ Insomnia	Nausea & Vomiting
Weight Gain	Listless, dull to look Eyes		Warm Moist Skin
	Hoarseness		Goitre
	Rapid Heart Rate with weak force of contraction		Fast Heart Rate
3pm crash	Slow Thinking	Fatigue	Trembling Hands
Broken Sleep	Slow Pulse Rate	Itching -overall	
Brittle/ Ridged Nails		Heartbeat Sensations Palpitations	
Joint/ Muscle Pain	Non pitting oedema of ankles	Weakness	Skin Blushing/ Flushing
Hair Loss	Cold/dry/sore/scaley skin/brittle nails		Blood Pressure- high
Constipation	Low basal activity level temperature	Diarrhoea	Pulse- Pounding
Prmenstrual Tension	Dry/course/brittle hair or hair loss	Increased Bowel Movements	Weight Loss
Intolerance to Cold/Heat/ Sweating/Low Body Temperature	Unexplained Weight Gain	Heat Intolerance	Muscle Weakness
Tingling & Numbness in Extremities	Pounding Heart Beat	Light or Absent Menstruel Periods	Breast Development in Men
	Nervousness		
	Sluggish Movement		

Design mouseman info 2012

Design mouseman info 2012


Hyperthyroidism

- Emotional symptoms
 - Nervousness
 - Restlessness
 - Anxiety
 - Irritability
 - Sleeplessness or insomnia
 - Exhaustion



Causes of hyperthyroidism

- Grave's disease
- A benign nodule on the thyroid
- Thyroiditis
- Taking too much of the synthetic thyroid hormone



Hyperthyroidism DiffDg


- Graves' Disease
- Toxic Multinodular Goiter
- Toxic Adenoma
- Thyroiditis
 - silent (Hashimoto's) – painless, often post partum
 - subacute (de Quervain's) – painful, post viral
 - drug-induced – amiodarone, lithium, interferon
- Thyrotoxicosis factitia
 - ingestion

Thyroid storm (crisis)

- Sudden onset
- Fever
- Profuse diaphoresis
- Flushed warm skin
- Tachycardia
- Weakness, lethargy and confusion
- Coma
- Nausea, vomiting, diarrhea

Treatment of hyperthyroidism

- Causative
- Radioactive iodine
 - Supplementation
- High-dose iodine – Wolff-Chaikoff effect
- Beta-blockers
- Antithyroid treatment
 - Propylthiouracil (PTU)
- Thyroidectomy




Grave's disease



SIGNS	SYMPTOMS
<ul style="list-style-type: none">• Resting tremor• Hyperreflexia• Atrial tachyarrhythmias (including atrial fibrillation)• Enlarged painless thyroid with thrill and bruit• Warm, moist, and smooth skin• Hair loss• Onycholysis (Plummer's nails)• Gynecomastia• Localized dermatopathy (pretibial myxedema)• Thyroid acropachy (clubbing)• Stare, eyelid lag, proptosis	<ul style="list-style-type: none">• Irritability• Tremor• Proximal-muscle weakness• Difficulty sleeping• Palpitations• Heat intolerance• Weight loss• Increased appetite• Increased frequency and loose stools• Menstrual irregularity (oligomenorrhea, amenorrhea)• Decreased libido and erectile dysfunction• Photophobia, gritty eye sensation, xerophthalmia, blurry vision, diplopia



Pathophysiology of Graves diseases



Goiter



Hypothyroidism

Hypothyroidism: Clinical Symptoms and Signs

Endocrine

- Infertility and subfertility
- Menstrual disturbances
- Galactorrhea
- Goiter
- Glucose metabolism dysregulation
- Sexual dysfunction
- Increased prolactin
- Pituitary hyperplasia

Skeletal

- Muscle weakness
- Muscle cramps
- Arthralgia
- Creatine phosphokinase elevation
- Ruffian's syndrome (hypothyroid myopathy)
- Osteoporotic fracture (due to over treatment)

Electrolytes and kidney function

- Deterioration of kidney function
- Decreased estimated glomerular filtration rate
- Hyponatremia

Skin and Hair

- Dry skin
- Hair loss
- Coarse skin
- Loss of lateral eyelashes (rare)
- Yellow palms of the hand
- Alopecia areata

General Metabolism

- Weight gain (increased BMI)
- Cold intolerance / Hypothermia
- Fatigue
- Low metabolic rate
- Myxedema



Chaker L et al., Lancet 2017

Neurological

- Impaired memory
- Parosmia
- Mood impairment
- Impaired cognitive function
- Delayed relaxation of tendon reflexes
- Depression
- Dementia
- Hoarseness of voice, decreased taste, vision, or hearing
- Ataxia
- Carpal tunnel syndrome and other nerve entrapment syndromes
- Myxedema coma

Cardiovascular

- Fatigue or exertion shortness of breath
- Dyslipidemia
- Bradycardia
- Hypertension
- endothelial dysfunction or increased intima-media thickness
- Diastolic dysfunction
- Pericardial effusion
- Hyperhomocysteinemia
- ECG changes

GI/hepatic

- Constipation
- Reduced esophageal motility, non-alcoholic fatty liver disease
- Acute liver rare

Haematological

- Bleeding
- Fatigue
- Mild anemia
- Acquired von Willebrand disease
- Decreased protein C and S
- Increased red cell distribution width
- Increased mean platelet volume

Hyposekrece T3, T4 v dětství


Kretenismus

nedostatek T3 a T4 již intrauterinně,
porucha vývoje žlázy nebo endemický
nedostatek jodu

- poruchy růstu, kratší končetiny
- poruchy intelektu, spavost
- únava, svalová slabost
- zácpa, velké břicho




Hypothyroidism



Hypothyroidism

- Primary
 - Thyroid gland
 - Hashimoto's disease
 - Autoimmune thyroid destruction
 - Creteinism
 - Neonatal screening
- Secondary
 - Pituitary gland


CAUSES OF HYPOTHYROIDISM




Hypothyroidism

- Treatment of hypothyroidism
 - Causative
 - Thyroid hormone replacement
 - Iodine
 - Jod-Basedow effect

Features of hypothyroidism and hyperthyroidism





Benign Nodules (95%)

- Hyperplastic nodules (85%)
- Adenomas (15%)
- Cysts (<1%)

Carcinomas (5%)

- Papillary (81%)
- Follicular and Hürthle-cell (14%)
- Medullary (3%)
- Anaplastic (2%)

Common Varieties of Thyroid Nodules.

HASHIMOTO'S DISEASE

Normal Thyroid ✓


Hashimoto's Disease ✗

Enlarged and Inflamed Underactive Thyroid (Goiter)


Hashimoto's Disease, is an Autoimmune Disease in Which the Thyroid Gland is Gradually Destroyed


Symptoms:

- Enlargement of the Tongue
- Memory Lapses Depression
- Goiter A puffy Face Brittle Nails Hair Loss
- Pale, Dry Skin
- Excessive or Prolonged Menstrual Bleeding
- Joint Pain and Stiffness
- Muscle Aches, Weakness, Tenderness and Stiffness
- Constipation
- Fatigue and Sluggishness
- Increased Sensitivity to Cold
- Unexplained Weight Gain



Calcium Turnover





Hypercalcemia

- Symptoms
 - Renal (stones, polydipsia, polyuria)
 - Bones (pain)
 - Gut (constipation)
 - Brain (depression, fatigue, anorexia)
- Signs
 - Hypertension, cognitive impairment, joint swelling, bone deformities

Hypercalcemia

• Causes

- Primary (tertiary) hyperparathyroidism
- Malignancies (parathyroid hormone-related protein)
- Hypervitaminosis D
- Renal failure

• Therapy


- Diuretics
- Bisphosphonates
- Calcitonin

Hypercalcemia: *Clinical Findings*

Note: "Total Ca²⁺" in the blood is either "free", or bound to albumin. The lab value measures the "Total Ca²⁺", but it is the "free Ca²⁺" that carries out Ca²⁺'s functions and determines if someone is hyper- or hypo-calcemic.

Hypercalcemia
(serum [Ca²⁺] > 2.5mmol/L)

Note: sick/ICU patients have ↓ serum albumin, due to ↓ synthesis from a sick liver. Their lab Ca²⁺ values can be "normal", but they may be truly hypercalcemic (more "free Ca²⁺", less "albumin-bound Ca²⁺").
Correct this by adding 0.2mmol/L to the lab Ca²⁺ value for every 10g/L drop of albumin below 40g/L



Author:
Yan Yu
Reviewers:
David Waldner
Sean Spence
Greg Kline*
* MD at time of publication

A rhyme to help you recall the manifestations of one specific cause of hypercalcemia, primary hyperparathyroidism:

- **Bones** (Calcium levels are high often due to ↑ resorption from bones)
- **Stones** (↑ Calcium-containing kidney stones)
- **Groans** (GI and skeletal muscle issues)
- **Psychic Moans** (Cognitive dysfunction from neuronal disturbances)

Legend: Pathophysiology Mechanism Sign/Symptom/Lab Finding Complications Published May 7, 2013 on www.thecalgaryguide.com




Hypocalcemia


Table 1. Causes of hypocalcemia.

Low PTH levels (hypoparathyroidism)	High PTH levels (secondary hyperparathyroidism)
<p><i>Parathyroid Destruction</i></p> <ul style="list-style-type: none"> Surgery Auto-immune (isolated or polyglandular) Cervical irradiation Infiltration by metastasis or systemic diseases (Sarcoidosis, amyloidosis, hemochromatosis, Wilson's disease, thalassemia) <p><i>Reduced parathyroid function</i></p> <ul style="list-style-type: none"> Hypomagnesemia PTH gene defects Calcium sensing receptor mutations <p><i>Parathyroid agenesis</i></p> <ul style="list-style-type: none"> DiGeorge Syndrome Isolated x-linked hypoparathyroidism Kenny-Caffey syndrome Mitochondrial neuropathies 	<p><i>PTH resistance</i></p> <ul style="list-style-type: none"> Pseudohypoparathyroidism Hypomagnesemia <p><i>Vitamin D deficiency</i></p> <ul style="list-style-type: none"> Nutritional Lack of sunlight Malabsorption Vitamin D dependent rickets <ul style="list-style-type: none"> type I (lack of activity of 1α-hydroxylase) type II (Vitamin D receptor resistance) Chronic renal disease <p><i>Drugs</i></p> <ul style="list-style-type: none"> Bisphosphonates, cisplatin, ketoconazole, gallium nitrate, anticonvulsants <p><i>Hyperphosphatemia</i></p> <ul style="list-style-type: none"> Renal insufficiency Massive tumor lysis Acute rhabdomyolysis <p><i>Acute pancreatitis</i></p> <p><i>Hungry bone</i></p> <p><i>Toxic shock syndrome</i></p> <p><i>Acute severe illness</i></p> <p><i>Calcium chelators (citrate blood transfusions, phosphate)</i></p>

Parathyroid Diseases



Hypoparathyroidism



Mechanism	Risk Factor/Comorbidity	Etiology
Destruction or Removal	Surgery	Removal or damage to blood supply
	Disorder Dependent	Autoimmune
	Radiation therapy	Destruction of gland--Rare
	Cancer	Metastatic infiltration
	Transfusion dependent thalassemia	Iron Infiltration
	Wilson's Disease	Copper infiltration
	Amyloidosis	Amyloid deposition
Impaired PTH secretion or action	Malnutrition, Malabsorption, Alcoholism, Drugs, RTA	Severe Magnesium Deficiency
	Chronic Renal Failure, IV magnesium administration	Hypermagnesemia
Genetic Disorders of PTH synthesis or parathyroid gland development	Family History of hypocalcemia or hypoparathyroidism	Multiple and varied

Děkuji za pozornost